

decanamide

Inchi:	InChI=1S/C10H21NO/c1-2-3-4-5-6-7-8-9-10(11)12/h2-9H2,1H3,(H2,11,12)
InchiKey:	TUTWLYPEGCUWQI-UHFFFAOYSA-N
Formula:	C10H21NO
SMILES:	CCCCCCCCC(N)=O
Mol. weight [g/mol]:	171.28

Physical Properties

Property code	Value	Unit	Source
gf	-29.15	kJ/mol	Joback Method
hf	-328.52	kJ/mol	Joback Method
hfus	18.80	kJ/mol	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
hfus	1.05	kJ/mol	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
hfus	17.40	kJ/mol	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
hfus	21.10	kJ/mol	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
hfus	1.05	kJ/mol	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry

hfus	15.10	kJ/mol	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
hvap	55.24	kJ/mol	Joback Method
log10ws	-3.22		Crippen Method
logp	2.612		Crippen Method
mcvol	163.310	ml/mol	McGowan Method
pc	2361.07	kPa	Joback Method
tb	554.60	K	Joback Method
tc	737.66	K	Joback Method
tf	370.60	K	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
tf	370.90	K	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
tt	366.90	K	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
tt	218.70	K	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
tt	366.30	K	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
tt	218.70	K	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
vc	0.630	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	483.80	J/molxK	737.66	Joback Method
cpg	472.45	J/molxK	707.15	Joback Method
cpg	460.51	J/molxK	676.64	Joback Method
cpg	447.97	J/molxK	646.13	Joback Method
cpg	434.81	J/molxK	615.62	Joback Method
cpg	421.01	J/molxK	585.11	Joback Method
cpg	406.56	J/molxK	554.60	Joback Method
cps	291.60 ± 0.70	J/molxK	313.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	278.50 ± 0.30	J/molxK	303.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	287.00 ± 0.50	J/molxK	308.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	272.40 ± 0.40	J/molxK	298.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry

cps	297.90 ± 0.90	J/mol×K	318.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	304.40 ± 0.80	J/mol×K	323.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	270.20 ± 0.70	J/mol×K	293.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	266.40 ± 0.70	J/mol×K	288.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	260.70 ± 0.50	J/mol×K	283.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry

cps	251.10 ± 0.60	J/mol×K	278.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	247.60 ± 0.80	J/mol×K	273.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	238.50 ± 0.60	J/mol×K	268.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry
cps	236.40 ± 0.80	J/mol×K	263.00	Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry

Sources

Crippen Method:
<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:
https://www.chemeo.com/doc/models/crippen_log10ws

Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry: Joback Method:
<https://www.doi.org/10.1021/je700662a>

Heat Capacities and Enthalpies of Solid-Solid Transitions and Fusion of a Series of Eleven Primary Alkylamides by Differential Scanning Calorimetry: McGowan Method:
https://en.wikipedia.org/wiki/Joback_method

<http://link.springer.com/article/10.1007/BF02311772>

Legend

cpg:	Ideal gas heat capacity
cps:	Solid phase heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
tt:	Triple Point Temperature
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/103-440-8/decanamide.pdf>

Generated by Cheméo on 2024-05-03 04:49:09.400627035 +0000 UTC m=+17000998.321204350.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.