

3-Hexanol, 5-methyl-

Other names:	5-Methyl-3-hexanol
Inchi:	InChI=1S/C7H16O/c1-4-7(8)5-6(2)3/h6-8H,4-5H2,1-3H3
InchiKey:	RGCZULIFYUPTAR-UHFFFAOYSA-N
Formula:	C7H16O
SMILES:	CCC(O)CC(C)C
Mol. weight [g/mol]:	116.20
CAS:	623-55-2

Physical Properties

Property code	Value	Unit	Source
gf	-133.64	kJ/mol	Joback Method
hf	-350.60	kJ/mol	Joback Method
hfus	10.93	kJ/mol	Joback Method
hvap	59.80 ± 0.30	kJ/mol	NIST Webbook
log10ws	-1.89		Crippen Method
logp	1.803		Crippen Method
mcvol	115.360	ml/mol	McGowan Method
pc	3149.09	kPa	Joback Method
rinpol	838.00		NIST Webbook
rinpol	838.00		NIST Webbook
rinpol	838.00		NIST Webbook
rinpol	838.00		NIST Webbook
ripol	1262.00		NIST Webbook
ripol	1262.00		NIST Webbook
tb	420.15 ± 3.00	K	NIST Webbook
tc	618.05	K	Joback Method
tf	199.47	K	Joback Method
vc	0.434	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	308.82	J/molxK	618.05	Joback Method
cpg	259.20	J/molxK	478.73	Joback Method

cpg	269.95	J/molxK	506.59	Joback Method
cpg	280.27	J/molxK	534.46	Joback Method
cpg	290.18	J/molxK	562.32	Joback Method
cpg	299.70	J/molxK	590.19	Joback Method
cpg	248.03	J/molxK	450.86	Joback Method
dvisc	0.4386858	Paxs	199.47	Joback Method
dvisc	0.0395574	Paxs	241.37	Joback Method
dvisc	0.0072680	Paxs	283.27	Joback Method
dvisc	0.0020664	Paxs	325.16	Joback Method
dvisc	0.0007829	Paxs	367.06	Joback Method
dvisc	0.0003619	Paxs	408.96	Joback Method
dvisc	0.0001931	Paxs	450.86	Joback Method
pvap	0.03	kPa	275.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols
pvap	0.04	kPa	278.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols
pvap	0.05	kPa	281.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols

pvap	0.06	kPa	284.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols
pvap	0.08	kPa	287.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols
pvap	0.10	kPa	290.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols
pvap	0.14	kPa	293.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols

pvap	0.18	kPa	296.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols
pvap	0.23	kPa	299.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols
pvap	0.29	kPa	302.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols
pvap	0.37	kPa	305.30	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols

pvap	0.46	kPa	308.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols
pvap	0.57	kPa	311.20	Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.66686e+01
Coeff. B	-4.64088e+03
Coeff. C	-3.50230e+01
Temperature range (K), min.	318.33
Temperature range (K), max.	443.66

Sources

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C623552&Units=SI>

The Yaws Handbook of Vapor

<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

Pressure:
Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Measurement and Prediction of Thermochemical Properties. Improved Benson-Type Increments for the Estimation of Enthalpies of Vaporization and Standard Enthalpies of Formation of Aliphatic Alcohols:

<https://www.doi.org/10.1021/je049561m>

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/16-919-4/3-Hexanol-5-methyl.pdf>

Generated by Cheméo on 2025-12-05 12:03:35.843555663 +0000 UTC m=+4684413.373596328.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.