

Hydrogen

Other names:	Dihydrogen H2 Molecular hydrogen P-HYDROGEN UN 1049 UN 1966 hydrogen (normal) o-Hydrogen
Inchi:	InChI=1S/H2/h1H
InchiKey:	UFHFLCQGNIYNRP-UHFFFAOYSA-N
Formula:	H2
SMILES:	[H][H]
Mol. weight [g/mol]:	2.02
CAS:	1333-74-0

Physical Properties

Property code	Value	Unit	Source
af	-0.2160		KDB
affp	422.30	kJ/mol	NIST Webbook
basg	394.70	kJ/mol	NIST Webbook
dm	0.00	debye	KDB
gf	53.88	kJ/mol	Joback Method
gyrad	0.3710		KDB
hf	68.29	kJ/mol	Joback Method
hfus	-0.88	kJ/mol	Joback Method
hvap	15.30	kJ/mol	Joback Method
ie	15.44 ± 0.01	eV	NIST Webbook
ie	15.43 ± 0.00	eV	NIST Webbook
ie	15.43	eV	NIST Webbook
ie	15.44 ± 0.01	eV	NIST Webbook
ie	15.43 ± 0.00	eV	NIST Webbook
ie	15.43 ± 0.02	eV	NIST Webbook
ie	15.37 ± 0.05	eV	NIST Webbook
ie	15.43	eV	NIST Webbook
ie	15.43 ± 0.00	eV	NIST Webbook
ie	15.43	eV	NIST Webbook
ie	15.43	eV	NIST Webbook

ie	15.43 ± 0.00	eV	NIST Webbook
ie	15.43 ± 0.00	eV	NIST Webbook
ie	15.43 ± 0.00	eV	NIST Webbook
ie	15.43 ± 0.00	eV	NIST Webbook
ie	15.43	eV	NIST Webbook
ie	15.43	eV	NIST Webbook
ie	15.43 ± 0.00	eV	NIST Webbook
ie	15.50 ± 1.00	eV	NIST Webbook
ie	15.98	eV	NIST Webbook
ie	15.43	eV	NIST Webbook
ie	15.43	eV	NIST Webbook
ie	16.00 ± 1.00	eV	NIST Webbook
ie	15.40	eV	NIST Webbook
ie	15.43	eV	NIST Webbook
ie	15.43 ± 0.00	eV	NIST Webbook
ie	15.38 ± 0.00	eV	NIST Webbook
log10ws	0.18		Crippen Method
logp	0.246		Crippen Method
mcvol	10.860	ml/mol	McGowan Method
nfpaf	%!d(float64=4)		KDB
pc	1293.00	kPa	KDB
pc	1300.00 ± 1.19	kPa	NIST Webbook
pt	7.04	kPa	KDB
pt	0.00	kPa	NIST Webbook
pt	7.21 ± 0.04	kPa	NIST Webbook
rhoc	31.04 ± 4.03	kg/m3	NIST Webbook
sgb	130.68 ± 0.00	J/mol×K	NIST Webbook
tb	20.28	K	KDB
tc	32.97	K	KDB
tc	33.18 ± 0.20	K	NIST Webbook
tf	13.81	K	KDB
tt	0.00	K	NIST Webbook
tt	13.80	K	KDB
tt	13.95 ± 0.06	K	NIST Webbook
tt	13.96 ± 0.05	K	NIST Webbook
vc	0.065	m3/kmol	KDB
zc	0.3065890		KDB

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
---------------	-------	------	-----------------	--------

cpg	-10.08	J/molxK	198.00	Joback Method
cpg	-8.36	J/molxK	221.51	Joback Method
cpg	-6.92	J/molxK	245.01	Joback Method
cpg	-5.74	J/molxK	268.52	Joback Method
cpg	-4.82	J/molxK	292.03	Joback Method
cpg	-4.12	J/molxK	315.53	Joback Method
cpg	-3.65	J/molxK	339.04	Joback Method
dvisc	0.0000129	Paxs	500.00	Viscosity of H2-CO2 Mixtures at (500, 800, and 1100) K
dvisc	0.0000179	Paxs	800.00	Viscosity of H2-CO2 Mixtures at (500, 800, and 1100) K
dvisc	0.0000226	Paxs	1100.00	Viscosity of H2-CO2 Mixtures at (500, 800, and 1100) K
rho1	71.00	kg/m3	20.00	KDB

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.21426e+01
Coeff. B	-1.86390e+02
Coeff. C	4.38000e+00
Temperature range (K), min.	13.95
Temperature range (K), max.	33.18

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	-5.20040e+00
Coeff. B	-5.25666e+01
Coeff. C	4.20040e+00
Coeff. D	-6.96717e-04
Temperature range (K), min.	14.00
Temperature range (K), max.	32.62

Datasets

Amount density, mol/m³

Temperature, K - Fluid (supercritical or subcritical phases)	Pressure, kPa - Fluid (supercritical or subcritical phases)	Amount density, mol/m ³ - Fluid (supercritical or subcritical phases)
353.22	96078.00	21498.0
353.22	59493.00	15300.0
353.22	38699.00	10888.0
353.22	25948.00	7748.6
353.22	17741.00	5514.6
353.22	12284.00	3924.8
353.22	8580.00	2793.3
353.22	6028.00	1988.1
353.22	4251.00	1415.0
353.22	3006.00	1007.1
353.22	2129.00	716.81
353.22	1510.00	510.19
353.22	1072.00	363.13
393.22	99707.00	20498.0
393.22	62378.00	14592.0
393.22	40796.00	10388.0
393.22	27448.00	7395.6
393.22	18809.00	5265.9
393.22	13040.00	3749.8
393.22	9119.00	2670.3
393.22	6412.00	1901.7
393.22	4525.00	1354.3
393.22	3203.00	964.5
393.22	2271.00	686.9
393.22	1612.00	489.2
393.22	1145.00	348.41
353.25	99823.00	22045.0
353.25	61529.00	15689.0
353.25	39891.00	11164.0
353.25	26701.00	7944.8
353.25	18235.00	5653.8
353.25	12611.00	4023.6
353.25	8804.00	2863.5

353.25	6181.00	2037.9
353.25	4358.00	1450.3
353.25	3081.00	1032.2
353.25	2183.00	734.57
353.25	1548.00	522.79
353.25	1099.00	372.06
433.18	99763.00	19198.0
433.18	63167.00	13669.0
433.18	41617.00	9734.5
433.18	28131.00	6933.6
433.18	19337.00	4939.5
433.18	13435.00	3519.3
433.18	9409.00	2507.7
433.18	6625.00	1787.0
433.18	4682.00	1273.4
433.18	3316.00	907.49
433.18	2353.00	646.72
433.18	1673.00	460.89
433.18	1190.00	328.46
373.25	99849.00	21257.0
373.25	62030.00	15130.0
373.25	40397.00	10769.0
373.25	27113.00	7665.1
373.25	18544.00	5456.3
373.25	12844.00	3884.3
373.25	8974.00	2765.2
373.25	6306.00	1968.6
373.25	4448.00	1401.5
373.25	3146.00	997.77
373.25	2229.00	710.36
373.25	1582.00	505.73
373.25	1124.00	360.05
433.19	96737.00	18794.0
433.19	61451.00	13382.0
433.19	40570.00	9530.8
433.19	27466.00	6789.3
433.19	18887.00	4837.4
433.19	13140.00	3447.0
433.19	9208.00	2456.5
433.19	6486.00	1750.8
433.19	4585.00	1247.8
433.19	3249.00	889.41
433.19	2306.00	633.94
433.19	1640.00	451.86

433.19	1166.00	322.08
473.19	97599.00	17758.0
473.19	62556.00	12647.0
473.19	41475.00	9009.9
473.19	28177.00	6420.2
473.19	19436.00	4575.9
473.19	13542.00	3261.9
473.19	9501.00	2325.6
473.19	6699.00	1658.1
473.19	4740.00	1182.3
473.19	3362.00	843.06
473.19	2387.00	601.18
473.19	1698.00	428.7
473.19	1210.00	305.71
473.20	99349.00	17990.0
473.20	63569.00	12813.0
473.20	42153.00	9127.8
473.20	28617.00	6504.3
473.20	19728.00	4636.0
473.20	13736.00	3304.9
473.20	9636.00	2356.3
473.20	6792.00	1680.1
473.20	4805.00	1198.0
473.20	3407.00	854.3
473.20	2419.00	609.22
473.20	1722.00	434.44
473.20	1226.00	309.82

Reference

<https://www.doi.org/10.1007/s10765-012-1168-2>

Thermal conductivity, W/m/K

Pressure, kPa - Fluid (supercritical or subcritical phases)	Temperature, K - Fluid (supercritical or subcritical phases)	Thermal conductivity, W/m/K - Fluid (supercritical or subcritical phases)
261.00	323.20	0.1971
261.00	323.20	0.1970
266.00	323.20	0.1971
267.00	323.20	0.1973
266.00	323.20	0.1971
5188.00	323.20	0.2031
5190.00	323.20	0.2031

5193.00	323.19	0.2032
5191.00	323.19	0.2032
5186.00	323.20	0.2029
10100.00	323.19	0.2065
10095.00	323.20	0.2065
10094.00	323.19	0.2067
10087.00	323.20	0.2067
10084.00	323.20	0.2067
19987.00	323.20	0.2147
19998.00	323.20	0.2146
20000.00	323.20	0.2142
19989.00	323.20	0.2142
19980.00	323.21	0.2147
40020.00	323.20	0.2313
40011.00	323.20	0.2304
39993.00	323.20	0.2306
39984.00	323.20	0.2311
40006.00	323.20	0.2312
59985.00	323.20	0.2488
59986.00	323.20	0.2482
59968.00	323.20	0.2483
59948.00	323.20	0.2488
59935.00	323.21	0.2488
80034.00	323.20	0.2657
80012.00	323.20	0.2648
79984.00	323.20	0.2654
79963.00	323.20	0.2659
80001.00	323.20	0.2659
97745.00	323.20	0.2813
97707.00	323.20	0.2804
97716.00	323.20	0.2820
97753.00	323.20	0.2816
97762.00	323.20	0.2814
599.00	373.23	0.2224
599.00	373.22	0.2225
598.00	373.22	0.2223
598.00	373.22	0.2224
5171.00	373.23	0.2262
5170.00	373.22	0.2262
5170.00	373.22	0.2260
5170.00	373.22	0.2261
10219.00	373.23	0.2296
10219.00	373.23	0.2295
10219.00	373.23	0.2296

10219.00	373.23	0.2298
30119.00	373.23	0.2438
30120.00	373.23	0.2437
30120.00	373.23	0.2433
30122.00	373.23	0.2432
50144.00	373.23	0.2589
50144.00	373.23	0.2588
50144.00	373.23	0.2589
70084.00	373.22	0.2757
70084.00	373.22	0.2758
70086.00	373.22	0.2758
98197.00	373.22	0.2988
98193.00	373.23	0.2983
98190.00	373.23	0.2987
98187.00	373.22	0.2983
400.00	423.27	0.2421
402.00	423.27	0.2431
403.00	423.26	0.2426
404.00	423.26	0.2418
5113.00	423.26	0.2477
5114.00	423.26	0.2476
5114.00	423.25	0.2475
10104.00	423.26	0.2499
10105.00	423.25	0.2494
10105.00	423.25	0.2502
30087.00	423.25	0.2620
30087.00	423.25	0.2619
30087.00	423.25	0.2615
50100.00	423.26	0.2771
50100.00	423.26	0.2762
50102.00	423.25	0.2764
70147.00	423.25	0.2939
70150.00	423.25	0.2927
70155.00	423.25	0.2923
96975.00	423.25	0.3140
96978.00	423.25	0.3137
96980.00	423.25	0.3142
365.00	573.28	0.2934
367.00	573.28	0.2929
369.00	573.28	0.2931
5202.00	573.27	0.3043
5202.00	573.27	0.3057
5202.00	573.27	0.3047
10155.00	573.27	0.3066

10155.00	573.27	0.3072
10156.00	573.27	0.3066
30167.00	573.27	0.3171
30167.00	573.27	0.3173
30167.00	573.27	0.3175
50208.00	573.26	0.3253
50204.00	573.27	0.3274
50202.00	573.26	0.3283
70114.00	573.27	0.3387
70106.00	573.27	0.3381
70099.00	573.27	0.3376
97001.00	573.26	0.3548
96990.00	573.26	0.3549
96979.00	573.26	0.3560
407.00	473.28	0.2609
408.00	473.29	0.2613
408.00	473.28	0.2610
409.00	473.28	0.2611
5166.00	473.28	0.2673
5167.00	473.28	0.2670
5167.00	473.28	0.2671
10065.00	473.27	0.2681
10065.00	473.27	0.2687
10065.00	473.28	0.2691
30123.00	473.27	0.2799
30124.00	473.27	0.2800
30124.00	473.27	0.2803
50176.00	473.28	0.2940
50178.00	473.28	0.2937
50179.00	473.28	0.2920
70155.00	473.27	0.3079
70156.00	473.27	0.3088
70160.00	473.27	0.3069
97460.00	473.27	0.3282
97459.00	473.27	0.3262
97457.00	473.27	0.3277
304.00	672.89	0.3296
304.00	672.89	0.3290
305.00	672.89	0.3290
306.00	672.89	0.3287
5147.00	672.88	0.3430
5143.00	672.88	0.3429
5140.00	672.88	0.3440
5137.00	672.88	0.3420

10061.00	672.88	0.3445
10060.00	672.88	0.3456
10059.00	672.88	0.3459
30074.00	672.87	0.3514
30063.00	672.87	0.3522
30056.00	672.87	0.3514
50118.00	672.87	0.3625
50107.00	672.88	0.3616
50096.00	672.87	0.3600
70044.00	672.88	0.3699
70030.00	672.88	0.3711
70012.00	672.88	0.3693
98109.00	672.87	0.3873
98074.00	672.87	0.3853
98041.00	672.87	0.3854
4315.00	373.23	0.2265
4316.00	373.23	0.2258
4316.00	373.23	0.2256
10127.00	373.23	0.2291
10126.00	373.24	0.2296
10126.00	373.23	0.2289
30053.00	373.23	0.2422
30052.00	373.23	0.2428
30052.00	373.23	0.2427
49936.00	373.23	0.2599
49936.00	373.23	0.2582
49936.00	373.23	0.2587
69998.00	373.23	0.2753
69997.00	373.23	0.2756
69998.00	373.23	0.2751
97555.00	373.23	0.3001
97558.00	373.23	0.2995
97560.00	373.23	0.2989
378.00	771.92	0.3679
381.00	771.92	0.3675
383.00	771.92	0.3671
386.00	771.92	0.3678
5144.00	771.91	0.3835
5140.00	771.92	0.3835
5136.00	771.92	0.3832
10109.00	771.91	0.3825
10100.00	771.91	0.3836
10092.00	771.91	0.3825
10086.00	771.91	0.3838

30058.00	771.91	0.3900
30036.00	771.90	0.3906
30014.00	771.91	0.3888
29994.00	771.90	0.3905
49932.00	771.90	0.3973
49904.00	771.90	0.3973
49879.00	771.91	0.3964
70520.00	771.91	0.4053
70484.00	771.90	0.4065
70444.00	771.90	0.4037
70405.00	771.90	0.4080
99205.00	771.90	0.4188
99143.00	771.90	0.4168
99008.00	771.90	0.4170
98954.00	771.90	0.4176

Reference

<https://www.doi.org/10.1007/s10765-011-1052-5>

Viscosity, Pa*s

Temperature, K - Gas	Pressure, kPa - Gas	Viscosity, Pa*s - Gas
294.10	34430.00	0.0000096
294.52	4680.00	0.0000090
294.52	4680.00	0.0000090
294.91	10160.00	0.0000091
295.00	81640.00	0.0000114
295.01	52730.00	0.0000102
295.02	99320.00	0.0000120
333.28	4940.00	0.0000098
333.30	48480.00	0.0000106
333.31	69110.00	0.0000112
333.31	94920.00	0.0000122
333.32	9480.00	0.0000099
400.10	28190.00	0.0000111
400.11	4830.00	0.0000111
400.11	9190.00	0.0000113
400.11	49790.00	0.0000116
400.12	71210.00	0.0000122

Reference

<https://www.doi.org/10.1007/s10765-011-0999-6>

Pressure, kPa	Temperature, K	Viscosity, Pa*s
102.80	296.26	0.0000089
111.00	322.56	0.0000094
111.60	373.12	0.0000104
111.40	472.13	0.0000121
98.90	573.48	0.0000142
305.30	296.26	0.0000090
302.40	322.56	0.0000095
301.20	373.12	0.0000105
298.90	472.13	0.0000121
298.20	573.48	0.0000142
501.00	296.26	0.0000090
502.00	322.56	0.0000095
503.10	373.12	0.0000105
500.10	472.13	0.0000122
503.00	573.48	0.0000143
700.60	296.26	0.0000090
698.00	322.56	0.0000095
701.40	373.12	0.0000105
701.10	472.13	0.0000122
701.60	573.48	0.0000143

Reference

<https://www.doi.org/10.1016/j.jct.2015.04.028>

Mass density, kg/m³

Temperature, K - Gas	Pressure, kPa - Gas	Mass density, kg/m ³ - Gas
924.00	25112.00	6.313
914.10	24899.00	6.319
904.50	24668.00	6.324
892.30	24413.00	6.337
883.30	24272.00	6.344
874.10	24069.00	6.354
863.30	23818.00	6.366
854.70	23640.00	6.381
844.30	23469.00	6.412
834.30	23222.00	6.422
822.20	22963.00	6.441
812.90	22702.00	6.442
803.80	22451.00	6.442
792.80	22153.00	6.443

784.30	21917.00	6.444
773.40	21625.00	6.445
763.90	21370.00	6.445
753.60	21086.00	6.447
743.10	20811.00	6.447
733.60	20559.00	6.449
722.40	20262.00	6.45

Reference

<https://www.doi.org/10.1021/acs.jced.9b00399>

Sources

Density Data of Two (H₂ + CO₂) Mixtures and a (H₂ + CO₂ + CH₄) Mixture at Various Compositions
<https://www.doi.org/10.1021/acs.jced.8b01206>

Experimental and Computational Method for the Thermodynamic Properties of Sublimation and the Heat of Decomposition of ammonia borane: Comparison with Experimental Data
<https://www.doi.org/10.1016/j.jct.2012.08.028>

Comprehensive Heat Capacities and Standard Molar Enthalpy of Formation of Organic Compounds (s): copper(II) pivalate
<https://www.doi.org/10.1016/j.tca.2015.08.021>

Phase Equilibrium of Hydrogen, Carbon Dioxide, Squalene, and Squalene
<https://www.doi.org/10.1007/s10765-009-0568-4>

Equilibria of gases in novel ionic liquids 2-[2-hydroxyethyl (methyl)ammonium] trifluoromethanesulfonate
<https://www.doi.org/10.1016/j.jct.2018.11.016>

Determination of the energies of combustion and enthalpies of formation of hydrocarbons
<https://www.doi.org/10.1021/je800926z>

Gas Solubilities (CO₂, O₂, Ar, N₂, H₂) and Critical Point Properties of Supercritical Fluids
<https://www.doi.org/10.1016/j.fluid.2010.08.017>

Medium temperature heat capacities and standard molar enthalpy of formation of hydrocarbons
<https://www.doi.org/10.1016/j.jct.2009.10.003>

Standard molar enthalpies of formation of hydrocarbons
<https://www.doi.org/10.1016/j.jct.2005.01.010>

Accurate Experimental (p, rho, and T) Data for the Introduction of Hydrogen into a Supercritical Fluid
<https://www.doi.org/10.1021/acs.jced.7b01125>

Thermodynamic Experiments and Modeling of the Hydrogen-Carbon Dioxide System
<https://www.doi.org/10.1016/j.jct.2017.04.004>

Expanded Hydrocarbon System
<https://www.doi.org/10.1021/je900148e>

Phase Diagrams of the Hydrogen-Carbon Dioxide System
<https://www.doi.org/10.1016/j.jct.2014.11.012>

Viscosity of H₂-CO₂ Mixtures at (500, 800, and 1100) K
<https://www.doi.org/10.1021/je0342419>

Thermodynamics of the Pt-Cl system
<https://www.doi.org/10.1016/j.tca.2008.01.005>

Joback Method
https://en.wikipedia.org/wiki/Joback_method

Energetic and structural properties of 4-nitro-2,1,3-benzothiadiazole
<https://www.doi.org/10.1016/j.jct.2012.01.018>

Solubility of hydrogen in methanol at temperatures from 248.41 to 308.20K
<https://www.doi.org/10.1016/j.tca.2004.12.001>

Experimental P-T-G Measurements of Supercritical Mixtures of Carbon Dioxide and Methane
<https://www.doi.org/10.1021/acs.jced.7b00213>

Phase Diagrams of the Hydrogen-Carbon Dioxide System
<https://www.doi.org/10.1007/s10765-012-1168-2>

Diffusion Coefficients of Hydrogen in Methane
<https://www.doi.org/10.1021/acs.jced.8b01229>

Diffusion Coefficients of Hydrogen in Methane
<https://www.doi.org/10.1016/j.jct.2016.01.013>

Diffusion Coefficients of Hydrogen in Methane
<https://www.doi.org/10.1016/j.jct.2018.12.027>

Thermodynamic Properties of Several Non-polar Gases
<https://www.doi.org/10.1021/je800876t>

Thermodynamic Properties of Several Non-polar Gases
<https://www.doi.org/10.1016/j.jct.2009.09.009>

Thermodynamic Properties of Several Non-polar Gases
<https://www.doi.org/10.1021/je0301491>

Carbon Dioxide + Hydrogen + Methanol Ternary System:

Accurate Experimental (p, T) Data for the Introduction of Hydrogen into the Experiments and Thermodynamic Study on the Concentrations of the Hydrogen in the System by using the Pressure-Volume-Temperature (PVT) Measurements of Hydrogen at 0.1, 0.2, 0.3 MPa: Alkylene Ester 1,2-Butylene Carbonate: Solubility measurements of hydrogen in 1-butyl-3-methylimidazolium tetrafluoroborate and 1-butyl-3-methylimidazolium hexafluorophosphate based ionic liquids at 5 MPa: Hydrogen solubility and the ionic thermochemistry of 1-phenylpyrrole and 1-phenylpyrrole heat capacities and standard molar enthalpy of formation of sodium benzoate C₆H₅COONa (s):

KDB:

Thermochemical studies of three bis(O-alkyl-N-benzoylthiocarbamate)nickel(II) complexes: Critical Properties of Ethylene + Hydrogen and Propylene + Hydrogen in Methanol and Methyl Ethanol: 25 to 300 K and 0.1 to 0.3 MPa: hydrous copper sulfate: Chalcantite: Low-temperature Heat Capacity and the Standard Molar Enthalpy of Formation of copper(II) benzoate and its interaction with water: Measurements in the (CO₂ + H₂) gas mixture and water systems at temperatures from 273 K to 323 K and pressures up to 0.1 MPa: Secondary generation of hydrogen by the reaction of 2-propanol and hydrogen peroxide: Measurements of Hydrogen Thermal Conductivity at High Pressure and High Temperature: Standard molar enthalpies of formation in the crystalline phase of FeO, Fe₂O₃, Fe₃O₄, Fe₂SiO₄, Fe₂(SiO₄)₂, Fe₂(SiO₄)₃, and Fe₂(SiO₄)₄: Thermodynamic and energetic properties of Na, K, Rb and Cs salts by reaction with hydrogen: Determination of the standard molar enthalpy of formation of two crystalline forms of iron(II) benzoate: Determination of Gas Concentrations in Liquids by Nuclear Magnetic Resonance of the single gases H₂ and CO₂ in the ionic liquid [bmim][CH₃SO₄]: Experimental and computational thermochemistry of 1,2-dicyanoethane: Benzene Vapor Pressure: Pressure: Solubility of hydrogen in toluene for the ternary system H₂ + CO₂ + toluene from 0.1 to 0.3 MPa: Standard molar enthalpy of formation of benzene: Method with Absolute Pressure Transducer and Measurements for PVT Properties of Hydrogen and Hydrogen in the System: Tetrahydrofuran: Solubilities of Nonpolar Gases in Triethylene Glycol Dimethyl Ether, Tetrahydrofuran, Dimethyl Ether, Ionic Liquid Carbonate, and Diethyl Carbonate at 25 to 300 K and 0.1 to 0.3 MPa: Solubility of Hydrogen in Benzene: PVT Measurements of Hydrogen in the Ionic Liquid [bmim][PF₆]: Solubilities of several non-polar gases in mixtures water + 1,2-dichloroethane: Experimental thermodynamic study: Measurement of Hydrogen Solubility in Potential Liquid Organic Hydrogen Carriers: Solubilities of Gases in 1,1,3,3-Tetramethylguanidium Lactate at Elevated Pressures:

Thermodynamics of a model biological reaction: A comprehensive combined crystal structure and thermochemical properties of a novel coordination compound manganese D-gluconate tetrahydrate:

<https://www.doi.org/10.1021/acs.jced.7b00694>

<https://www.doi.org/10.1016/j.jct.2010.10.009>

<https://www.doi.org/10.1021/je0498614>

<https://www.doi.org/10.1021/je800583r>

<https://www.doi.org/10.1016/j.jct.2012.12.013>

<https://www.doi.org/10.1016/j.jct.2013.03.007>

<https://www.doi.org/10.1016/j.jct.2010.01.009>

<https://www.doi.org/10.1016/j.tca.2008.12.029>

https://www.chemeo.com/doc/models/crippen_log10ws

<https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=1912>

<https://www.doi.org/10.1016/j.jct.2004.04.001>

<https://www.doi.org/10.1021/je9009199>

<https://www.doi.org/10.1021/acs.jced.9b00676>

<https://www.doi.org/10.1016/j.jct.2015.12.010>

<https://www.doi.org/10.1016/j.tca.2012.05.023>

<https://www.doi.org/10.1016/j.jct.2005.08.017>

<https://www.doi.org/10.1016/j.jct.2017.12.011>

<https://www.doi.org/10.1016/j.fluid.2013.11.006>

<https://www.doi.org/10.1016/j.jct.2011.01.006>

<https://www.doi.org/10.1007/s10765-011-1052-5>

<https://www.doi.org/10.1016/j.jct.2011.04.013>

<https://www.doi.org/10.1016/j.jct.2012.11.012>

<https://www.doi.org/10.1016/j.jct.2017.07.025>

<https://www.doi.org/10.1016/j.jct.2004.04.009>

<https://www.doi.org/10.1021/je2013582>

<https://www.doi.org/10.1016/j.fluid.2006.06.010>

<https://www.doi.org/10.1016/j.jct.2012.07.008>

<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

<https://www.doi.org/10.1016/j.fluid.2006.01.013>

<https://www.doi.org/10.1016/j.jct.2012.09.007>

<https://www.doi.org/10.1007/s10765-011-1120-x>

<https://www.doi.org/10.1016/j.tca.2007.08.004>

<https://www.doi.org/10.1021/je020199q>

<https://www.doi.org/10.1021/je101060k>

<https://www.doi.org/10.1016/j.jct.2018.11.011>

<https://www.doi.org/10.1021/je050362s>

<https://www.doi.org/10.1016/j.fluid.2011.11.006>

<https://www.doi.org/10.1016/j.jct.2011.09.006>

<https://www.doi.org/10.1021/acs.jced.5b00789>

<https://www.doi.org/10.1021/je050437s>

<http://link.springer.com/article/10.1007/BF02311772>

<https://www.doi.org/10.1016/j.fluid.2016.01.035>

<https://www.doi.org/10.1016/j.jct.2014.03.009>

Experimental study on the thermochemistry of some amino derivatives, structure, and thermodynamics of a lanthanide complex of gases in cyclohexane. <https://www.doi.org/10.1016/j.jct.2011.06.003>

Solubility of gases in cyclohexane. <https://www.doi.org/10.1016/j.jct.2012.06.029>

Thermodynamic study of 3 xenon polar gases in 2,2,2-trifluoroethane at 273.15 to 303.15 K and 101.32 kPa: A 4-ary-1-methylimidazolium Designed for Measurements of Hydrogen Gas Viscosity at High Pressure and High Temperature. <https://www.doi.org/10.1016/j.jct.2012.11.030>

Hydrogen storage medium, aromatic hydrocarbon electrolyte of formation of hydrogen peroxide derivatives: Viscosity measurements of hydrogen at high temperatures up to 573 K by a curved mirror and thermodynamic investigation of zinc and cadmium hydroxides. <https://www.doi.org/10.1007/s10765-011-0999-6>

Synthesis, characterization and standard molar enthalpies of formation of two enantiomers of 2,2,3,3-tetrahydro-2H-benzofuran-3H₂O dichloroacetophenone isomers. <https://www.doi.org/10.1016/j.fluid.2004.07.013>

Low-Temperature Heat Capacities and Standard Molar Enthalpy of Formation Synthesis, Structural Characterization and Thermochemistry of Copper Hydroxide Hydrates, Cu₂(OH)₂(H₂O)₂(s). <https://www.doi.org/10.1016/j.jct.2011.10.007>

Compounds: Solubility of carbon dioxide, ethane, methane, oxygen, nitrogen, hydrogen, and carbon monoxide in pyrroles: A joint calorimetric and computational study of crystal structure and thermochemistry of nickel hydrogen sulfide, NiS₂, and CuS₂ at standard conditions and Gibbs free energy of formation of A-type calcium phosphocalcium hydroxyapatites. <https://www.doi.org/10.1016/j.jct.2015.04.028>

Measuring Diffusion and Solubility of Slightly Soluble Gases in Molten Nitrate Liquids: pyrrole carbonitriles and derivatives: A comparative study of the systems of CsCl + ErCl₃ + H₂O and CsCl + ErCl₃ + HCl (Liquids). <https://www.doi.org/10.1016/j.jct.2017.07.020>

Earth Complex of Gadolinium with Sulfate and Sulfate Hydrates: thermochemical study of two Density Measurements of the H₂O-CO₂-CH₄-O₂-H₂O System and the Solubility of CO₂ in H₂O, CH₄, and Standard Molar Enthalpy of Formation of Potassium Hydrogen Phthalate C₈H₅KO₄(s). <https://www.doi.org/10.1016/j.jct.2019.07.010>

Simultaneous solubility of carbon dioxide and hydrogen in the ionic liquid [EMIM][OAc]. <https://www.doi.org/10.1016/j.jct.2010.09.005>

Thermochemical study of acetone peroxides: A modified continuous flow apparatus for gas solubility measurements at high pressure and temperature with a camera system. <https://www.doi.org/10.1021/je901051z>

The thermochemistry of gamma-butyrolactone, gamma-butyrolactone and gamma-butyrolactone. <https://www.doi.org/10.1016/j.tca.2012.12.024>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2016.07.010>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2005.07.002>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2011.04.022>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.tca.2013.03.007>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2016.10.035>

Thermochemical study of gamma-butyrolactone. <http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1021/acs.jced.5b00990>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2011.12.019>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2013.09.016>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.tca.2012.08.027>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2018.01.022>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1021/acs.jced.9b00399>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1021/je900759f>

Thermochemical study of gamma-butyrolactone. <http://webbook.nist.gov/cgi/cbook.cgi?ID=C1333740&Units=SI>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.fluid.2011.08.013>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.tca.2014.03.046>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.fluid.2014.08.035>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2011.02.021>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.fluid.2009.04.020>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2013.07.001>

Thermochemical study of gamma-butyrolactone. <https://www.thermochem.org/research/kdb/hcprop/showprop.php?cmpid=1912>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1021/je0604129>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1007/s10765-013-1539-3>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2017.03.017>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.fluid.2014.01.002>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.jct.2015.08.032>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1021/je060087p>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1021/acs.jced.5b00986>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.fluid.2007.07.062>

Thermochemical study of gamma-butyrolactone. <https://www.doi.org/10.1016/j.fluid.2005.12.003>

Thermal and Mutual Diffusivity of Binary Mixtures of n-Dodecane and Hydrogen peroxide with Carbon Monoxide, Hydrogen and Ammonia by a new technique for solubility and thermodynamics of solvation of eight gases in 1-butyl-3-methylimidazolium hexafluorophosphate: <https://www.doi.org/10.1016/j.jct.2011.06.003>

Article Solubility of the Single Gases <https://www.doi.org/10.1021/je900298e>
Carbon Dioxide and Hydrogen in the <https://www.doi.org/10.1016/j.jct.2011.03.013>
Standard molar enthalpies of formation <https://www.doi.org/10.1016/j.jct.2012.03.021>
of 1- and 2-cyanonaphthalene:
H₂ solubility in methanol in the
presence of CO₂ and O₂:

Legend

af:	Acentric Factor
affp:	Proton affinity
basg:	Gas basicity
cpg:	Ideal gas heat capacity
dm:	Dipole Moment
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
gyrad:	Radius of Gyration
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
nfpaf:	NFPA Fire Rating
pc:	Critical Pressure
pt:	Triple Point Pressure
pvap:	Vapor pressure
rhoc:	Critical density
rhog:	Gas Density
rhof:	Liquid Density
rhofl:	Liquid Amount Density
sgb:	Molar entropy at standard conditions (1 bar)
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tcondl:	Liquid thermal conductivity
tf:	Normal melting (fusion) point
tt:	Triple Point Temperature
vc:	Critical Volume
zc:	Critical Compressibility

Latest version available from:

<https://www.chemeo.com/cid/17-951-7/Hydrogen.pdf>

Generated by Cheméo on 2024-04-24 06:07:49.07327827 +0000 UTC m=+16228117.993855603.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.