

Benzoic acid

Other names:	Acide benzoique
	BENZOATE
	Benzenecarboxylic acid
	Benzeneformic acid
	Benzenemethanoic acid
	Benzenemethonic acid
	Benzoesaure
	Benzoesaure GK
	Benzoesaure GV
	Benzoic acid, tech.
	Carboxybenzene
	Diacylic acid
	Dracylic acid
	E 210
	Flowers of benjamin
	Flowers of benzoin
	HA 1
	HA 1 (acid)
	Kyselina benzoova
	NSC 149
	Oracylic acid
	Phenylcarboxy
	Phenylcarboxylic acid
	Phenylformic acid
	Retarder BA
	Retarder BAX
	Retardex
	Salvo powder
	Salvo, liquid
	Solvo, powder
	Tenn-Plas
Inchi:	InChI=1S/C7H6O2/c8-7(9)6-4-2-1-3-5-6/h1-5H,(H,8,9)
InchiKey:	WPYMKLBDIGXBTP-UHFFFAOYSA-N
Formula:	C7H6O2
SMILES:	O=C(O)c1ccccc1
Mol. weight [g/mol]:	122.12
CAS:	65-85-0

Physical Properties

Property code	Value	Unit	Source
af	0.6200		KDB
affp	821.10	kJ/mol	NIST Webbook
aigt	845.93	K	KDB
basg	790.10	kJ/mol	NIST Webbook
chl	-3227.00 ± 0.20	kJ/mol	NIST Webbook
chs	-3227.30 ± 0.30	kJ/mol	NIST Webbook
chs	-3231.97	kJ/mol	NIST Webbook
chs	-3227.60 ± 0.30	kJ/mol	NIST Webbook
chs	-3228.06 ± 0.44	kJ/mol	NIST Webbook
chs	-3222.50 ± 4.20	kJ/mol	NIST Webbook
chs	-3226.87 ± 0.18	kJ/mol	NIST Webbook
chs	-3228.00 ± 0.50	kJ/mol	NIST Webbook
chs	-3226.39 ± 0.32	kJ/mol	NIST Webbook
chs	-3226.00	kJ/mol	NIST Webbook
chs	-3229.00	kJ/mol	NIST Webbook
chs	-3254.71 ± 0.41	kJ/mol	NIST Webbook
chs	-3231.30	kJ/mol	NIST Webbook
chs	-3227.51 ± 0.32	kJ/mol	NIST Webbook
chs	-3227.30 ± 0.30	kJ/mol	NIST Webbook
chs	-3227.40 ± 0.30	kJ/mol	NIST Webbook
chs	-3227.20 ± 0.50	kJ/mol	NIST Webbook
chs	-3229.80	kJ/mol	NIST Webbook
chs	-3228.79	kJ/mol	NIST Webbook
dm	1.70	debye	KDB
fpo	394.26	K	KDB
gf	-210.60	kJ/mol	KDB
hf	-290.40	kJ/mol	KDB
hfs	-386.00	kJ/mol	NIST Webbook
hfs	-384.80 ± 0.50	kJ/mol	NIST Webbook
hfus	18.02	kJ/mol	Odd even effect in melting properties of 12 alkane-a,x-diamides
hfus	16.82	kJ/mol	Thermodynamics of molecular solids in organic solvents
hvap	78.90	kJ/mol	NIST Webbook
ie	9.80 ± 0.20	eV	NIST Webbook
ie	9.73 ± 0.09	eV	NIST Webbook
ie	9.75	eV	NIST Webbook
ie	9.30	eV	NIST Webbook

ie	9.60	eV	NIST Webbook
ie	9.47	eV	NIST Webbook
log10ws	-1.56		Aqueous Solubility Prediction Method
log10ws	-1.55		Aqueous and cosolvent solubility data for drug-like organic compounds
logp	1.385		Crippen Method
mcvol	93.170	ml/mol	McGowan Method
nfpaf	%!d(float64=1)		KDB
nfpah	%!d(float64=2)		KDB
pc	4560.00	kPa	KDB
rinpol	199.20		NIST Webbook
rinpol	1160.00		NIST Webbook
rinpol	202.69		NIST Webbook
rinpol	200.65		NIST Webbook
rinpol	196.52		NIST Webbook
rinpol	193.90		NIST Webbook
rinpol	195.80		NIST Webbook
rinpol	196.50		NIST Webbook
rinpol	1191.00		NIST Webbook
rinpol	1180.00		NIST Webbook
rinpol	1163.00		NIST Webbook
rinpol	1180.00		NIST Webbook
rinpol	1167.00		NIST Webbook
rinpol	1135.00		NIST Webbook
rinpol	1155.00		NIST Webbook
rinpol	1210.00		NIST Webbook
rinpol	1196.00		NIST Webbook
rinpol	1171.00		NIST Webbook
rinpol	1156.00		NIST Webbook
rinpol	1152.00		NIST Webbook
rinpol	1197.00		NIST Webbook
rinpol	1199.00		NIST Webbook
rinpol	1163.00		NIST Webbook
rinpol	1185.00		NIST Webbook
rinpol	1162.00		NIST Webbook
rinpol	1159.00		NIST Webbook
rinpol	1160.00		NIST Webbook
rinpol	1165.00		NIST Webbook
rinpol	1164.00		NIST Webbook
rinpol	1193.00		NIST Webbook
rinpol	1159.00		NIST Webbook
rinpol	1160.00		NIST Webbook
rinpol	1170.00		NIST Webbook

rinpol	1159.00	NIST Webbook
rinpol	1178.00	NIST Webbook
rinpol	1174.00	NIST Webbook
rinpol	1191.00	NIST Webbook
rinpol	1191.00	NIST Webbook
rinpol	1184.00	NIST Webbook
rinpol	1168.00	NIST Webbook
rinpol	1185.00	NIST Webbook
rinpol	1162.00	NIST Webbook
rinpol	1162.00	NIST Webbook
rinpol	1162.00	NIST Webbook
rinpol	1163.00	NIST Webbook
rinpol	1131.00	NIST Webbook
rinpol	1164.00	NIST Webbook
rinpol	1131.00	NIST Webbook
rinpol	1200.00	NIST Webbook
rinpol	1148.00	NIST Webbook
rinpol	1214.00	NIST Webbook
rinpol	1172.00	NIST Webbook
rinpol	1161.00	NIST Webbook
rinpol	1138.00	NIST Webbook
rinpol	1197.00	NIST Webbook
rinpol	1210.00	NIST Webbook
rinpol	1170.00	NIST Webbook
rinpol	1143.00	NIST Webbook
rinpol	1149.00	NIST Webbook
rinpol	1150.00	NIST Webbook
rinpol	1167.00	NIST Webbook
rinpol	1164.00	NIST Webbook
rinpol	1188.80	NIST Webbook
ripol	2423.00	NIST Webbook
ripol	2433.00	NIST Webbook
ripol	2401.00	NIST Webbook
ripol	2412.00	NIST Webbook
ripol	2387.00	NIST Webbook
ripol	2408.00	NIST Webbook
ripol	2420.00	NIST Webbook
ripol	2444.00	NIST Webbook
ripol	2433.00	NIST Webbook
ripol	2419.00	NIST Webbook
ripol	2417.00	NIST Webbook
ripol	2426.00	NIST Webbook
ripol	2380.00	NIST Webbook
ripol	2432.00	NIST Webbook

ripol	2435.00	NIST Webbook
ripol	2399.00	NIST Webbook
ripol	2428.00	NIST Webbook
ripol	2404.00	NIST Webbook
ripol	2389.00	NIST Webbook
ripol	2455.00	NIST Webbook
ripol	2432.00	NIST Webbook
ripol	2400.00	NIST Webbook
ripol	2409.00	NIST Webbook
ripol	2410.00	NIST Webbook
ripol	2385.00	NIST Webbook
ripol	2410.00	NIST Webbook
ripol	2390.00	NIST Webbook
ripol	2407.00	NIST Webbook
ripol	2446.00	NIST Webbook
ripol	2409.00	NIST Webbook
ripol	2405.00	NIST Webbook
ripol	2410.00	NIST Webbook
ripol	2416.00	NIST Webbook
ripol	2408.00	NIST Webbook
ripol	2457.00	NIST Webbook
ripol	2449.00	NIST Webbook
ripol	2425.00	NIST Webbook
ripol	2451.00	NIST Webbook
ripol	2449.00	NIST Webbook
ripol	2417.00	NIST Webbook
ripol	2448.00	NIST Webbook
ripol	2438.00	NIST Webbook
ripol	2399.00	NIST Webbook
ripol	2428.00	NIST Webbook
ripol	2433.00	NIST Webbook
ripol	2408.00	NIST Webbook
ripol	2392.00	NIST Webbook
ripol	2408.00	NIST Webbook
ripol	2391.00	NIST Webbook
ripol	2400.00	NIST Webbook
ripol	2380.00	NIST Webbook
ripol	2444.00	NIST Webbook
ripol	2380.00	NIST Webbook
ripol	2420.00	NIST Webbook
ripol	2387.00	NIST Webbook
ripol	2436.00	NIST Webbook
ripol	2420.00	NIST Webbook
ripol	2420.00	NIST Webbook

ripol	2423.00		NIST Webbook
ripol	2420.00		NIST Webbook
ripol	2405.00		NIST Webbook
ripol	2390.00		NIST Webbook
ss	165.71	J/mol×K	NIST Webbook
ss	167.82	J/mol×K	NIST Webbook
ss	167.59	J/mol×K	NIST Webbook
ss	167.73	J/mol×K	NIST Webbook
ss	170.70	J/mol×K	NIST Webbook
tb	523.00	K	KDB
tb	523.18 ± 0.20	K	NIST Webbook
tb	522.20	K	NIST Webbook
tb	523.59 ± 0.20	K	NIST Webbook
tb	522.00	K	NIST Webbook
tc	755.00	K	Vapor-liquid critical point measurements of fifteen compounds by the pulse-heating method
tc	752.00	K	KDB
tf	395.00	K	Polar Mixed-Solid Solute Systems in Supercritical Carbon Dioxide: Entrainer Effect and Its Influence on Solubility and Selectivity
tf	395.60 ± 0.06	K	NIST Webbook
tf	395.55	K	Aqueous Solubility Prediction Method
tf	395.60	K	KDB
tf	395.15	K	Liquid pharmaceuticals formulation by eutectic formation
tf	395.37	K	Vapour pressures of selected organic compounds down to 1 mPa, using mass-loss Knudsen effusion method
tf	395.60	K	Abraham model correlations for describing the thermodynamic properties of solute transfer into pentyl acetate based on headspace chromatographic and solubility measurements
tf	395.50	K	The use of organic calibration standards in the enthalpy calibration of differential scanning calorimeters
tf	395.30	K	Isothermal Thermogravimetric Study for Determining Sublimation Enthalpies of Some Hydroxyflavones

tf	395.50	K	Solid-Liquid Equilibria for Benzoic Acid + p-Toluic Acid + Chloroform, Benzoic Acid + p-Toluic Acid + Acetic Acid, and Terephthalic Acid + Isophthalic Acid + N,N-Dimethylformamide
tf	394.95 ± 0.20	K	NIST Webbook
tf	395.50 ± 0.01	K	NIST Webbook
tf	395.15 ± 1.00	K	NIST Webbook
tf	395.57 ± 0.06	K	NIST Webbook
tf	395.15 ± 1.00	K	NIST Webbook
tf	395.00	K	NIST Webbook
tf	395.70 ± 0.10	K	NIST Webbook
tf	394.65 ± 0.40	K	NIST Webbook
tf	395.00 ± 2.00	K	NIST Webbook
tf	395.25 ± 0.40	K	NIST Webbook
tf	394.65 ± 1.50	K	NIST Webbook
tf	393.65 ± 1.50	K	NIST Webbook
tf	390.00 ± 1.00	K	NIST Webbook
tf	394.70 ± 1.00	K	NIST Webbook
tf	395.58 ± 0.15	K	NIST Webbook
tf	395.62 ± 0.06	K	NIST Webbook
tf	395.53 ± 0.00	K	NIST Webbook
tf	395.55 ± 0.06	K	NIST Webbook
tf	395.00 ± 2.00	K	NIST Webbook
tt	392.50	K	Solubility Determination of Nicotinamide and Its Application for the Cocrystallization with Benzoic Acid
tt	395.52 ± 0.01	K	NIST Webbook
tt	395.52 ± 0.01	K	NIST Webbook
tt	395.52 ± 0.01	K	NIST Webbook
tt	395.63	K	Solubility Data for Roflumilast and Maraviroc in Various Solvents between T = (278.2-323.2) K
tt	396.80	K	Solid-Liquid Equilibrium Measurements for Posaconazole and Voriconazole in Several Solvents between T = 278.2 and 323.2 K Using Differential Thermal Analysis/Thermal Gravimetric Analysis
tt	395.52 ± 0.01	K	NIST Webbook
vc	0.341	m3/kmol	KDB
zc	0.2486940		KDB

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	202.56	J/mol×K	567.22	Joback Method
cpg	210.57	J/mol×K	602.14	Joback Method
cpg	237.41	J/mol×K	741.85	Joback Method
cpg	231.43	J/mol×K	706.92	Joback Method
cpg	224.97	J/mol×K	672.00	Joback Method
cpg	218.03	J/mol×K	637.07	Joback Method
cpg	193.99	J/mol×K	532.29	Joback Method
cpl	259.00	J/mol×K	413.00	NIST Webbook
cps	146.31	J/mol×K	298.15	NIST Webbook
cps	145.10	J/mol×K	295.10	NIST Webbook
cps	160.20	J/mol×K	323.00	NIST Webbook
cps	146.81	J/mol×K	298.15	NIST Webbook
cps	146.81	J/mol×K	298.15	NIST Webbook
cps	149.79	J/mol×K	298.15	NIST Webbook
cps	7.24	J/mol×K	15.95	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	7.83	J/mol×K	17.21	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	9.96	J/mol×K	19.00	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	12.14	J/mol×K	20.93	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	14.48	J/mol×K	22.91	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	16.99	J/mol×K	25.23	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	19.32	J/mol×K	27.83	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	22.55	J/mol×K	30.45	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	25.66	J/mol×K	33.46	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	28.56	J/mol×K	36.82	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	31.83	J/mol×K	40.35	Design and construction of an adiabatic calorimeter for samples of less than 1 cm3 in the temperature range T=15 K to T=350 K
cps	34.49	J/mol×K	42.49	Design and construction of an adiabatic calorimeter for samples of less than 1 cm3 in the temperature range T=15 K to T=350 K
cps	35.05	J/mol×K	44.38	Design and construction of an adiabatic calorimeter for samples of less than 1 cm3 in the temperature range T=15 K to T=350 K
cps	38.04	J/mol×K	46.36	Design and construction of an adiabatic calorimeter for samples of less than 1 cm3 in the temperature range T=15 K to T=350 K
cps	39.20	J/mol×K	50.06	Design and construction of an adiabatic calorimeter for samples of less than 1 cm3 in the temperature range T=15 K to T=350 K
cps	40.57	J/mol×K	52.26	Design and construction of an adiabatic calorimeter for samples of less than 1 cm3 in the temperature range T=15 K to T=350 K
cps	41.94	J/mol×K	54.24	Design and construction of an adiabatic calorimeter for samples of less than 1 cm3 in the temperature range T=15 K to T=350 K

cps	43.06	J/mol×K	54.48	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	43.66	J/mol×K	56.71	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	46.10	J/mol×K	59.17	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	45.51	J/mol×K	59.64	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	47.67	J/mol×K	63.04	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	50.03	J/mol×K	67.38	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	52.48	J/mol×K	72.18	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	54.70	J/mol×K	77.01	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	56.45	J/mol×K	81.66	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	58.38	J/mol×K	86.47	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	60.83	J/mol×K	91.42	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	62.66	J/mol×K	96.33	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	64.69	J/mol×K	101.31	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	66.75	J/mol×K	106.39	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	68.59	J/mol×K	111.42	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	70.27	J/mol×K	116.46	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	72.23	J/mol×K	121.51	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	74.39	J/mol×K	126.57	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	76.40	J/mol×K	131.52	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	78.39	J/mol×K	136.54	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	80.14	J/mol×K	141.64	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	81.95	J/mol×K	146.72	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	83.84	J/mol×K	151.83	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	85.94	J/mol×K	156.96	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	87.95	J/mol×K	162.08	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	90.16	J/mol×K	167.21	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	92.08	J/mol×K	172.34	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	93.88	J/mol×K	177.47	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	95.82	J/mol×K	182.61	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	97.76	J/mol×K	187.75	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	100.22	J/mol×K	192.89	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	102.35	J/mol×K	198.03	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	104.33	J/mol×K	203.11	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	106.33	J/mol×K	208.20	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	108.35	J/mol×K	213.34	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	110.69	J/mol×K	218.49	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	113.13	J/mol×K	223.64	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	115.06	J/mol×K	228.80	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	117.66	J/mol×K	233.96	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	120.10	J/mol×K	239.10	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	122.38	J/mol×K	244.26	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	124.56	J/mol×K	249.39	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	127.05	J/mol×K	254.51	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	129.62	J/mol×K	259.67	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	131.98	J/mol×K	264.84	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	134.13	J/mol×K	269.99	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	137.14	J/mol×K	275.13	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	138.73	J/mol×K	280.31	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	141.06	J/mol×K	285.48	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	143.42	J/mol×K	290.65	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	146.34	J/mol×K	296.60	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	148.97	J/mol×K	302.17	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	151.12	J/mol×K	306.93	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	153.27	J/mol×K	312.15	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	155.37	J/mol×K	317.33	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	157.74	J/mol×K	322.49	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K

cps	160.60	J/mol×K	326.50	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	161.44	J/mol×K	330.48	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	163.80	J/mol×K	335.65	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	165.96	J/mol×K	340.82	Design and construction of an adiabatic calorimeter for samples of less than 1 cm ³ in the temperature range T=15 K to T=350 K
cps	146.06	J/mol×K	298.15	Reassembling and testing of a high-precision heat capacity drop calorimeter. Heat capacity of some polyphenyls at T = 298.15 K
cps	2.27	J/mol×K	10.26	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C ₅ H ₁₀ O ₅)
cps	3.02	J/mol×K	11.36	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C ₅ H ₁₀ O ₅)

cps	3.97	J/mol×K	12.61	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	5.14	J/mol×K	13.99	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	6.54	J/mol×K	15.52	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	8.22	J/mol×K	17.23	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	10.17	J/mol×K	19.12	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	12.39	J/mol×K	21.21	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	14.97	J/mol×K	23.54	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	17.79	J/mol×K	26.10	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	20.88	J/mol×K	28.96	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)

cps	24.14	J/mol×K	32.16	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	27.61	J/mol×K	35.67	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	31.21	J/mol×K	39.58	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	34.80	J/mol×K	43.90	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	38.39	J/mol×K	48.73	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	42.02	J/mol×K	54.07	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	45.71	J/mol×K	60.00	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	49.33	J/mol×K	66.57	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)

cps	52.81	J/mol×K	73.89	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	56.69	J/mol×K	82.00	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	60.28	J/mol×K	91.01	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	63.46	J/mol×K	100.97	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	67.66	J/mol×K	111.11	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	71.28	J/mol×K	121.20	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	75.08	J/mol×K	131.23	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	78.93	J/mol×K	141.33	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	82.66	J/mol×K	151.47	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)

cps	86.28	J/mol×K	161.56	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	90.21	J/mol×K	171.65	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	94.38	J/mol×K	181.75	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	98.14	J/mol×K	191.83	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	101.91	J/mol×K	201.92	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	106.35	J/mol×K	212.02	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	110.99	J/mol×K	222.12	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	115.40	J/mol×K	232.21	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)

cps	119.97	J/mol×K	242.21	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	124.67	J/mol×K	252.40	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	128.80	J/mol×K	262.46	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	133.51	J/mol×K	272.51	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	138.20	J/mol×K	282.55	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	141.62	J/mol×K	292.70	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	144.34	J/mol×K	302.71	Low-temperature heat capacity and standard thermodynamic functions of .beta.-D-(-)-arabinose (C5H10O5)
cps	104.86	J/mol×K	208.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study

cps	105.69	J/mol×K	210.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	106.52	J/mol×K	211.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	107.61	J/mol×K	213.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	108.96	J/mol×K	216.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	110.02	J/mol×K	218.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	111.86	J/mol×K	221.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	113.15	J/mol×K	224.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study

cps	114.43	J/mol×K	226.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	114.68	J/mol×K	227.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	116.19	J/mol×K	230.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	117.68	J/mol×K	233.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	119.14	J/mol×K	236.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	120.59	J/mol×K	239.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	122.50	J/mol×K	243.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	147.02	J/mol×K	298.15	NIST Webbook

cps	126.69	J/mol×K	252.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	128.74	J/mol×K	256.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	130.54	J/mol×K	260.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	132.10	J/mol×K	264.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	134.09	J/mol×K	268.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	135.19	J/mol×K	271.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	136.06	J/mol×K	273.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study

cps	137.59	J/mol×K	276.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	138.90	J/mol×K	279.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	140.41	J/mol×K	283.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	142.15	J/mol×K	287.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	144.10	J/mol×K	291.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	144.31	J/mol×K	292.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	144.75	J/mol×K	293.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study

cps	145.18	J/mol×K	294.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	145.61	J/mol×K	295.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	146.70	J/mol×K	297.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	146.89	J/mol×K	298.15	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	146.92	J/mol×K	298.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	147.13	J/mol×K	298.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	148.44	J/mol×K	301.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study

cps	149.32	J/mol×K	303.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	150.19	J/mol×K	305.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	151.07	J/mol×K	307.72	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	152.18	J/mol×K	310.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	153.96	J/mol×K	314.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	155.75	J/mol×K	318.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	157.11	J/mol×K	321.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
cps	2.28	J/mol×K	10.24	Low-temperature heat capacity measurements on insulating powders sealed under pressure

cps	2.58	J/mol×K	10.71	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	2.90	J/mol×K	11.18	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	3.26	J/mol×K	11.68	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	3.65	J/mol×K	12.20	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	4.07	J/mol×K	12.74	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	4.54	J/mol×K	13.30	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	5.05	J/mol×K	13.89	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	5.60	J/mol×K	14.50	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	6.19	J/mol×K	15.14	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	6.66	J/mol×K	15.64	Low-temperature heat capacity measurements on insulating powders sealed under pressure

cps	8.09	J/mol×K	17.10	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	9.72	J/mol×K	18.69	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	11.56	J/mol×K	20.41	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	13.61	J/mol×K	22.32	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	15.91	J/mol×K	24.40	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	18.40	J/mol×K	26.66	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	20.97	J/mol×K	29.13	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	23.77	J/mol×K	31.84	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	26.64	J/mol×K	34.80	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	29.60	J/mol×K	38.03	Low-temperature heat capacity measurements on insulating powders sealed under pressure

cps	32.79	J/mol×K	41.56	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	35.88	J/mol×K	45.42	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	39.11	J/mol×K	49.63	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	42.18	J/mol×K	54.24	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	45.06	J/mol×K	59.28	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	47.92	J/mol×K	64.78	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	50.65	J/mol×K	70.79	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	53.75	J/mol×K	77.36	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	57.18	J/mol×K	84.51	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	61.03	J/mol×K	92.38	Low-temperature heat capacity measurements on insulating powders sealed under pressure

cps	64.26	J/mol×K	100.95	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	67.64	J/mol×K	110.98	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	71.22	J/mol×K	121.09	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	75.19	J/mol×K	131.21	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	78.86	J/mol×K	141.28	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	82.29	J/mol×K	151.34	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	85.76	J/mol×K	161.49	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	90.18	J/mol×K	171.59	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	95.02	J/mol×K	181.67	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	98.70	J/mol×K	191.74	Low-temperature heat capacity measurements on insulating powders sealed under pressure

cps	102.27	J/mol×K	201.82	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	106.37	J/mol×K	211.92	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	112.07	J/mol×K	222.00	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	117.31	J/mol×K	232.09	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	119.60	J/mol×K	242.17	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	124.22	J/mol×K	252.25	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	128.72	J/mol×K	262.35	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	133.00	J/mol×K	272.46	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	137.80	J/mol×K	282.54	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	141.72	J/mol×K	292.59	Low-temperature heat capacity measurements on insulating powders sealed under pressure

cps	146.37	J/mol×K	302.66	Low-temperature heat capacity measurements on insulating powders sealed under pressure
cps	2.29	J/mol×K	10.30	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	2.68	J/mol×K	10.90	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	3.09	J/mol×K	11.50	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	3.53	J/mol×K	12.10	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	4.00	J/mol×K	12.71	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	4.50	J/mol×K	13.33	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	5.02	J/mol×K	13.94	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	5.57	J/mol×K	14.56	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	6.13	J/mol×K	15.17	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	6.82	J/mol×K	15.90	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	7.64	J/mol×K	16.73	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	8.47	J/mol×K	17.56	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	9.33	J/mol×K	18.39	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	10.21	J/mol×K	19.22	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	11.09	J/mol×K	20.06	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	12.34	J/mol×K	21.19	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	13.90	J/mol×K	22.62	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	15.49	J/mol×K	24.04	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	17.05	J/mol×K	25.46	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	18.61	J/mol×K	26.89	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	20.19	J/mol×K	28.33	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	21.74	J/mol×K	29.77	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	23.43	J/mol×K	31.37	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	25.21	J/mol×K	33.11	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	26.94	J/mol×K	34.87	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	28.60	J/mol×K	36.62	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	30.21	J/mol×K	38.37	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	31.74	J/mol×K	40.13	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	33.33	J/mol×K	41.98	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	34.99	J/mol×K	43.94	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	36.51	J/mol×K	45.90	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	38.01	J/mol×K	47.87	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	39.43	J/mol×K	49.84	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	40.77	J/mol×K	51.81	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	42.06	J/mol×K	53.78	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	43.33	J/mol×K	55.75	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	44.56	J/mol×K	57.72	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	45.75	J/mol×K	59.69	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	46.91	J/mol×K	61.67	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	48.01	J/mol×K	63.65	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	49.04	J/mol×K	65.63	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	50.10	J/mol×K	67.61	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	51.07	J/mol×K	69.60	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	52.00	J/mol×K	71.59	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	52.93	J/mol×K	73.59	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	53.90	J/mol×K	75.59	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	54.88	J/mol×K	77.59	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	56.16	J/mol×K	80.71	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	56.92	J/mol×K	82.55	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	57.66	J/mol×K	84.38	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	58.43	J/mol×K	86.22	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	59.17	J/mol×K	88.06	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	59.92	J/mol×K	89.91	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	60.64	J/mol×K	91.62	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	60.69	J/mol×K	91.76	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	61.50	J/mol×K	93.75	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	62.21	J/mol×K	95.60	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	62.98	J/mol×K	97.45	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	63.71	J/mol×K	99.31	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	64.44	J/mol×K	101.17	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	65.18	J/mol×K	103.02	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	65.85	J/mol×K	104.89	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	66.57	J/mol×K	106.75	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	67.29	J/mol×K	108.62	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	68.01	J/mol×K	110.49	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	68.69	J/mol×K	112.36	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	69.38	J/mol×K	114.23	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	70.13	J/mol×K	116.10	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	70.81	J/mol×K	117.97	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	71.50	J/mol×K	119.85	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	72.20	J/mol×K	121.73	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	72.89	J/mol×K	123.61	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	155.20	J/mol×K	298.00	NIST Webbook
cps	74.30	J/mol×K	127.38	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	75.00	J/mol×K	129.26	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	75.72	J/mol×K	131.15	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	76.42	J/mol×K	133.03	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	77.12	J/mol×K	134.92	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	77.81	J/mol×K	136.81	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	78.54	J/mol×K	138.70	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	79.26	J/mol×K	140.60	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	79.99	J/mol×K	142.49	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	80.73	J/mol×K	144.38	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	81.45	J/mol×K	146.27	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	82.16	J/mol×K	148.17	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	82.89	J/mol×K	150.07	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	83.64	J/mol×K	151.98	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	84.39	J/mol×K	153.88	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	85.06	J/mol×K	155.78	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	85.81	J/mol×K	157.69	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	86.55	J/mol×K	159.60	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	87.30	J/mol×K	161.50	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	88.05	J/mol×K	163.41	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	88.80	J/mol×K	165.32	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	89.55	J/mol×K	167.23	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	
cps	90.30	J/mol×K	169.14	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State	

cps	91.04	J/mol×K	171.05	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	91.79	J/mol×K	172.96	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	92.62	J/mol×K	174.88	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	93.37	J/mol×K	176.79	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	94.12	J/mol×K	178.70	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	94.95	J/mol×K	180.62	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	95.78	J/mol×K	182.54	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	96.53	J/mol×K	184.47	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	97.28	J/mol×K	186.39	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	98.11	J/mol×K	188.31	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	98.94	J/mol×K	190.22	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	99.77	J/mol×K	192.14	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	100.50	J/mol×K	194.07	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	101.40	J/mol×K	195.99	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	102.20	J/mol×K	197.92	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	103.00	J/mol×K	199.85	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	103.80	J/mol×K	201.78	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	104.60	J/mol×K	203.71	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	105.40	J/mol×K	205.64	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	106.30	J/mol×K	207.57	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	107.10	J/mol×K	209.50	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	107.90	J/mol×K	211.44	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	108.70	J/mol×K	213.37	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	109.50	J/mol×K	215.31	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	110.30	J/mol×K	217.24	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	111.20	J/mol×K	219.18	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	112.00	J/mol×K	221.12	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	112.70	J/mol×K	222.63	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	112.80	J/mol×K	223.05	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	113.70	J/mol×K	224.76	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	113.70	J/mol×K	224.99	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	114.40	J/mol×K	226.70	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	114.60	J/mol×K	226.93	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	115.20	J/mol×K	228.63	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	115.40	J/mol×K	228.87	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	116.20	J/mol×K	230.56	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	117.10	J/mol×K	232.50	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	117.80	J/mol×K	234.43	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	118.70	J/mol×K	236.36	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	119.60	J/mol×K	238.29	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	120.50	J/mol×K	240.23	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	121.30	J/mol×K	242.16	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	122.20	J/mol×K	244.10	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	123.10	J/mol×K	246.04	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	123.90	J/mol×K	247.97	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	124.80	J/mol×K	249.91	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	125.70	J/mol×K	251.84	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	126.50	J/mol×K	253.79	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	127.50	J/mol×K	255.73	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	128.30	J/mol×K	257.66	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	129.30	J/mol×K	259.60	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	130.10	J/mol×K	261.54	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	131.00	J/mol×K	263.47	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	131.90	J/mol×K	265.41	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	132.80	J/mol×K	267.35	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	133.70	J/mol×K	269.28	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	134.50	J/mol×K	271.22	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	135.40	J/mol×K	273.16	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	136.30	J/mol×K	275.10	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	137.20	J/mol×K	277.03	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	138.00	J/mol×K	278.97	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	138.90	J/mol×K	280.91	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	139.80	J/mol×K	282.84	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	140.70	J/mol×K	284.79	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	141.60	J/mol×K	286.73	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	142.50	J/mol×K	288.67	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	143.40	J/mol×K	290.61	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	144.30	J/mol×K	292.55	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	145.20	J/mol×K	294.49	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	146.10	J/mol×K	296.43	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	146.90	J/mol×K	298.37	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	147.80	J/mol×K	300.31	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	148.70	J/mol×K	302.25	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	149.70	J/mol×K	304.19	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	150.60	J/mol×K	306.13	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	151.40	J/mol×K	308.07	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	152.30	J/mol×K	310.01	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	153.20	J/mol×K	311.95	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	154.20	J/mol×K	313.89	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	155.10	J/mol×K	315.83	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	155.90	J/mol×K	317.78	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	156.70	J/mol×K	319.73	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	157.60	J/mol×K	321.67	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	158.60	J/mol×K	323.61	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	159.50	J/mol×K	325.56	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	160.30	J/mol×K	327.50	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	161.20	J/mol×K	329.44	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	162.00	J/mol×K	331.39	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	162.90	J/mol×K	333.34	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	163.70	J/mol×K	335.28	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	164.50	J/mol×K	337.23	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	165.50	J/mol×K	339.17	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	166.30	J/mol×K	341.12	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	167.30	J/mol×K	343.06	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	168.10	J/mol×K	345.01	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	169.00	J/mol×K	346.95	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State

cps	169.90	J/mol×K	348.90	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	170.80	J/mol×K	350.86	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	171.60	J/mol×K	352.80	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	172.40	J/mol×K	354.75	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	173.30	J/mol×K	356.69	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	174.20	J/mol×K	358.64	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	175.10	J/mol×K	360.58	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	175.90	J/mol×K	362.53	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	176.90	J/mol×K	364.49	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	177.80	J/mol×K	366.44	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	178.60	J/mol×K	368.39	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	147.78	J/mol×K	300.00	NIST Webbook
cps	147.03	J/mol×K	298.90	NIST Webbook
cps	146.23	J/mol×K	296.29	NIST Webbook
cps	146.65	J/mol×K	298.15	NIST Webbook

cps	146.79	J/mol×K	298.15	NIST Webbook
cps	147.07	J/mol×K	299.62	NIST Webbook
cps	149.00	J/mol×K	301.00	NIST Webbook
cps	146.80	J/mol×K	298.15	NIST Webbook
cps	167.40	J/mol×K	298.15	NIST Webbook
cps	147.14	J/mol×K	299.99	NIST Webbook
cps	130.00	J/mol×K	340.00	NIST Webbook
cps	73.60	J/mol×K	125.49	Thermodynamic Properties of [C6mim][NTf2] in the Condensed State
cps	124.38	J/mol×K	247.22	Enthalpies of sublimation of L-methionine and DL-methionine: Knudsen's effusion mass spectrometric study
dvisc	0.0031482	Pa×s	343.57	Joback Method
dvisc	0.0002251	Pa×s	494.54	Joback Method
dvisc	0.0003697	Pa×s	456.80	Joback Method
dvisc	0.0006638	Pa×s	419.06	Joback Method
dvisc	0.0013384	Pa×s	381.31	Joback Method
dvisc	0.0091461	Pa×s	305.82	Joback Method
dvisc	0.0001471	Pa×s	532.29	Joback Method
hfust	16.23	kJ/mol	395.00	NIST Webbook
hfust	17.32	kJ/mol	395.00	NIST Webbook
hfust	17.99	kJ/mol	395.50	NIST Webbook
hfust	17.10	kJ/mol	395.40	NIST Webbook
hfust	17.30	kJ/mol	394.40	NIST Webbook
hfust	16.99	kJ/mol	396.90	NIST Webbook
hfust	18.00	kJ/mol	395.52	NIST Webbook
hfust	17.40	kJ/mol	395.00	NIST Webbook
hfust	18.01	kJ/mol	395.52	NIST Webbook
hsubt	84.10 ± 0.80	kJ/mol	318.00	NIST Webbook
hsubt	89.10	kJ/mol	314.00	NIST Webbook
hsubt	86.60 ± 1.30	kJ/mol	302.50	NIST Webbook
hsubt	90.40 ± 0.80	kJ/mol	358.00	NIST Webbook
hsubt	90.00 ± 0.30	kJ/mol	300.50	NIST Webbook
hsubt	89.30 ± 0.40	kJ/mol	360.50	NIST Webbook
hsubt	85.80	kJ/mol	361.00	NIST Webbook
hsubt	89.00 ± 0.40	kJ/mol	360.50	NIST Webbook
hsubt	86.60 ± 1.70	kJ/mol	302.50	NIST Webbook
hsubt	88.90 ± 0.50	kJ/mol	363.00	NIST Webbook
hsubt	90.90	kJ/mol	299.00	NIST Webbook
hsubt	95.10 ± 1.80	kJ/mol	294.00	NIST Webbook

hsubt	84.50 ± 0.50	kJ/mol	385.50	NIST Webbook
hsubt	88.30 ± 2.90	kJ/mol	302.00	NIST Webbook
hsubt	89.23	kJ/mol	298.15	NIST Webbook
hsubt	90.90 ± 2.00	kJ/mol	375.00	NIST Webbook
hsubt	90.00 ± 0.50	kJ/mol	308.00	NIST Webbook
hsubt	93.00 ± 4.00	kJ/mol	312.50	NIST Webbook
hsubt	90.50 ± 0.30	kJ/mol	358.50	NIST Webbook
hsubt	86.70	kJ/mol	328.00	NIST Webbook
hsubt	88.10 ± 0.20	kJ/mol	302.00	NIST Webbook
hsubt	87.50 ± 0.30	kJ/mol	335.00	NIST Webbook
hsubt	90.80 ± 0.60	kJ/mol	306.00	NIST Webbook
hsubt	92.90 ± 0.20	kJ/mol	295.50	NIST Webbook
hsubt	87.80	kJ/mol	398.00	NIST Webbook
hsubt	91.00 ± 2.00	kJ/mol	303.00	NIST Webbook
hsubt	89.50 ± 0.05	kJ/mol	353.50	NIST Webbook
hsubt	89.10 ± 0.20	kJ/mol	345.00	NIST Webbook
hsubt	85.00 ± 2.00	kJ/mol	369.50	NIST Webbook
hsubt	88.70 ± 0.90	kJ/mol	310.50	NIST Webbook
hsubt	88.50 ± 1.60	kJ/mol	305.50	NIST Webbook
hsubt	84.20 ± 0.80	kJ/mol	318.00	NIST Webbook
hvapt	65.40	kJ/mol	428.00	NIST Webbook
hvapt	67.70	kJ/mol	460.50	NIST Webbook
hvapt	67.80	kJ/mol	398.00	NIST Webbook
hvapt	66.30	kJ/mol	464.00	NIST Webbook
hvapt	87.45	kJ/mol	335.00	NIST Webbook
hvapt	90.20	kJ/mol	348.00	Evaluation of sublimation enthalpy by thermogravimetry: Analysis of the diffusion effects in the case of methyl and phenyl substituted hydantoins
hvapt	90.50	kJ/mol	331.00	Studying the sublimation thermodynamics of ethionamide and pyridine carbothioamide isomers by transpiration method
hvapt	87.30	kJ/mol	357.00	Sublimation and thermal decomposition of ammonia borane: Competitive processes controlled by pressure

hvapt	90.80	kJ/mol	308.21	Enthalpy of sublimation of natural aromatic amino acids determined by Knudsen's effusion mass spectrometric method
hvapt	50.63	kJ/mol	523.00	KDB
hvapt	63.30 ± 0.60	kJ/mol	408.50	NIST Webbook
psub	3.43e-03	kPa	329.20	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	0.03	kPa	352.40	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	0.05	kPa	357.40	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	1.08e-04	kPa	297.67	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	1.93e-04	kPa	302.51	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	3.35e-04	kPa	307.27	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation

psub	5.73e-04	kPa	312.08	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	9.69e-04	kPa	316.91	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	1.64e-03	kPa	321.91	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	2.68e-03	kPa	326.76	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	4.36e-03	kPa	331.62	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	6.93e-03	kPa	336.46	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	1.43e-04	kPa	300.03	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	1.42e-04	kPa	299.96	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	2.50e-04	kPa	304.75	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation

psub	4.36e-04	kPa	309.63	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	7.54e-04	kPa	314.59	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	7.38e-04	kPa	314.40	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	1.27e-03	kPa	319.48	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	2.12e-03	kPa	324.39	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	0.07	kPa	362.50	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	5.54e-03	kPa	334.07	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation
psub	8.73e-03	kPa	338.98	Vapor pressures and vaporization enthalpies of 5-nonanone, linalool and 6-methyl-5-hepten-2-one. Data evaluation

psub	1.34e-04	kPa	299.33	The design, construction, and testing of a new Knudsen effusion apparatus
psub	0.11	kPa	367.50	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	1.62e-04	kPa	301.04	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.60e-04	kPa	301.04	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.55e-04	kPa	301.04	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.03e-04	kPa	303.16	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.01e-04	kPa	303.16	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.10e-04	kPa	303.16	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.65e-04	kPa	305.24	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.61e-04	kPa	305.24	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.71e-04	kPa	305.24	The design, construction, and testing of a new Knudsen effusion apparatus

psub	3.32e-04	kPa	307.13	The design, construction, and testing of a new Knudsen effusion apparatus
psub	3.26e-04	kPa	307.13	The design, construction, and testing of a new Knudsen effusion apparatus
psub	3.23e-04	kPa	307.13	The design, construction, and testing of a new Knudsen effusion apparatus
psub	4.14e-04	kPa	309.25	The design, construction, and testing of a new Knudsen effusion apparatus
psub	4.08e-04	kPa	309.25	The design, construction, and testing of a new Knudsen effusion apparatus
psub	4.20e-04	kPa	309.25	The design, construction, and testing of a new Knudsen effusion apparatus
psub	5.25e-04	kPa	311.30	The design, construction, and testing of a new Knudsen effusion apparatus
psub	5.12e-04	kPa	311.30	The design, construction, and testing of a new Knudsen effusion apparatus
psub	5.24e-04	kPa	311.30	The design, construction, and testing of a new Knudsen effusion apparatus
psub	6.43e-04	kPa	313.20	The design, construction, and testing of a new Knudsen effusion apparatus
psub	6.22e-04	kPa	313.20	The design, construction, and testing of a new Knudsen effusion apparatus
psub	6.47e-04	kPa	313.20	The design, construction, and testing of a new Knudsen effusion apparatus

psub	8.15e-04	kPa	315.27	The design, construction, and testing of a new Knudsen effusion apparatus
psub	7.99e-04	kPa	315.27	The design, construction, and testing of a new Knudsen effusion apparatus
psub	8.30e-04	kPa	315.27	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.05e-03	kPa	317.32	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.02e-03	kPa	317.32	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.01e-03	kPa	317.32	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.85e-04	kPa	307.15	Sublimation thermodynamics of four fluoroquinolone antimicrobial compounds
psub	1.67e-03	kPa	323.15	Sublimation thermodynamics of four fluoroquinolone antimicrobial compounds
psub	7.51e-03	kPa	338.15	Sublimation thermodynamics of four fluoroquinolone antimicrobial compounds
psub	0.03	kPa	354.15	Sublimation thermodynamics of four fluoroquinolone antimicrobial compounds
psub	1.02e-03	kPa	318.02	The thermodynamic properties of 1-bromoadamantane in the gaseous state

psub	1.69e-03	kPa	322.70	The thermodynamic properties of 1-bromoadamantane in the gaseous state	
psub	1.74e-03	kPa	322.99	The thermodynamic properties of 1-bromoadamantane in the gaseous state	
psub	2.89e-03	kPa	327.90	The thermodynamic properties of 1-bromoadamantane in the gaseous state	
psub	4.57e-03	kPa	332.60	The thermodynamic properties of 1-bromoadamantane in the gaseous state	
psub	2.05e-04	kPa	302.99	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states	
psub	3.78e-04	kPa	308.00	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states	
psub	6.43e-04	kPa	312.86	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states	
psub	6.61e-04	kPa	313.19	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states	
psub	1.07e-03	kPa	317.89	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states	
psub	1.10e-03	kPa	317.91	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states	

psub	1.13e-03	kPa	318.02	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	1.10e-03	kPa	318.02	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	1.83e-03	kPa	322.70	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	1.82e-03	kPa	322.95	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	1.88e-03	kPa	322.99	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	2.98e-03	kPa	327.63	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	3.10e-03	kPa	327.88	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	3.13e-03	kPa	327.90	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	4.95e-03	kPa	332.60	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	4.82e-03	kPa	332.80	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states

psub	4.89e-03	kPa	332.85	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	7.79e-03	kPa	337.71	Thermodynamic properties of 2-adamantanone in the condensed and ideal gaseous states
psub	1.31e-04	kPa	299.33	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.47e-03	kPa	320.40	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	2.14e-03	kPa	324.00	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	3.02e-03	kPa	327.40	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	4.95e-03	kPa	332.40	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	8.09e-03	kPa	337.40	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods

psub	0.01	kPa	342.30	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	0.02	kPa	347.30	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
psub	9.50e-04	kPa	316.30	Benzoic acid derivatives: Evaluation of thermochemical properties with complementary experimental and computational methods
rhoI	1075.00	kg/m ³	403.00	KDB
sfust	43.80	J/mol×K	395.00	NIST Webbook
sfust	41.10	J/mol×K	395.00	NIST Webbook
sfust	45.51	J/mol×K	395.52	NIST Webbook
sfust	45.52	J/mol×K	395.52	NIST Webbook
sfust	44.00	J/mol×K	395.00	NIST Webbook
ssubt	299.30	J/mol×K	298.15	NIST Webbook
svapt	261.00	J/mol×K	335.00	NIST Webbook
tcondI	0.14	W/m×K	424.40	Density, Viscosity and Thermal Conductivity of Aqueous Benzoic Acid Mixtures between 375 K and 465 K
tcondI	0.13	W/m×K	444.90	Density, Viscosity and Thermal Conductivity of Aqueous Benzoic Acid Mixtures between 375 K and 465 K
tcondI	0.13	W/m×K	465.10	Density, Viscosity and Thermal Conductivity of Aqueous Benzoic Acid Mixtures between 375 K and 465 K

tcondl	0.14	W/m×K	406.80	Density, Viscosity and Thermal Conductivity of Aqueous Benzoic Acid Mixtures between 375 K and 465 K
--------	------	-------	--------	--

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	406.20	K	1.30	NIST Webbook
tbrp	406.00	K	1.30	NIST Webbook

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.50844e+01
Coeff. B	-4.20667e+03
Coeff. C	-1.20264e+02
Temperature range (K), min.	395.52
Temperature range (K), max.	550.71

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C*\ln(T) + D*T^2$
Coeff. A	-7.46843e+01
Coeff. B	-4.45389e+03
Coeff. C	1.47811e+01
Coeff. D	-1.71981e-05
Temperature range (K), min.	395.52
Temperature range (K), max.	560.15

Sources

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

Gaseous Phase Heat Capacity of

Benzoic Acid:

<https://www.doi.org/10.1021/jc900999b>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Low temperature heat capacities and standard molar enthalpy of formation

<https://www.doi.org/10.1016/j.tca.2008.12.029>

of 1-methyl-3-propyl-1H-imidazolium

<https://www.doi.org/10.1021/jc900999b>

hexafluorophosphate [C6mim][NTf2] in the Condensed State:

<https://www.doi.org/10.1021/acs.jced.8b00560>

Solubility Determination of

<https://www.doi.org/10.1016/j.jct.2004.12.006>

Nicotinamide and Its Application for the

<https://www.doi.org/10.1016/j.jct.2005.07.007>

Solubility of Nicotinic Acid in Benzene

<https://www.doi.org/10.1016/j.fluid.2006.06.011>

hemi-hydrate in (water + acetone):

<http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDataset002.xlsx>

The solubilities of benzene

<https://www.doi.org/10.1021/acs.jced.8b01226>

polycarboxylic acids in water:

<https://www.doi.org/10.1016/j.jct.2016.10.010>

High pressure vapor liquid equilibrium

<https://www.doi.org/10.1016/j.jct.2006.03.016>

measurements of carbon dioxide with

<https://www.doi.org/10.1016/j.fluid.2017.05.009>

Aqueous Solubility Prediction Method:

<https://www.doi.org/10.1021/jc900999b>

Solubility, Model Correlation, and

<https://www.doi.org/10.1021/jc900999b>

Solvent Effect of

<https://www.doi.org/10.1021/jc900999b>

Solubilities of Benzoic Acid in Binary

<https://www.doi.org/10.1021/jc900999b>

Methylbenzene + Benzyl Alcohol and

<https://www.doi.org/10.1021/jc900999b>

Methylbenzene + Benzaldehyde Solvent

<https://www.doi.org/10.1021/jc900999b>

Solvents:

<https://www.doi.org/10.1021/jc900999b>

Solid-Liquid Phase Equilibria of the

<https://www.doi.org/10.1021/jc900999b>

Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

and the Solubility of Benzaldehyde

<https://www.doi.org/10.1021/jc900999b>

in the Ternary System (2-Naphthaldehyde +

<https://www.doi.org/10.1021/jc900999b>

Vanillin) Pressure Amalgamation

<https://www.doi.org/10.1021/jc900999b>

Measurement and Correlation of the Solubility of Tetramethylpyrazine in Aqueous Acetone and Two Binary Thermodynamic Analysis of Bioactive Anthraquinone Derivatives in Benzoic Acid, p-Cl-Toluic Acid & Glutamic Benzoic Mesylate in Chloroform, Acetic Acid, and Terephthalaldehyde as well as Calculation of Sublimation Enthalpies from the Solid-Liquid Phase Transition Enthalpy for Standard Structures: Solubility, melting point, boiling point, vaporization enthalpy of thinned empirical study of two fluorobenzene degradation and thermodynamic modeling of aromatic compounds in twelve organic solvents from acid + water binary mixtures and modeling of aqueous solubility of 4-position substituted benzothioamides and N-methyl-N-propionamide: Supercritical extraction of Biflaxil and Maraviroc in Various Solvents between 300.15-323.15 K Benzoic acid in acetone, 2-propanol, acetic acid and ethylene glycol: The substitution thermodynamics of thionamides and phosphonates both under decomposers by gas-liquid and solvent effect of mobile factors against and Modeling of 4-(3-tritophenyl)ethanone and 6,4-dimethoxyphenyl ethylene properties of 2-substituted benzenes: T = (278.15 to 323.15) K and Mixing Properties of Benzoic acid in (water or n-dodecane) solutions at T = 299.15 and 323.15 K Determination and Thermodynamic Modeling of Solubility of Benzoic Acid in Pure Solvents and Binary Mixtures: T = 1 Thermodynamic Properties from Calorimetry and Density Functional Theory of Benzoin Derivative and Benzoin Acetate: Computation of Solubility and Dissolution Properties of Benzoin Derivatives and Benzoin Acetate: Thermodynamic Properties of Benzoin Derivatives and Benzoin Acetate (in Water) and on carbon dioxide in the gaseous phases of sublimation of L-methionine and DL-methionine: Radius of Diffusion mass 2,2,6,6-tetrabromo-4,4-isopropylidene Phosphoric Acid Derivative Solutions: decomposition of ammonia borane: Solid-liquid equilibria and phase diagram for the ternary Measurement and Correlation of the Solid-Liquid-Gas Equilibria for the Carbon Dioxide (CO_2) Isopleth Data for Druglike Organic Compounds in Systems of Benzoic and Salicylic Acids in Subcritical Water at Temperatures Ranging from 100 to 300 K Evaluation of sublimation enthalpy by thermogravimetry: Analysis of the sublimation enthalpies of methyl and propyl derivatives of antonins: Solubility and Partition Coefficients of Acids in Solvents of Temperature (299.73 K) and derivatives: Evaluation of thermodynamic properties with complementary experimental study for determining sublimation enthalpies of some hydrocarbons in Water and Water-Ethanol Mixtures within the Temperature Range of 331.2 K: Fluorinated Modeling of Polymeric Reaction Twelve Pure Solvents at Elevated Temperatures Ranging from (273.15 to 323.15) K:

Polynaphthalenimide in Twelve Pure Solvents at Elevated Temperatures Ranging from (273.15 to 323.15) K:

Solubility of Benzoic Acid in Aqueous Solutions Containing Ethanol or The Yaws Handbook of Vapor Pressure: Experiment and Application of the Solid-Liquid Phase Equilibrium for Solubility of Benzoic Acid and Aspirin in Pure Solvents Using Evaporated Beam Radiometry Modeling and Solubility Measurement of Cetirizine Hydrochloride in Different Mass Ratios of Solvents on Accelerated Equilibrium in Beaker-Like Containers and 2 and 3-Phase Liquid-Liquid Extraction and Analysis of the Influence of Solubility Measurements on insulating powders sealed under pressure.

Solubility of Benzoic Acid and Aspirin in Pure Solvents Using Evaporated Beam Radiometry Modeling and Solubility Measurement of Cetirizine Hydrochloride in Different Mass Ratios of Solvents on Accelerated Equilibrium in Beaker-Like Containers and 2 and 3-Phase Liquid-Liquid Extraction and Analysis of the Influence of Solubility Measurements on insulating powders sealed under pressure.

Abraham model correlations for describing the thermodynamic properties of organic compounds to pentyl alcohols based on enthalpy calibration of differential scanning calorimetry measurements:

<https://www.doi.org/10.1021/je800507m>

<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

<https://www.doi.org/10.1021/acs.jced.8b00952>

<https://www.doi.org/10.1021/acs.jced.5b00746>

<https://www.doi.org/10.1021/acs.jced.9b00620>

<https://www.doi.org/10.1021/acs.jced.9b00179>

<https://www.doi.org/10.1021/je700486g>

<https://www.doi.org/10.1016/j.jct.2019.05.009>

<https://www.doi.org/10.1016/j.fluid.2012.06.010>

<https://www.doi.org/10.1016/j.jct.2018.05.003>

<https://www.doi.org/10.1016/j.tca.2012.03.028>

Legend

af:	Acentric Factor
affp:	Proton affinity
aigt:	Autoignition Temperature
basg:	Gas basicity
chl:	Standard liquid enthalpy of combustion
chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
cpl:	Liquid phase heat capacity
cps:	Solid phase heat capacity
dm:	Dipole Moment
dvisc:	Dynamic viscosity
fpo:	Flash Point (Open Cup Method)
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
nfpaf:	NFPA Fire Rating
nfpah:	NFPA Health Rating
pc:	Critical Pressure

psub:	Sublimation pressure
pvap:	Vapor pressure
rho:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
sfust:	Entropy of fusion at a given temperature
ss:	Solid phase molar entropy at standard conditions
ssub:	Entropy of sublimation at a given temperature
svap:	Entropy of vaporization at a given temperature
tb:	Normal Boiling Point Temperature
tbrp:	Boiling point at reduced pressure
tc:	Critical Temperature
tcond:	Liquid thermal conductivity
tf:	Normal melting (fusion) point
tt:	Triple Point Temperature
vc:	Critical Volume
zc:	Critical Compressibility

Latest version available from:

<https://www.chemeo.com/cid/18-337-8/Benzoic-acid.pdf>

Generated by Cheméo on 2025-12-23 17:59:59.58340135 +0000 UTC m=+6260997.113442004.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.