

Nitrogen

Other names:	Diatomeric nitrogen Dinitrogen Molecular nitrogen N ₂ NITROGEN GAS Nitrogen-14 UN 1066 UN 1977
Inchi:	InChI=1S/N ₂ /c1-2
InchiKey:	IJGRMHOSHXDMA-UHFFFAOYSA-N
Formula:	N ₂
SMILES:	N#N
Mol. weight [g/mol]:	28.01
CAS:	7727-37-9

Physical Properties

Property code	Value	Unit	Source
af	0.0390		KDB
affp	493.80	kJ/mol	NIST Webbook
basg	464.50	kJ/mol	NIST Webbook
dm	0.00	debye	KDB
gyrad	0.5470		KDB
ie	15.58 ± 0.02	eV	NIST Webbook
ie	15.58 ± 0.00	eV	NIST Webbook
ie	15.60 ± 0.10	eV	NIST Webbook
ie	15.60	eV	NIST Webbook
ie	10.10 ± 0.60	eV	NIST Webbook
ie	15.58	eV	NIST Webbook
ie	15.58	eV	NIST Webbook
ie	15.58	eV	NIST Webbook
ie	15.50	eV	NIST Webbook
ie	15.58	eV	NIST Webbook
ie	15.58	eV	NIST Webbook
ie	15.61	eV	NIST Webbook
ie	15.58 ± 0.01	eV	NIST Webbook
ie	15.60	eV	NIST Webbook
ie	15.58	eV	NIST Webbook

ie	15.70 ± 0.10	eV	NIST Webbook
ie	15.58	eV	NIST Webbook
ie	15.56	eV	NIST Webbook
ie	15.58 ± 0.01	eV	NIST Webbook
ie	15.58 ± 0.01	eV	NIST Webbook
log10ws	0.24		Crippen Method
logp	0.030		Crippen Method
mcvol	22.220	ml/mol	McGowan Method
pc	306.82 ± 0.30	kPa	NIST Webbook
pc	3390.00	kPa	KDB
pc	3400.00 ± 5.00	kPa	NIST Webbook
pc	306.98 ± 0.30	kPa	NIST Webbook
pc	3397.80 ± 0.70	kPa	NIST Webbook
pt	12.52 ± 0.05	kPa	NIST Webbook
pt	12.53 ± 0.02	kPa	NIST Webbook
pt	12.60 ± 0.07	kPa	NIST Webbook
pt	12.53 ± 0.01	kPa	NIST Webbook
pt	12.46	kPa	KDB
rhoc	313.75 ± 0.56	kg/m3	NIST Webbook
rhoc	313.19 ± 0.56	kg/m3	NIST Webbook
sgb	191.61 ± 0.00	J/mol×K	NIST Webbook
tb	77.40 ± 0.30	K	NIST Webbook
tb	77.36	K	KDB
tb	77.34	K	NIST Webbook
tc	128.45 ± 0.50	K	NIST Webbook
tc	126.21	K	KDB
tc	126.20 ± 0.05	K	NIST Webbook
tc	126.20 ± 0.20	K	NIST Webbook
tc	126.19 ± 0.01	K	NIST Webbook
tf	63.15	K	KDB
tf	63.30 ± 0.30	K	NIST Webbook
tt	63.15	K	KDB
tt	63.13 ± 0.06	K	NIST Webbook
tt	63.14 ± 0.01	K	NIST Webbook
tt	63.14 ± 0.06	K	NIST Webbook
tt	63.14	K	NIST Webbook
vc	0.090	m3/kmol	KDB
zc	0.2907450		KDB
zra	0.29		KDB

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
dvisc	0.0000176	Paxs	294.73	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000224	Paxs	405.75	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000212	Paxs	378.04	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000175	Paxs	291.55	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities

dvisc	0.0000321	Paxs	681.99	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000311	Paxs	652.36	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000302	Paxs	623.22	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000292	Paxs	594.04	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000282	Paxs	565.16	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities

dvisc	0.0000275	Paxs	542.47	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000266	Paxs	518.59	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000256	Paxs	490.21	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000245	Paxs	461.81	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities

dvisc	0.0000177	Paxs	296.88	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000189	Paxs	324.00	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000201	Paxs	350.42	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
dvisc	0.0000235	Paxs	433.79	Towards Reference Viscosities of Carbon Monoxide and Nitrogen at Low Density Using Measurements between 290K and 680K as well as Theoretically Calculated Viscosities
hvapt	7.34	kJ/mol	25.25	Measurements of enthalpy of sublimation of Ne, N ₂ , O ₂ , Ar, CO ₂ , Kr, Xe, and H ₂ O using a double paddle oscillator
hvapt	6.10	kJ/mol	94.50	NIST Webbook
hvapt	5.60	kJ/mol	77.00	NIST Webbook

pvap	2913.00	kPa	123.01	Vapor-Liquid Equilibrium for the Mixture Nitrogen (N2) + Methane (CH4) in the Temperature Range of (110 to 125) K
pvap	1735.20	kPa	112.98	Vapor-Liquid Equilibrium for the Mixture Nitrogen (N2) + Methane (CH4) in the Temperature Range of (110 to 125) K
pvap	1936.00	kPa	114.99	Vapor-Liquid Equilibrium for the Mixture Nitrogen (N2) + Methane (CH4) in the Temperature Range of (110 to 125) K
pvap	2153.30	kPa	117.00	Vapor-Liquid Equilibrium for the Mixture Nitrogen (N2) + Methane (CH4) in the Temperature Range of (110 to 125) K
pvap	2385.70	kPa	118.99	Vapor-Liquid Equilibrium for the Mixture Nitrogen (N2) + Methane (CH4) in the Temperature Range of (110 to 125) K
pvap	2633.90	kPa	120.96	Vapor-Liquid Equilibrium for the Mixture Nitrogen (N2) + Methane (CH4) in the Temperature Range of (110 to 125) K
pvap	1466.70	kPa	110.01	Vapor-Liquid Equilibrium for the Mixture Nitrogen (N2) + Methane (CH4) in the Temperature Range of (110 to 125) K

rhol	804.00	kg/m3	78.00	KDB
srf	0.01	N/m	80.00	The liquid gas interface of oxygen nitrogen solutions 1. Surface tension
srf	0.01	N/m	90.00	The liquid gas interface of oxygen nitrogen solutions 1. Surface tension
srf	0.00	N/m	100.00	The liquid gas interface of oxygen nitrogen solutions 1. Surface tension
srf	0.00	N/m	115.00	The liquid gas interface of oxygen nitrogen solutions 1. Surface tension
srf	6.63e-04	N/m	120.00	The liquid gas interface of oxygen nitrogen solutions 1. Surface tension

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.34706e+01
Coeff. B	-6.57555e+02
Coeff. C	-3.06000e+00
Temperature range (K), min.	63.15
Temperature range (K), max.	126.10

Datasets

Mass density, kg/m3

Temperature, K - Liquid

Pressure, kPa - Liquid

Mass density, kg/m3 - Liquid

249.96	10070.50	141.6121
249.96	2007.64	27.4619
249.96	5024.18	69.9018
249.96	5023.94	69.8983
249.96	15269.60	211.5786
249.96	15270.00	211.5881
249.96	15267.20	211.5483
249.96	19857.10	266.5607
250.00	2008.64	27.471
250.00	4994.50	69.4686
274.97	10066.30	125.0157
274.97	2011.64	24.8371
274.97	10066.20	125.0142
274.97	19875.00	235.358
274.97	19871.10	235.3186
299.97	4925.58	55.5145
299.97	10974.30	122.2531
299.97	13854.70	152.5596
299.97	4925.73	55.5158
299.97	10974.40	122.2529
299.97	13854.90	152.5607
299.97	16780.10	181.9817
299.97	2457.07	27.6844
299.98	2457.00	27.6837
299.98	16787.60	182.0504
399.99	14807.10	117.4409
399.99	17249.60	135.0429
399.99	10100.70	81.9701
400.00	2781.23	23.2317
400.00	2408.43	20.1395
400.00	4803.72	39.843
400.00	19952.70	153.8529
400.00	7435.40	61.0376
400.00	10100.50	81.9663
400.00	19958.90	153.899

Reference

<https://www.doi.org/10.1016/j.jct.2005.10.004>

Temperature, K	Pressure, kPa	Mass density, kg/m ³
298.23	10976.00	123.118
298.23	12976.00	144.452
298.24	14976.00	165.17
298.23	16971.00	185.161

298.24	18975.00	204.467
298.23	20970.00	222.928
298.23	22971.00	240.653
298.24	24970.00	257.55
298.23	26968.00	273.675
298.23	28965.00	289.039
298.22	30959.00	303.674
298.12	32109.00	311.953
298.33	30945.00	303.445
298.23	28966.00	289.035
298.23	26969.00	273.679
298.24	24971.00	257.546
298.24	22992.00	240.817
298.24	21004.00	223.219
298.23	19010.00	204.785
298.24	17014.00	185.557
298.25	15014.00	165.544
298.24	13017.00	144.868
298.24	11019.00	123.569
348.25	10981.00	103.086
348.28	12976.00	120.712
348.28	14976.00	137.928
348.26	16972.00	154.648
348.24	18974.00	170.907
348.26	20971.00	186.577
348.25	22970.00	201.759
348.25	24970.00	216.421
348.24	26968.00	230.548
348.21	28966.00	244.176
348.25	30963.00	257.253
348.23	32959.00	269.893
348.25	30963.00	257.258
348.24	28967.00	244.162
348.25	26979.00	230.612
348.29	25001.00	216.612
348.28	23006.00	202.007
348.27	21013.00	186.886
348.28	19011.00	171.174
348.23	17010.00	154.974
348.26	15015.00	138.272
348.25	13016.00	121.065
348.27	11019.00	103.42
398.25	12976.00	104.354
398.28	14977.00	119.222

398.29	16973.00	133.67
398.28	18975.00	147.786
398.24	20972.00	161.499
398.25	22969.00	174.806
398.26	24969.00	187.737
398.24	26967.00	200.287
398.24	28966.00	212.445
398.26	30962.00	224.219
398.22	32961.00	235.672
398.27	30977.00	224.298
398.22	28993.00	212.616
398.21	27000.00	200.503
398.23	25002.00	187.957
398.19	23005.00	175.071
398.17	21012.00	161.802
398.22	19011.00	148.062
398.36	17012.00	133.928
398.39	15006.00	119.391
398.30	13014.00	104.623
398.32	11005.00	89.328

Reference

<https://www.doi.org/10.1016/j.jct.2015.07.014>

Temperature, K	Pressure, kPa	Mass density, kg/m ³
233.02	2000.87	29.5563
233.02	3001.45	44.779
233.02	506.32	7.363
233.02	5030.21	76.3292
233.02	5501.02	83.7756
233.02	1007.11	14.7253
233.03	4002.56	60.2496
233.03	506.34	7.3668
253.36	3010.13	40.8167
253.36	5651.89	77.5333
253.37	1025.25	13.7338
253.37	5051.89	69.1481
253.37	158.12	2.1053
253.38	2061.73	27.8018
253.38	158.09	2.1098
253.38	4007.14	54.5977
273.05	1000.43	12.3984
273.06	500.09	6.1854
273.06	4000.03	50.0451

273.06	500.07	6.1902
273.06	5000.40	62.6679
273.06	2000.02	24.878
273.06	5500.01	68.9746
273.06	500.06	6.1864
273.06	3000.08	37.4313
293.02	5015.12	58.0251
293.03	1037.05	11.9492
293.03	2013.97	23.2508
293.03	3106.16	35.9063
293.03	5611.30	64.8959
293.03	109.97	1.2672
293.03	3996.48	46.2267
293.04	109.35	1.2578
313.12	1999.83	21.5387
313.12	1000.32	10.7709
313.12	508.11	5.4681
313.12	3999.91	43.0379
313.12	508.10	5.4688
313.12	5000.13	53.7535
313.13	5499.99	59.0903
313.13	2999.71	32.2955
333.12	4001.53	40.3032
333.12	5029.05	50.5504
333.12	147.29	1.4891
333.12	147.34	1.4831
333.12	3039.03	30.6553
333.12	2020.62	20.4085
333.12	1049.02	10.6026
333.12	5511.30	55.3242
353.31	500.05	4.7615
353.31	4000.67	37.8636
353.31	500.09	4.7637
353.31	1001.83	9.5385
353.32	500.08	4.7645
353.32	4999.93	47.189
353.32	5500.03	51.8318
353.32	3001.82	28.4762
353.32	1999.99	19.0116

Reference

<https://www.doi.org/10.1021/je0497496>

Temperature, K

Pressure, kPa

Mass density, kg/m³

265.00	967.00	12.355
265.00	1937.00	24.865
265.00	3929.00	50.84
265.00	5996.00	77.972
265.00	7985.00	104.063
265.00	9835.00	128.039
265.00	15014.00	192.346
265.00	20022.00	248.359
265.00	25019.00	297.183
265.00	30006.00	339.165
265.00	35119.00	376.198
265.00	50041.00	459.104
265.00	74887.00	549.76
265.00	100559.00	613.291
293.00	965.00	11.119
293.00	1933.00	22.306
293.00	3923.00	45.361
293.00	5988.00	69.244
293.00	7971.00	91.982
293.00	9822.00	112.91
293.00	14872.00	167.663
293.00	19976.00	218.428
293.00	24948.00	262.722
293.00	29965.00	302.337
293.00	34993.00	337.389
293.00	39916.00	367.801
293.00	50130.00	421.0
293.00	74957.00	513.932
293.00	99903.00	578.472
293.00	125585.00	628.863
293.00	150976.00	668.88
298.15	10005.00	112.564
298.15	30026.00	296.94
298.15	49844.00	413.221
298.15	74988.00	507.852
298.15	100175.00	573.318
298.15	124825.00	622.069
298.15	151239.00	664.101
350.00	2974.00	28.486
350.00	4917.00	46.878
350.00	5971.00	56.772
350.00	7481.00	70.762
350.00	9976.00	93.531
350.00	13786.00	127.029

350.00	17230.00	155.891
350.00	20677.00	183.287
350.00	24132.00	209.197
350.00	27582.00	233.51
350.00	29848.00	248.687
350.00	34691.00	279.018
350.00	49978.00	358.872
350.00	74999.00	452.98
350.00	99994.00	520.331
350.00	124395.00	571.157
350.00	150364.00	614.997
400.00	1004.00	8.432
400.00	1999.00	16.747
400.00	2999.00	25.04
400.00	4000.00	33.281
400.00	5001.00	41.463
400.00	7000.00	57.573
400.00	8004.00	65.564
400.00	10000.00	81.202
400.00	14997.00	118.841
400.00	19991.00	154.143
400.00	24998.00	187.116
400.00	29991.00	217.621
400.00	35015.00	246.029
400.00	40004.00	272.126
400.00	49964.00	318.659
400.00	59948.00	358.969
400.00	69931.00	394.143
400.00	79958.00	425.322
400.00	89963.00	453.061
400.00	99951.00	477.982
400.00	110031.00	500.804
400.00	120573.00	522.585

Reference

<https://www.doi.org/10.1021/je100381g>

Amount density, mol/m³

Temperature, K - Gas	Pressure, kPa - Gas	Amount density, mol/m ³ - Gas
353.24	1277.00	433.96
353.24	1796.00	609.68

353.24	2528.00	856.53
353.24	3560.00	1203.3
353.24	5020.00	1690.3
353.24	7099.00	2374.4
353.24	10083.00	3335.1
353.24	14454.00	4684.4
353.24	21085.00	6580.2
353.24	31865.00	9245.4
353.24	51818.00	12994.0
353.24	97567.00	18264.0
353.24	918.00	312.11
353.24	1290.00	438.52
353.24	1815.00	616.1
353.24	2554.00	865.58
353.24	3597.00	1216.0
353.24	5073.00	1708.3
353.24	7173.00	2399.7
353.24	10189.00	3370.9
353.24	14608.00	4734.9
353.24	21330.00	6651.4
353.24	32289.00	9345.7
353.24	52662.00	13136.0
353.24	99815.00	18462.0
373.25	939.00	302.17
373.25	1321.00	424.39
373.25	1858.00	596.03
373.25	2615.00	837.07
373.25	3683.00	1175.5
373.25	5197.00	1650.8
373.25	7353.00	2318.0
373.25	10457.00	3254.7
373.25	15008.00	4569.9
373.25	21923.00	6417.3
373.25	33124.00	9014.5
373.25	53631.00	12668.0
373.25	99433.00	17806.0
393.21	960.00	292.94
393.21	1350.00	411.28
393.21	1899.00	577.41
393.21	2672.00	810.61
393.21	3765.00	1137.9
393.21	5315.00	1597.4
393.21	7525.00	2242.1
393.21	10708.00	3146.9

393.21	15382.00	4416.7
393.21	22477.00	6200.1
393.21	33930.00	8706.9
393.21	54593.00	12234.0
393.21	99452.00	17196.0
433.20	1000.00	276.6
433.20	1405.00	388.07
433.20	1975.00	544.44
433.20	2780.00	763.77
433.20	3917.00	1071.4
433.20	5531.00	1502.8
433.20	7834.00	2107.8
433.20	11156.00	2956.1
433.20	16037.00	4145.9
433.20	23429.00	5816.1
433.20	35253.00	8163.8
433.20	56091.00	11468.0
433.20	99190.00	16118.0
473.20	1035.00	262.01
473.20	1453.00	367.35
473.20	2043.00	515.01
473.20	2873.00	721.98
473.20	4047.00	1012.1
473.20	5715.00	1418.5
473.20	8090.00	1988.2
473.20	11522.00	2786.3
473.20	16567.00	3905.2
473.20	24181.00	5475.1
473.20	36270.00	7681.8
473.20	57163.00	10788.0
473.20	98712.00	15161.0

Reference

<https://www.doi.org/10.1007/s10765-011-1120-x>

Temperature, K	Pressure, kPa	Amount density, mol/m3
353.17	2425.20	822.9
353.17	1733.10	588.8
353.17	1239.10	421.3
353.17	886.10	301.4
353.17	633.80	215.7
353.17	453.40	154.3
353.17	324.40	110.4
353.17	232.10	79.0

413.16	2553.60	737.2
413.16	1822.60	527.5
413.16	1301.90	377.4
413.16	930.40	270.1
413.16	665.10	193.2
413.16	475.60	138.3
413.16	340.20	98.93
413.16	243.30	70.78

Reference

<https://www.doi.org/10.1021/acs.jced.7b00263>

Temperature, K	Pressure, kPa	Amount density, mol/m ³
352.80	13273.00	4370.0
352.80	8100.00	2710.0
352.80	5003.00	1688.0
352.80	3103.00	1051.0
352.80	1927.00	654.0
352.80	1197.00	407.2
353.20	13317.00	4370.0
353.20	8129.00	2720.0
353.20	5020.00	1692.0
353.20	3114.00	1053.0
353.20	1935.00	656.0
353.20	1204.00	408.6
353.20	749.00	254.5
393.10	19085.00	5420.0
393.10	11438.00	3360.0
393.10	6998.00	2090.0
393.10	4316.00	1299.0
393.10	2671.00	808.0
393.10	1655.00	503.0
393.10	1028.00	313.7
393.10	639.00	195.5
473.10	19290.00	4510.0
473.10	11426.00	2770.0
473.10	6895.00	1702.0
473.10	4200.00	1048.0
473.10	2570.00	646.0
473.10	1577.00	398.0
473.10	970.00	245.9
473.10	597.00	151.6
673.10	24630.00	3980.0
673.10	14250.00	2400.0

673.10	8423.00	1452.0
673.10	5038.00	881.0
673.10	3033.00	535.0
673.10	1833.00	325.0
673.10	1110.00	197.5
673.10	673.00	120.1
923.10	26060.00	3110.0
923.10	14835.00	1840.0
923.10	8620.00	1091.0
923.10	5060.00	648.0
923.10	2989.00	385.0
923.10	1771.00	229.3
923.10	1051.00	136.6
923.10	624.00	81.3

Reference

<https://www.doi.org/10.1021/acs.jced.8b01206>

Speed of sound, m/s

Temperature, K - Gas	Pressure, kPa - Gas	Speed of sound, m/s - Gas
275.00	20114.20	415.493
275.00	22615.90	431.063
275.00	25117.60	447.188
275.00	27619.40	463.66
275.00	30121.10	480.315
275.00	40128.60	546.502
275.00	50135.80	609.259
275.00	60143.00	667.425
275.00	70150.20	721.11
275.00	80157.40	770.778
275.00	90164.60	816.939
275.00	100172.00	860.048
300.00	20113.60	426.564
300.01	22615.20	440.288
300.01	25117.00	454.506
300.01	27618.80	469.076
300.01	30120.50	483.876
300.01	40127.60	543.578
300.01	50134.80	601.519
300.01	60142.00	656.23
300.01	70149.20	707.429

300.01	85159.90	778.054
300.01	100171.00	842.208
325.01	20113.90	438.312
325.01	22615.80	450.728
325.01	25117.60	463.568
325.01	27619.40	476.727
325.01	30121.20	490.118
325.01	40128.40	544.577
325.00	50135.70	598.272
325.00	60142.90	649.705
325.00	70150.10	698.408
325.00	80157.20	744.35
325.00	90164.30	787.683
325.00	100172.00	828.629
350.00	20116.00	450.179
350.00	22617.90	461.635
350.00	25119.60	473.445
350.00	27621.40	485.536
350.00	30123.10	497.838
350.00	40130.30	548.073
350.00	50137.60	598.108
350.00	60144.70	646.566
350.00	70151.70	692.89
350.00	80158.60	736.934
350.00	90165.60	778.75
350.00	100173.00	818.469
375.00	25117.50	483.635
375.00	27619.30	494.895
375.00	30121.10	506.343
375.00	32622.90	517.932
375.00	35124.60	529.619
375.00	40128.30	553.146
375.00	50135.60	600.059
375.00	60147.20	645.878
375.00	70154.30	689.996
375.00	80161.20	732.225
375.00	90168.20	772.547
375.00	100175.00	811.029
400.00	25120.60	493.914
400.00	27622.30	504.508
400.00	30124.00	515.267
400.00	32625.70	526.15
400.00	35127.40	537.129
400.00	40131.00	559.246

400.00	50138.40	603.49
400.00	60145.60	646.938
400.00	70152.80	689.043
400.00	80160.10	729.571
400.00	90167.30	768.459
400.00	100175.00	805.731

Reference

<https://www.doi.org/10.1021/acs.jced.6b00720>

Thermal conductivity, W/m/K

Temperature, K - Gas	Pressure, kPa - Gas	Thermal conductivity, W/m/K - Gas
340.86	2579.40	0.0293
340.87	2579.40	0.0291
341.21	2579.40	0.0292
341.16	2579.40	0.0296
336.33	2657.40	0.0287
336.36	2657.40	0.0289
335.72	2657.40	0.0285
335.73	2657.40	0.0290
332.12	2682.60	0.0290
332.04	2682.60	0.0283
330.96	2682.60	0.0287
330.94	2682.60	0.0285
326.18	2705.70	0.0279
326.24	2705.70	0.0286
326.75	2705.70	0.0285
326.72	2705.70	0.0285
322.61	2776.20	0.0276
321.58	2776.20	0.0278
322.25	2776.20	0.0276
322.29	2776.20	0.0277
321.99	2778.70	0.0279
321.95	2778.70	0.0278
326.43	4299.50	0.0291
326.51	4299.50	0.0291
327.70	4299.50	0.0297
327.66	4299.50	0.0294
336.02	4212.30	0.0295
336.01	4212.30	0.0296
337.13	4212.30	0.0300

337.13	4212.30	0.0297
326.67	3835.80	0.0291
326.67	3835.80	0.0290
327.86	3835.80	0.0294
327.86	3835.80	0.0291
327.32	1657.70	0.0280
327.57	1657.70	0.0279
328.85	1657.70	0.0282
328.83	1657.70	0.0281
329.15	1209.30	0.0278
329.17	1209.30	0.0278
327.85	1209.30	0.0275
327.84	1209.30	0.0278
325.10	1008.80	0.0277
325.10	1008.80	0.0277
323.18	1008.80	0.0273
323.16	1008.80	0.0273
324.06	1008.80	0.0275
324.12	1008.80	0.0275
325.44	574.10	0.0282

Reference

<https://www.doi.org/10.1016/j.fluid.2014.04.038>

Temperature, K	Pressure, kPa	Thermal conductivity, W/m/K
235.41	3405.40	0.0233
235.72	3405.40	0.0233
255.55	5432.80	0.0260
255.70	1281.10	0.0233
255.86	5432.80	0.0260
256.26	1281.10	0.0232
275.39	5057.30	0.0267
275.41	1027.70	0.0244
276.05	5057.30	0.0269
276.11	1027.70	0.0244
295.15	1844.10	0.0261
295.25	4380.80	0.0273
295.68	1844.10	0.0260
295.92	4380.80	0.0274
325.32	716.00	0.0276
325.43	2042.90	0.0284
326.20	2042.90	0.0284
326.23	4941.80	0.0296
326.39	716.00	0.0276

Viscosity, Pa*s

Temperature, K - Gas	Pressure, kPa - Gas	Viscosity, Pa*s - Gas
297.22	31330.00	0.0000280
297.23	40300.00	0.0000304
297.24	50620.00	0.0000346
297.25	24520.00	0.0000246
297.25	85020.00	0.0000474
297.26	70280.00	0.0000428
297.30	570.00	0.0000177
297.32	2900.00	0.0000184
297.32	4960.00	0.0000189
297.33	9020.00	0.0000199
297.45	60740.00	0.0000391
297.46	95040.00	0.0000529
333.14	10530.00	0.0000216
333.16	15340.00	0.0000222
333.22	24490.00	0.0000254
333.30	34970.00	0.0000295
333.42	48850.00	0.0000324
333.51	74270.00	0.0000397
333.59	95150.00	0.0000481
400.07	7230.00	0.0000230
400.07	10740.00	0.0000233
400.07	15630.00	0.0000243
400.07	25910.00	0.0000264
400.07	35280.00	0.0000284
400.07	47240.00	0.0000319
400.07	65020.00	0.0000357
400.07	95070.00	0.0000439
499.24	30120.00	0.0000295
499.24	48890.00	0.0000328
499.24	69570.00	0.0000366
499.24	94610.00	0.0000408
499.43	10560.00	0.0000270

Temperature, K	Pressure, kPa	Viscosity, Pa*s
303.42	4713.00	0.0000188
303.51	4518.00	0.0000188
303.52	4306.00	0.0000188
303.53	4109.00	0.0000187
303.54	3889.00	0.0000187
303.54	3711.00	0.0000187
303.54	3499.00	0.0000186
303.54	3319.00	0.0000185
303.54	3114.00	0.0000186
303.53	2920.00	0.0000185
303.53	2724.00	0.0000185
303.52	2495.00	0.0000185
303.52	2322.00	0.0000184
303.50	2080.00	0.0000183
303.49	1891.00	0.0000182
303.49	1694.00	0.0000183
303.49	1489.00	0.0000182
303.49	1251.00	0.0000182
303.48	1107.00	0.0000181
303.47	914.00	0.0000182
303.47	712.00	0.0000181
303.46	504.00	0.0000181
303.46	295.00	0.0000181
303.46	98.00	0.0000180

Reference

<https://www.doi.org/10.1016/j.fluid.2014.10.023>

Pressure, kPa	Temperature, K	Viscosity, Pa*s
99.90	296.26	0.0000177
109.80	322.56	0.0000188
111.20	373.12	0.0000210
110.20	472.10	0.0000250
111.70	572.98	0.0000286
312.60	296.26	0.0000177
307.30	322.56	0.0000189
300.60	373.12	0.0000211
309.70	472.10	0.0000250
316.10	572.98	0.0000287
500.90	297.05	0.0000178
500.70	322.56	0.0000190
503.20	373.12	0.0000212
505.80	472.10	0.0000251

502.00	572.98	0.0000287
700.90	297.05	0.0000179
701.20	322.56	0.0000190
694.50	373.12	0.0000212
703.40	472.10	0.0000251
703.40	572.98	0.0000287

Reference

<https://www.doi.org/10.1016/j.jct.2015.04.028>

Temperature, K	Pressure, kPa	Viscosity, Pa*s
298.25	1000.10	0.0000179
298.24	800.50	0.0000179
298.25	600.20	0.0000178
298.25	400.70	0.0000178
298.25	200.50	0.0000178
298.25	100.70	0.0000178
323.26	1000.90	0.0000190
323.26	800.20	0.0000190
323.26	600.80	0.0000190
323.26	400.40	0.0000189
323.26	200.70	0.0000189
323.26	100.60	0.0000189
373.29	1807.20	0.0000212
373.29	1500.60	0.0000212
373.29	1000.30	0.0000211
373.29	601.00	0.0000211
373.29	401.00	0.0000211
373.29	201.10	0.0000210
373.29	100.80	0.0000210
423.33	1799.40	0.0000232
423.33	1500.20	0.0000232
423.33	1000.50	0.0000231
423.33	600.60	0.0000231
423.33	400.70	0.0000231
423.33	200.90	0.0000230
423.33	100.90	0.0000230
473.38	1799.30	0.0000250
473.38	1500.60	0.0000250
473.38	1000.70	0.0000250
473.38	600.90	0.0000250
473.38	398.50	0.0000250
473.38	200.80	0.0000249
473.38	100.70	0.0000249

253.21	1200.90	0.0000158
253.21	1000.90	0.0000158
253.21	800.80	0.0000157
253.21	600.80	0.0000157
253.21	400.70	0.0000157
253.21	200.90	0.0000156
253.21	100.80	0.0000156
273.24	1499.80	0.0000169
273.24	1000.60	0.0000167
273.24	800.60	0.0000167
273.24	600.40	0.0000167
273.24	400.50	0.0000166
273.24	200.80	0.0000166
273.24	100.70	0.0000166
298.25	1500.20	0.0000180
298.25	1000.10	0.0000179
298.25	400.80	0.0000178
298.25	99.60	0.0000178
323.27	1802.10	0.0000191
323.27	1501.90	0.0000191
323.26	1000.60	0.0000190
323.27	398.80	0.0000189
323.26	101.50	0.0000189

Reference

<https://www.doi.org/10.1016/j.jct.2018.01.015>

Temperature, K	Pressure, kPa	Viscosity, Pa*s
298.15	100.00	0.0000178
298.15	150.00	0.0000178
298.15	200.00	0.0000178
298.15	250.00	0.0000178
298.15	300.10	0.0000178
298.15	350.10	0.0000178
298.15	400.00	0.0000178
298.15	450.10	0.0000178
298.15	500.10	0.0000178
298.15	600.10	0.0000179
298.15	700.10	0.0000179
298.15	800.10	0.0000179
298.15	900.10	0.0000179
298.15	1000.20	0.0000179
298.15	1100.20	0.0000179
298.15	1200.10	0.0000179

298.15	1300.10	0.0000180
298.15	1400.10	0.0000180
298.15	1500.10	0.0000180
298.15	1599.90	0.0000180
298.15	1700.00	0.0000180
298.15	1800.10	0.0000180
298.15	1899.90	0.0000180
298.15	2000.40	0.0000181
298.15	2250.00	0.0000181
298.15	2500.30	0.0000181
298.15	2750.40	0.0000182
298.15	3000.90	0.0000182
298.15	3250.30	0.0000183
298.15	3500.70	0.0000183
298.15	3750.70	0.0000184
298.15	4001.00	0.0000184
298.15	4250.50	0.0000185
298.15	4499.80	0.0000185
298.15	4749.90	0.0000186
298.15	5000.50	0.0000186
298.15	5500.90	0.0000187
298.15	6005.40	0.0000188
298.15	6500.40	0.0000190
298.15	7002.50	0.0000191
298.15	7501.60	0.0000192
298.15	8000.90	0.0000193
298.15	8500.90	0.0000195
298.15	8999.30	0.0000196
298.15	9499.40	0.0000197
298.15	10001.00	0.0000199
298.15	11005.00	0.0000202
298.15	12002.00	0.0000205
298.15	13004.00	0.0000208
298.15	14004.00	0.0000211
298.15	15006.00	0.0000214
298.15	16001.00	0.0000218
298.15	17010.00	0.0000221
298.15	18008.00	0.0000225
298.15	19006.00	0.0000228
298.15	20005.00	0.0000232
298.15	21000.00	0.0000235
298.15	22001.00	0.0000239
298.15	23008.00	0.0000243
298.15	24003.00	0.0000247

298.15	25014.00	0.0000250
298.15	26005.00	0.0000254
298.15	27010.00	0.0000258
298.15	28009.00	0.0000262
298.15	29013.00	0.0000266
298.15	30010.00	0.0000269
298.15	31009.00	0.0000273
298.15	31995.00	0.0000277
298.15	33004.00	0.0000281
298.15	33949.00	0.0000285
298.15	35027.00	0.0000289
323.15	100.00	0.0000189
323.15	200.10	0.0000189
323.15	300.10	0.0000189
323.15	400.10	0.0000190
323.15	600.10	0.0000190
323.15	800.30	0.0000190
323.15	1000.60	0.0000190
323.15	1500.70	0.0000191
323.15	2000.70	0.0000192
323.15	2500.90	0.0000192
323.15	3000.80	0.0000193
323.15	3502.60	0.0000194
323.15	4001.80	0.0000195
323.15	4500.40	0.0000196
323.15	5002.20	0.0000196
323.15	5503.90	0.0000198
323.15	6003.60	0.0000198
323.15	6503.60	0.0000199
323.15	7009.30	0.0000201
323.15	7502.70	0.0000202
323.15	8003.10	0.0000203
323.15	8504.20	0.0000204
323.15	9006.10	0.0000205
323.15	9500.40	0.0000206
323.15	10007.00	0.0000207
323.15	11007.00	0.0000210
323.15	12006.00	0.0000212
323.15	13005.00	0.0000215
323.15	14005.00	0.0000218
323.15	15005.00	0.0000221
323.15	16009.00	0.0000223
323.15	17007.00	0.0000226
323.15	18000.00	0.0000229

323.15	19007.00	0.0000232
323.15	19999.00	0.0000235
323.15	21010.00	0.0000238
323.15	22011.00	0.0000242
323.15	23013.00	0.0000245
323.15	24004.00	0.0000248
323.15	25005.00	0.0000251
323.15	26011.00	0.0000255
323.15	27000.00	0.0000258
323.15	28012.00	0.0000261
323.15	29014.00	0.0000265
323.15	30014.00	0.0000268
323.15	31013.00	0.0000271
323.15	31997.00	0.0000275
323.15	33007.00	0.0000278
323.15	34009.00	0.0000281
323.15	35066.00	0.0000285
348.15	100.10	0.0000200
348.15	200.10	0.0000200
348.15	300.10	0.0000200
348.15	400.20	0.0000201
348.15	600.50	0.0000201
348.15	800.60	0.0000201
348.15	1000.90	0.0000201
348.15	1501.90	0.0000202
348.15	2001.60	0.0000202
348.15	2502.00	0.0000203
348.15	3002.60	0.0000204
348.15	3504.20	0.0000204
348.15	3999.60	0.0000205
348.15	4508.20	0.0000206
348.15	5002.20	0.0000207
348.15	5502.80	0.0000207
348.15	6003.40	0.0000208
348.15	6501.30	0.0000209
348.15	7002.30	0.0000210
348.15	7502.50	0.0000211
348.15	8002.10	0.0000212
348.15	8501.80	0.0000213
348.15	9004.00	0.0000214
348.15	9498.90	0.0000215
348.15	10001.00	0.0000216
348.15	11007.00	0.0000218
348.15	12007.00	0.0000220

348.15	13006.00	0.0000223
348.15	14001.00	0.0000225
348.15	15011.00	0.0000227
348.15	16001.00	0.0000230
348.15	17002.00	0.0000233
348.15	18004.00	0.0000235
348.15	19008.00	0.0000238
348.15	20006.00	0.0000240
348.15	21004.00	0.0000243
348.15	22011.00	0.0000246
348.15	23006.00	0.0000249
348.15	24004.00	0.0000251
348.15	25007.00	0.0000254
348.15	26007.00	0.0000257
348.15	27005.00	0.0000260
348.15	27995.00	0.0000263
348.15	29000.00	0.0000265
348.15	30021.00	0.0000269
348.15	31015.00	0.0000272
348.15	32013.00	0.0000275
348.15	33000.00	0.0000278
348.15	34013.00	0.0000281
348.15	34919.00	0.0000283
373.15	100.30	0.0000210
373.15	200.10	0.0000211
373.15	301.00	0.0000211
373.15	400.20	0.0000211
373.15	600.70	0.0000211
373.15	800.60	0.0000211
373.15	1000.50	0.0000211
373.15	1501.20	0.0000212
373.15	2002.10	0.0000213
373.15	2501.40	0.0000213
373.15	3003.50	0.0000214
373.15	3503.30	0.0000214
373.15	4010.00	0.0000215
373.15	4501.60	0.0000216
373.15	5007.40	0.0000216
373.15	5504.70	0.0000217
373.15	6000.60	0.0000218
373.15	6507.40	0.0000219
373.15	7006.90	0.0000219
373.15	7500.70	0.0000220
373.15	8002.70	0.0000221

373.15	8504.30	0.0000222
373.15	9002.10	0.0000223
373.15	9499.10	0.0000224
373.15	10010.00	0.0000225
373.15	11006.00	0.0000227
373.15	12000.00	0.0000228
373.15	13002.00	0.0000231
373.15	14010.00	0.0000233
373.15	15013.00	0.0000235
373.15	16013.00	0.0000237
373.15	17018.00	0.0000239
373.15	18001.00	0.0000241
373.15	19005.00	0.0000244
373.15	19977.00	0.0000246
373.15	21015.00	0.0000249
373.15	22011.00	0.0000251
373.15	23004.00	0.0000254
373.15	24005.00	0.0000256
373.15	25012.00	0.0000258
373.15	26006.00	0.0000261
373.15	27007.00	0.0000263
373.15	28017.00	0.0000266
373.15	29005.00	0.0000269
373.15	30003.00	0.0000271
373.15	31001.00	0.0000274
373.15	32010.00	0.0000277
373.15	33011.00	0.0000279
373.15	34006.00	0.0000282
373.15	34834.00	0.0000284
398.15	100.10	0.0000220
398.15	200.90	0.0000221
398.15	300.80	0.0000221
398.15	400.50	0.0000221
398.15	600.30	0.0000221
398.15	800.50	0.0000221
398.15	1001.00	0.0000222
398.15	1501.80	0.0000222
398.15	2001.30	0.0000223
398.15	2495.80	0.0000223
398.15	3000.70	0.0000224
398.15	3501.80	0.0000224
398.15	4002.80	0.0000225
398.15	4503.10	0.0000225
398.15	5003.70	0.0000226

398.15	5502.60	0.0000227
398.15	6004.90	0.0000227
398.15	6501.80	0.0000228
398.15	7005.30	0.0000229
398.15	7507.10	0.0000229
398.15	8007.60	0.0000230
398.15	8501.00	0.0000231
398.15	9010.30	0.0000232
398.15	9506.90	0.0000232
398.15	10005.00	0.0000233
398.15	11003.00	0.0000235
398.15	11989.00	0.0000237
398.15	13002.00	0.0000239
398.15	13997.00	0.0000240
398.15	15013.00	0.0000242
398.15	16005.00	0.0000244
398.15	17010.00	0.0000246
398.15	18010.00	0.0000248
398.15	19003.00	0.0000250
398.15	20019.00	0.0000252
398.15	21009.00	0.0000255
398.15	22011.00	0.0000257
398.15	23034.00	0.0000259
398.15	23993.00	0.0000261
398.15	25001.00	0.0000263
398.15	25977.00	0.0000266
398.15	27031.00	0.0000268
398.15	28028.00	0.0000270
398.15	29028.00	0.0000273
398.15	29911.00	0.0000275
398.15	31023.00	0.0000277
398.15	32013.00	0.0000280
398.15	33034.00	0.0000282
398.15	34043.00	0.0000285
398.15	35040.00	0.0000287
423.15	100.10	0.0000230
423.15	200.10	0.0000231
423.15	300.40	0.0000231
423.15	400.10	0.0000231
423.15	600.20	0.0000231
423.15	800.30	0.0000231
423.15	1001.10	0.0000231
423.15	1502.50	0.0000232
423.15	1997.80	0.0000232

423.15	2498.00	0.0000233
423.15	3002.30	0.0000233
423.15	3505.80	0.0000234
423.15	4004.00	0.0000234
423.15	4501.20	0.0000235
423.15	5002.70	0.0000235
423.15	5502.80	0.0000236
423.15	6002.20	0.0000237
423.15	6502.30	0.0000237
423.15	7003.00	0.0000238
423.15	7497.90	0.0000238
423.15	8004.20	0.0000239
423.15	8503.00	0.0000240
423.15	9004.20	0.0000241
423.15	9504.30	0.0000241
423.15	10006.00	0.0000242
423.15	11004.00	0.0000243
423.15	11994.00	0.0000245
423.15	13002.00	0.0000247
423.15	14011.00	0.0000248
423.15	15002.00	0.0000250
423.15	16009.00	0.0000252
423.15	17009.00	0.0000254
423.15	17999.00	0.0000255
423.15	19008.00	0.0000257
423.15	20008.00	0.0000259
423.15	20987.00	0.0000261
423.15	22009.00	0.0000263
423.15	23014.00	0.0000265
423.15	24019.00	0.0000267
423.15	25024.00	0.0000269
423.15	26017.00	0.0000271
423.15	27035.00	0.0000273
423.15	28010.00	0.0000275
423.15	29015.00	0.0000277
423.15	30011.00	0.0000279
423.15	31001.00	0.0000282
423.15	31988.00	0.0000284
423.15	32989.00	0.0000286
423.15	34020.00	0.0000288
423.15	35050.00	0.0000290

Temperature, K	Pressure, kPa	Viscosity, Pa*s
298.15	101.00	0.0000179
298.15	240.00	0.0000179
298.15	672.00	0.0000179
323.15	101.00	0.0000190
323.15	290.00	0.0000190
323.15	466.00	0.0000191
323.15	856.00	0.0000191
348.15	101.00	0.0000201
348.15	518.00	0.0000202
348.15	1010.00	0.0000202
348.15	2028.00	0.0000204
373.15	101.00	0.0000212
373.15	495.00	0.0000212
373.15	1000.00	0.0000213
373.15	2006.00	0.0000214
373.15	2930.00	0.0000215
373.15	3985.00	0.0000217
373.15	4966.00	0.0000218
398.15	101.00	0.0000222
398.15	520.00	0.0000222
398.15	1003.00	0.0000223
398.15	2000.00	0.0000224
398.15	3473.00	0.0000226
398.15	4849.00	0.0000228
423.15	101.00	0.0000232
423.15	550.00	0.0000232
423.15	1032.00	0.0000233
423.15	2012.00	0.0000234
423.15	3435.00	0.0000235
423.15	4832.00	0.0000237

Reference

<https://www.doi.org/10.1021/je8009545>

Temperature, K	Pressure, kPa	Viscosity, Pa*s
293.11	1737.30	0.0000178
293.11	12288.00	0.0000204
293.11	8684.10	0.0000193
293.12	24666.00	0.0000249
293.12	16079.00	0.0000217
293.12	22359.00	0.0000240
293.12	5188.40	0.0000184
293.12	6932.10	0.0000188

293.12	3456.50	0.0000181
293.13	14176.00	0.0000210
293.14	18079.00	0.0000224
293.15	867.69	0.0000176
293.15	434.63	0.0000176
293.15	260.16	0.0000175
293.16	27067.00	0.0000259
293.16	20166.00	0.0000232
293.16	10467.00	0.0000198
293.16	174.08	0.0000175
293.16	87.06	0.0000175
293.16	30306.00	0.0000271
293.17	434.86	0.0000176
293.17	30306.00	0.0000271
293.17	347.38	0.0000176
293.18	69.62	0.0000175

Reference

<https://www.doi.org/10.1021/je900131q>

Mass density, kg/m3

Temperature, K - Gas	Pressure, kPa - Gas	Mass density, kg/m3 - Gas
250.00	4032.00	55.8105
250.00	4032.00	55.8107
250.00	11944.30	167.5304
250.00	19672.10	264.4362
250.00	31915.60	377.5128
250.00	4032.00	55.8109
250.00	4032.00	55.8112
250.00	7922.00	111.2011
250.00	11944.30	167.5305
250.00	15945.40	220.078
250.00	19672.10	264.4357
250.00	23917.70	309.0332
250.00	23918.60	309.0428
250.00	27921.70	345.6187
250.00	27921.90	345.6199
250.00	27922.30	345.6238
250.00	27922.80	345.6288
250.00	31913.80	377.4977
250.00	31915.00	377.5055

250.00	31916.30	377.516
250.00	4032.00	55.8104
250.00	7922.00	111.2009
250.00	11944.30	167.531
250.00	7922.10	111.2012
250.00	11944.30	167.5306
250.00	15945.30	220.0776
250.00	19672.30	264.4371
250.00	19672.40	264.4384
250.00	23918.20	309.0349
250.00	23920.80	309.0618
250.00	27922.80	345.6271
250.00	31914.30	377.4996
250.00	31914.80	377.5038
250.00	11944.30	167.5298
250.00	15945.30	220.0778
250.00	11944.30	167.5299
250.00	7922.10	111.2012
250.00	15945.30	220.0762
250.00	15945.60	220.0791
250.00	19672.00	264.4339
250.00	23918.50	309.0379
250.00	23920.40	309.0561
250.00	27922.40	345.6208
273.16	6172.50	77.4431
273.16	3969.20	49.6242
273.16	6172.50	77.4438
273.16	8165.10	102.4783
273.16	12167.90	151.5658
273.16	12168.00	151.5667
273.16	16375.90	200.1297
273.16	16376.10	200.1314
273.16	20308.20	241.7355
273.16	20309.00	241.7456
273.16	28793.70	318.0674
273.16	33964.40	356.4025
273.16	3969.20	49.6241
273.16	6172.50	77.4433
273.16	8165.10	102.4798
273.16	6172.60	77.4441
273.16	8165.20	102.4804
273.16	12168.00	151.5676
273.16	12168.10	151.568
273.16	16376.30	200.1327

273.16	20308.50	241.7389
273.16	20308.90	241.7448
273.16	24524.50	281.9097
273.16	24526.00	281.9219
273.16	28792.40	318.0555
273.16	33963.70	356.3973
273.16	3969.20	49.6244
273.16	3969.30	49.6242
273.16	6172.60	77.4442
273.16	8165.10	102.4795
273.16	8165.20	102.4802
273.16	12167.80	151.5632
273.16	16375.90	200.1274
273.16	16376.00	200.1292
273.16	28792.90	318.057
273.16	28793.70	318.0651
273.16	33963.10	356.3909
273.16	33965.40	356.4068
273.16	3969.20	49.6239
273.16	8165.20	102.479
273.16	20309.00	241.743
273.16	24525.00	281.9126
273.16	24525.40	281.9148
273.16	24526.00	281.9206
273.16	28793.30	318.0575
273.16	33966.20	356.4129
293.14	1498.50	17.2764
293.14	1998.00	23.0541
293.14	2997.10	34.6235
293.14	3996.10	46.1973
293.14	5994.20	69.291
293.14	1498.50	17.2762
293.14	299.70	3.4472
293.14	499.50	5.7477
293.14	999.00	11.5071
293.14	1498.50	17.2761
293.14	1998.00	23.0541
293.14	2997.10	34.6233
293.14	3996.10	46.1976
293.14	4995.20	57.7597
293.14	5994.20	69.2908
293.14	5994.30	69.2914
293.14	299.70	3.447
293.14	499.50	5.7475

293.14	999.00	11.5071
293.14	1498.50	17.2763
293.14	1998.00	23.0541
293.14	2997.10	34.6235
293.14	3996.10	46.1976
293.14	4995.20	57.7599
293.14	5994.20	69.291
293.14	299.70	3.4472
293.14	999.00	11.5075
293.14	1498.50	17.2763
293.14	1998.00	23.0539
293.14	2997.10	34.6233
293.14	3996.10	46.1974
293.14	299.70	3.4472
293.14	999.00	11.5075
293.14	1498.50	17.2763
293.14	2997.10	34.6236
293.14	3996.10	46.1974
293.14	299.70	3.447
293.14	999.00	11.5074
293.14	1498.50	17.2763
293.14	3996.10	46.1982
293.14	299.70	3.4473
293.14	999.00	11.5074
293.14	3996.10	46.198
293.14	999.00	11.5074
293.14	99.90	1.1486
293.14	199.80	2.2978
293.14	299.70	3.4473
293.14	499.50	5.7477
293.14	749.20	8.6261
293.14	749.30	8.6261
293.14	999.00	11.5071
293.14	1498.50	17.2761
293.14	4995.10	57.7592
293.14	5994.20	69.2909
293.14	5994.30	69.2915
293.14	99.90	1.1488
293.14	199.80	2.2977
293.14	299.70	3.4472
293.14	499.50	5.7476
293.14	749.20	8.626
293.14	999.00	11.5072
293.14	1498.50	17.2762

293.14	5994.20	69.2909
293.14	199.80	2.2976
293.14	299.70	3.4472
293.14	749.20	8.626
293.14	199.80	2.2977
293.14	299.70	3.4473
293.14	749.20	8.626
293.14	199.80	2.2978
293.14	199.80	2.2976
293.14	99.90	1.1487
293.14	99.90	1.1485
293.14	99.90	1.1487
293.15	5964.90	68.951
293.15	7948.60	91.6867
293.15	32147.00	317.9221
293.15	32147.50	317.9256
293.15	4004.80	46.2932
293.15	5964.90	68.951
293.15	7948.60	91.6871
293.15	7948.80	91.689
293.15	11979.60	136.7132
293.15	11979.70	136.7149
293.15	15954.70	178.7821
293.15	19567.10	214.4519
293.15	19567.70	214.4565
293.15	28412.10	290.4478
293.15	28413.00	290.455
293.15	32145.30	317.9093
293.15	32145.90	317.9116
293.15	4004.80	46.2934
293.15	19567.70	214.4565
293.15	4004.80	46.2936
293.15	4004.90	46.2937
293.15	5964.90	68.9516
293.15	7948.60	91.6868
293.15	7948.80	91.6881
293.15	11979.80	136.7158
293.15	11980.10	136.7194
293.15	15954.50	178.7796
293.15	15954.60	178.7811
293.15	15954.80	178.7837
293.15	19567.40	214.4528
293.15	24175.80	256.0494
293.15	24176.00	256.0518

293.15	32144.50	317.9018
293.15	32145.10	317.9053
293.15	7948.60	91.6869
293.15	4004.80	46.2933
293.15	5964.90	68.9512
293.15	11979.70	136.7146
293.15	11979.80	136.7158
293.15	15954.70	178.7803
293.15	15954.80	178.7829
293.15	19567.40	214.4535
293.15	19567.60	214.4572
293.15	24175.20	256.0423
293.15	28411.90	290.4433
293.15	28412.20	290.4472
293.15	32146.60	317.9172
293.15	4004.80	46.2931
293.15	5964.90	68.9517
293.15	4004.80	46.2933
293.15	4004.80	46.2935
293.15	11980.10	136.7181
293.15	15954.70	178.7812
293.15	15954.90	178.7828
293.15	24175.60	256.0474
293.15	24176.50	256.0548
293.15	28411.90	290.4438
293.15	28412.90	290.4526
320.00	4775.80	50.1489
320.00	4775.80	50.1482
320.00	4775.80	50.1481
320.00	4775.90	50.1492
320.00	10134.60	104.9993
320.00	4775.90	50.1493
320.00	4775.90	50.149
320.00	10134.90	105.0014
320.00	10134.90	105.0014
320.00	10134.90	105.0019
320.00	10135.00	105.0021
320.00	20209.60	198.7985
320.00	20209.80	198.7991
320.00	10135.00	105.0014
320.00	20209.50	198.7966
320.00	20209.70	198.7988
320.00	20209.90	198.8005
320.00	20209.50	198.7961

339.98	499.50	4.9482
339.98	1998.00	19.7585
339.98	499.50	4.9481
339.98	1998.00	19.7583
339.98	499.50	4.9482
339.98	499.50	4.948
339.98	499.50	4.9481
339.98	999.00	9.8915
339.98	1998.00	19.7583
339.98	3996.00	39.382
339.98	999.00	9.8916
339.98	1998.00	19.7583
339.98	999.00	9.8915
339.98	999.00	9.8915
339.98	1998.00	19.7584
339.98	3996.00	39.3817
339.98	5994.10	58.7959
339.98	999.00	9.8916
339.98	3996.00	39.3819
339.98	5994.10	58.7959
339.98	3996.00	39.3818
339.98	5994.10	58.7959
339.98	3996.00	39.3818
339.98	5994.10	58.7959
339.98	5994.10	58.796
339.99	5081.90	49.9596
339.99	5082.10	49.9616
339.99	5082.00	49.9602
339.99	21784.30	198.014
339.99	5082.00	49.9596
340.00	5082.00	49.96
340.00	10840.40	104.5878
340.00	10840.50	104.589
340.00	10840.40	104.5878
340.00	10840.40	104.5886
340.00	10840.50	104.5892
340.00	21783.80	198.0078
340.00	10840.40	104.5876
340.00	21783.80	198.006
340.00	21784.10	198.0096
340.00	21784.10	198.0087
340.00	21783.80	198.0068
340.01	11961.90	114.8453
340.01	3874.60	38.1897

340.01	5932.30	58.1965
340.01	7789.70	76.0005
340.01	11961.80	114.8449
340.01	15961.40	150.2409
340.01	20071.70	184.4431
340.01	20071.90	184.4451
340.01	20072.40	184.4501
340.01	24069.20	215.4629
340.01	24069.90	215.4674
340.01	28607.80	247.996
340.01	28608.00	247.9986
340.01	33720.30	281.3894
340.01	3874.60	38.1898
340.01	5932.30	58.1955
340.01	3874.60	38.1897
340.01	7789.60	75.9992
340.01	7789.70	76.0006
340.01	11961.70	114.8441
340.01	15961.20	150.2383
340.01	15961.50	150.242
340.01	20072.20	184.4486
340.01	20072.70	184.4528
340.01	24069.30	215.4629
340.01	28606.80	247.989
340.01	33718.50	281.3791
340.01	33719.50	281.3858
340.01	11961.70	114.8423
340.01	15961.50	150.2396
340.01	3874.60	38.1896
340.01	7789.70	76.0004
340.01	11961.80	114.8443
340.01	15961.30	150.2393
340.01	24069.70	215.4654
340.01	24069.80	215.4662
340.01	28607.20	247.9904
340.01	28607.60	247.9933
340.01	33718.70	281.38
340.01	33719.30	281.3836
340.01	7789.70	76.0001
340.01	3874.60	38.1894
340.01	5932.40	58.1962
340.01	7789.70	75.9998
340.01	20072.20	184.447
340.01	3874.60	38.1895

340.01	5932.40	58.1962
359.99	5385.30	49.7747
359.99	5385.40	49.7738
359.99	5385.40	49.7746
359.99	5385.50	49.7747
359.99	11538.60	104.182
359.99	23336.90	197.2465
359.99	5385.50	49.7744
359.99	5385.50	49.7747
360.00	11538.50	104.1806
360.00	11538.50	104.1806
360.00	11538.60	104.1816
360.00	23336.60	197.2431
360.00	11538.60	104.1809
360.00	11538.50	104.1802
360.00	23336.60	197.2426
360.00	23336.10	197.2376
360.00	23336.20	197.2387
360.00	23336.40	197.241
379.99	5685.80	49.589
379.99	5685.70	49.5891
379.99	5685.70	49.5887
379.99	5685.80	49.5891
379.99	5685.70	49.5886
379.99	5685.70	49.5883
379.99	12228.30	103.7761
379.99	12228.40	103.7759
379.99	12228.50	103.7783
380.00	12228.30	103.7752
380.00	12228.30	103.7749
380.00	12228.40	103.7761
380.00	24869.10	196.497
380.00	24868.20	196.492
380.00	24868.40	196.4927
380.00	24869.10	196.4959
380.00	24868.20	196.491
380.00	24868.60	196.4924
399.97	999.00	8.3914
399.97	1998.00	16.7314
399.97	999.00	8.3913
399.97	499.50	4.2016
399.97	999.00	8.3912
399.97	1998.00	16.7313
399.97	3996.00	33.2413

399.97	5994.10	49.4948
399.97	499.50	4.2016
399.97	1998.00	16.7315
399.97	3996.00	33.241
399.97	5994.10	49.4949
399.97	499.50	4.2015
399.97	1998.00	16.7315
399.97	3996.00	33.241
399.97	5994.10	49.4948
399.97	499.50	4.2015
399.97	5994.10	49.4947
399.97	499.50	4.2014
399.97	999.00	8.3913
399.97	1998.00	16.7314
399.97	3996.00	33.241
399.97	3996.00	33.2411
399.99	5983.60	49.4072
399.99	5983.80	49.4087
399.99	5983.60	49.4075
399.99	5983.70	49.4089
399.99	5983.80	49.4092
399.99	5983.70	49.4079
399.99	12911.10	103.3833
399.99	12911.50	103.3867
400.00	12911.20	103.385
400.00	12911.50	103.3879
400.00	12911.00	103.3836
400.00	12911.00	103.3827
400.00	26381.00	195.7629
400.00	26381.80	195.7697
400.00	26382.60	195.774
400.00	26380.90	195.7628
400.00	26381.30	195.7658
400.00	26381.90	195.7696
419.99	6278.60	49.2274
419.99	6278.60	49.2271
419.99	6278.60	49.2273
419.99	6278.60	49.2276
419.99	6278.60	49.2274
419.99	13586.70	103.0011
419.99	13586.90	103.0021
420.00	13586.70	102.9999
420.00	13586.80	103.0014
420.00	27878.00	195.0695

420.00	13586.70	103.001
420.00	13586.90	103.0019
420.00	27875.70	195.0566
420.00	27876.70	195.0645
420.00	27876.90	195.0639
420.00	27875.90	195.0582
420.00	27876.50	195.0605
439.98	499.50	3.8187
439.98	999.00	7.6237
439.98	1998.00	15.1913
439.98	499.50	3.8186
439.98	999.00	7.6237
439.98	1998.00	15.1914
439.98	499.50	3.8188
439.98	999.00	7.6237
439.98	1998.00	15.1914
439.98	499.50	3.8187
439.98	999.00	7.6236
439.98	1998.00	15.1913
439.98	499.50	3.8185
439.98	999.00	7.6238
439.98	1998.00	15.1913
439.98	3995.90	30.1496
439.98	3995.90	30.1496
439.98	3995.90	30.1492
439.98	3995.90	30.1497
439.98	5993.90	44.8531
439.98	5993.90	44.8534
439.98	5993.90	44.8532
439.98	5993.90	44.853
439.99	6571.10	49.0504
439.99	6571.00	49.0492
439.99	6571.10	49.0497
439.99	6571.10	49.05
440.00	14255.10	102.6214
440.00	14255.20	102.6215
440.00	14255.30	102.6222
440.00	14255.30	102.6225
440.00	14255.40	102.624
440.00	14255.20	102.6219
440.00	29347.70	194.3402
440.00	29348.00	194.3416
440.00	29348.30	194.3438

440.00	29348.70	194.3454
440.00	29348.90	194.3467
440.00	29349.30	194.3481
459.99	6861.30	48.8758
459.99	6861.30	48.8757
460.00	6861.30	48.8757
460.00	6861.40	48.8764
460.00	6861.30	48.8759
460.00	14917.40	102.253
460.00	14917.10	102.2504
460.00	14917.20	102.2509
460.00	14917.50	102.2532
460.00	14917.20	102.2515
460.00	14917.30	102.2519
460.00	30809.20	193.675
460.00	30810.70	193.6832
460.00	30812.10	193.6903
460.00	30810.50	193.6813
460.00	30809.60	193.6773
460.00	30810.10	193.6784
479.99	7148.70	48.7027
479.99	7148.60	48.7024
480.00	7148.70	48.7027
480.00	7148.60	48.7016
480.00	15572.50	101.8857
480.00	7148.60	48.7015
480.00	15572.20	101.8829
480.00	15572.40	101.8846
480.00	15572.60	101.886
480.00	15572.30	101.8835
480.00	15572.30	101.884
480.00	32254.50	193.0251
480.00	32256.00	193.0317
480.00	32256.40	193.0345
480.00	1998.00	13.9149
480.00	32254.80	193.0268
480.00	32255.70	193.0316
480.00	1998.00	13.9143
480.00	1998.00	13.9142
480.00	1998.00	13.9139
480.00	499.50	3.4996
480.00	999.00	6.9857
480.00	1998.00	13.915
480.00	32255.30	193.0292

480.00	499.50	3.4991
480.00	999.00	6.9856
480.00	499.50	3.4995
480.00	999.00	6.9852
480.00	3996.00	27.6012
480.00	5994.10	41.0449
480.00	999.00	6.9854
480.00	3996.00	27.6015
480.00	999.00	6.9853
480.00	3996.00	27.6009
480.00	499.50	3.4998
480.00	5994.00	41.0449
480.00	5994.10	41.0443
480.00	499.50	3.4995
480.00	5994.00	41.045
480.00	5994.10	41.045
500.00	7433.70	48.5307
500.00	7433.80	48.531
500.00	7433.70	48.5313
500.00	7433.80	48.5323
500.00	16220.30	101.5167
500.00	16220.60	101.519
500.00	16220.80	101.5207
500.00	7433.80	48.5317
500.00	7433.90	48.5314
500.00	16220.40	101.5177
500.00	16220.40	101.5181
500.00	16220.50	101.5188
500.00	33681.20	192.3769
500.00	33681.80	192.3795
500.00	33683.60	192.3886
500.00	33685.50	192.3964
500.00	33682.90	192.3842
500.00	33682.50	192.3822

Reference

<https://www.doi.org/10.1016/j.jct.2006.09.012>

Temperature, K	Pressure, kPa	Mass density, kg/m ³
322.97	2004.45	20.889
322.98	1502.85	15.668
322.97	1127.12	11.749
322.97	845.67	8.818
322.98	634.95	6.619

Temperature, K	Pressure, kPa	Mass density, kg/m3
304.03	17990.00	190.64
304.10	16877.00	180.004
304.15	15984.00	171.278
304.16	14927.00	160.84
304.17	13944.00	150.964
304.11	12948.00	140.851
304.15	11901.00	129.994
304.16	10861.00	119.075
304.23	9837.00	108.209
304.13	8812.00	97.213
304.15	7820.00	86.489
304.11	6796.00	75.316
304.12	5782.00	64.151
304.14	4379.00	48.633
304.15	2926.00	32.502
304.88	18305.00	192.939
304.73	16296.00	173.901
304.77	14270.00	153.864
304.75	12245.00	133.207
304.78	10988.00	120.097
304.83	10043.00	110.076
304.75	8937.00	98.306
304.83	8012.00	88.26
304.66	7983.00	88.017
304.69	7136.00	78.822
304.89	6933.00	76.521
304.82	5885.00	65.065
305.04	4986.00	55.132
305.17	4987.00	55.12
304.77	4983.00	55.145
304.66	3534.00	39.15
304.88	3013.00	33.353
304.80	3016.00	33.394
304.55	2607.00	28.885

Temperature, K	Pressure, kPa	Mass density, kg/m3
----------------	---------------	---------------------

927.10	26090.00	86.03
874.60	24580.00	86.14
805.80	22603.00	86.28
727.30	20352.00	86.58

Reference

<https://www.doi.org/10.1021/acs.jced.9b00399>

Pressure, kPa	Temperature, K	Mass density, kg/m ³
6000.00	293.20	69.11
5600.00	293.20	62.2
5100.00	293.20	58.28
4600.00	293.20	53.49
4100.00	293.20	46.43
3600.00	293.20	40.54
3100.00	293.20	33.96
2600.00	293.20	27.88
2100.00	293.20	23.64
1600.00	293.20	17.77
1100.00	293.20	11.22
4000.00	473.20	27.65
3100.00	473.20	21.05
2100.00	473.20	14.69
1600.00	473.20	11.8
1000.00	473.20	8.0
600.00	473.20	3.79
100.00	473.20	0.6800
600.00	293.20	7.36
100.00	293.20	1.15

Reference

<https://www.doi.org/10.1021/je500314x>

Sources

Density characteristics of CO₂-CH₄ binary mixtures at temperatures from 300 to 380 K. The viscometer designed for measurements of Hydrogen Gas viscosities of gases is described. The solubility of 13 nonpolar gases in 2-methyltetrahydrofuran and a study on the properties of the cyclic anhydrides cyclohexane and alane: thermochemistry of nickel hydrogen hydride transition of the (CO₂ + N₂ + H₂O) system at temperatures of (298 to 313) K and pressures up to 1000 bar. Standard molar enthalpies of formation of 1- and 2-cyanonaphthalene:

- <https://www.doi.org/10.1016/j.jct.2016.11.009>
- <https://www.doi.org/10.1007/s10765-011-0999-6>
- <https://www.doi.org/10.1016/j.jct.2018.12.037>
- <https://www.doi.org/10.1016/j.jct.2012.10.012>
- <https://www.doi.org/10.1016/j.tca.2013.03.007>
- <https://www.doi.org/10.1016/j.jct.2015.08.006>
- <https://www.doi.org/10.1016/j.jct.2011.03.013>

- Gas phase enthalpies of formation of nitrobenzamides using combustion calorimetry and density analysis: thermodynamics of solvation of eight gases in 1-butanol + benzene + 1,4-dioxane mixtures**:
Measurement and correlation of them intercalibration for paraffin + CO₂ and CO₂+N₂ mixture gas at elevated and permanent pressures:
Influence of Compressed Carbon Dioxide on the Capillarity of the Gas-Phase Dissolve of 2,4-Dioxane System: N-oxide and 2,2-dipyridil N,N'-dioxide.
Thermochemical properties of the N-O bond of diphophan:
Pyridinium Based Ionic Liquids.
n-Butyl-3-Methyl-Pyridinium
Experimental and computational energetic study of five halogenated carbonyl derivatives of binary systems containing N₂, O₂ and Ar: Benzene/nitrogen, CO₂/nitrogen and CO₂/Ar.
Experimental Results with an N₂ and CH₄ binary mixture and high atmospheric pressures of formation of di-tri-tetra-and pentamethyl substituted Furanones:
in the Nitrogen + n-Hexane System:
Thermochemical study of the 2,5-dibromonitrobenzene isomer: An experimental thermochemical study of the dibromobenzene isomers by energetic characterization of a bioactive compound: Uridine:
2,1,3-Benzothiadiazole: study of its structure, energetics and aromaticity:
Combined experimental and computational study of the energetics
SPhenyl Uridine: carbon dioxide, ethane, methane, oxygen, nitrogen, hydrogen, Argon, and the BOD protonation study
On the thermochemistry of halogenated benzene derivatives: Data of Binary Diffusion Coefficients: Data of Various Gas Systems Determined at Temperatures 283 K and 313 K and at pressures close to atmospheric:
Biological Interactions and thetentatice studies of the
thermochemistry of
Measuring and modelling of high pressure density and interfacial tension experimental and computational
thermochemical studies of benzoxazole Phase Equilibrium of Glycerol Tristearate and Glycerol Trioleate in Carbon Dioxide
Surfactants of
L-threonine:
Calorimetric and computational study of (1H-Indol-n-yl)methanol and
A-(OH) experiment and computational investigation on the thermochemistry
of a polar near wide-range,
high-accuracy fluid (p,q,T)
Standard molar enthalpies of formation
of ionic crystals:
Bis(1,4-dihydro-2H-1,3-dioxolane-2-ylmethyl)nickel(II)
Ammonium analysis on Rare Earth Complex of Gadolinium with
Solvate Density Measurements: Ternary Mixtures (Carbon Dioxide +
Thermodynamic Properties of
Trimethylamine at 298.15 K with
Experiments and computational
measures from 0 to 317 MPa using a
thermochimical study of benzofuran, benzofurane and their derivatives:
FORMATION OF PROLINE ISOMERS:
Energetics of 1-(aminophenyl)pyrroles:
A joint calorimetric and computational
Thermodynamic study of binary
systems containing sulfur dioxide:
Pressure-Volume and Equilibrium Data for Paraffinooctane with Light Gases
(Carbon, Nitrogen, and Methane):
Measurement and enthalpies of formation
and of sublimation of
Compounds: A Thermochemical Study
of Cyclic Phosphorus Six-Membered
Nitrogen Nonpolar Gases in
Triethylene Glycol Dimethyl Ether, Tetraethylene Glycol Dimethyl Ether, Dimethyl Carbonate, and Diethyl Carbonate at 298.15 K and 101.33 kPa
Partial Pressure of Gas:
<https://www.doi.org/10.1016/j.jct.2014.07.006>
<https://www.doi.org/10.1016/j.fluid.2005.12.003>
<https://www.doi.org/10.1016/j.fluid.2017.02.012>
<https://www.doi.org/10.1016/j.jct.2005.08.007>
<https://www.doi.org/10.1021/je100825b>
<https://www.doi.org/10.1016/j.jct.2011.02.011>
<https://www.doi.org/10.1016/j.jct.2016.09.041>
<https://www.doi.org/10.1016/j.tca.2010.11.028>
<https://www.doi.org/10.1016/j.jct.2010.04.001>
<https://www.doi.org/10.1016/j.fluid.2016.05.015>
<https://www.doi.org/10.1021/je3002859>
<https://www.doi.org/10.1016/j.jct.2014.04.003>
<https://www.doi.org/10.1021/je060341d>
<https://www.doi.org/10.1016/j.jct.2009.05.010>
<https://www.doi.org/10.1016/j.jct.2011.10.020>
<https://www.doi.org/10.1016/j.jct.2018.04.013>
<https://www.doi.org/10.1016/j.jct.2012.02.005>
<https://www.doi.org/10.1016/j.jct.2009.05.018>
<https://www.doi.org/10.1016/j.jct.2005.07.002>
<https://www.doi.org/10.1016/j.jct.2010.06.012>
<https://www.doi.org/10.1007/s10765-015-1981-5>
<https://www.doi.org/10.1016/j.jct.2005.07.006>
<https://www.doi.org/10.1016/j.jct.2008.01.010>
<https://www.doi.org/10.1016/j.jct.2015.12.036>
<https://www.doi.org/10.1016/j.jct.2012.08.028>
<https://www.doi.org/10.1021/je300801j>
<https://www.doi.org/10.1016/j.jct.2017.09.022>
<https://www.doi.org/10.1016/j.tca.2019.01.021>
<https://www.doi.org/10.1016/j.jct.2010.03.021>
<https://www.doi.org/10.1016/j.jct.2006.09.012>
<https://www.doi.org/10.1016/j.jct.2004.04.009>
<https://www.doi.org/10.1016/j.fluid.2010.08.017>
<https://www.doi.org/10.1016/j.tca.2012.08.027>
<https://www.doi.org/10.1021/acs.jced.5b00625>
<https://www.doi.org/10.1021/acs.jced.8b00643>
<https://www.doi.org/10.1016/j.jct.2016.02.008>
<https://www.doi.org/10.1016/j.tca.2012.02.035>
<https://www.doi.org/10.1016/j.jct.2011.04.022>
<https://www.doi.org/10.1016/j.fluid.2011.02.008>
<https://www.doi.org/10.1021/acs.jced.7b00657>
<https://www.doi.org/10.1016/j.jct.2007.07.004>
<https://www.doi.org/10.1021/acs.jced.7b00083>
<https://www.doi.org/10.1021/je020199q>

- (p, rho, T) Behavior of Two Mixtures of Carbon Monoxide with Nitrogen in the Temperature Range (250 to 400) K and Applications thermochimie of Isopropylbarbituric acidlines:
2-thiobarbituric acids: An experimental and computational study: 1,4-diisocyanobutane in the range Experimental (p, rho, T) measurements of liquid methane-ethane-nitrogen mixtures (p, rho, T) data for carbon dioxide - Nitrogen mixtures from (250 to 400) K separation and testing of an isoperibolic micro-combustion calorimeter Developed to Measure the Methoxymethane-Nitro Organic Compounds containing C, O, and N: opposite directions: An energetic, Surface density of aromatic nitrogen solution. An Experimental and thermodynamic analysis of Evaluation of thermochemical data with Molar Heat Capacities: Thermodynamic Properties and Thermal Stability of trans-(Aminomethyl)cyclohexanoboxime and its Derivative and Melamine: Spontaneous structure properties of ethylene and amino compounds: and Physicochemical Property: Oxygen Approaches: divinylbenzene, styrene and an Equimolar (12/12) mixture in Gaseous Nitrogen and Dry Air: Gaseous PVT Property Measurements of cis-1,3,3,3-Tetrafluoropropene: Knowledge of a Molecule: An Experimental and Theoretical Study of Vapor-Liquid Equilibrium Data for the Separation of Decane System from (344 Experimental and computational study of the 24/47 system: UNIFAC: The energetics of 5- and 6-methylcyclohexane (pressure, density, temperature) relation of two (methane + standard gas mixtures to temperatures between 240 and 2700 K and pressures up to 20 MPa using an accurate gaseous phase experimental and theoretical studies of the complex of benzidine with glycine: The enthalpies of formation of alkyl carbamates: Experimental and Computational Data for Nitrogen: Temperatures from (265 to 400) K at pressures up to 950 MPa: liquid for CO₂/CH₄ separation: Thermophysical low temperature phase transitions and Standard Molal Enthalpy of formation of Ethyl Chloride in 2-, 3- and 4-nitrobenzenes evaluated chloride: Isoenthalpy and isovolumetry of binary Mixtures of Nitrogen with Computed equilibrium Data for the NMe₂-D₂O system at Dihydrogen and Methane: Methane, Ethane, and propane: and the properties of Methane, Ethane, and Nitrogen in the Gas-vapor phase thermodynamic properties of 2-hydroxyacids and amides: study of optical active phenylbenzazole Mesuring Surface Tension of Liquids at High Temperature and Elevated Pressure: molar enthalpies of formation of three methyl-pyrazole derivatives: Imidazolium based ionic liquids.
1-Ethanol-3-methyl-imidazolium Viscosity of Gaseous Ethyl Fluoride (HF₂)₁₆₄: Measurement and first-principles calculation and energetics correlations in some chlorohydroxypyridines: Thermal Stability, Vapor Pressures, and Diffusion Coefficients of Some Metal 2,2,6,6-tetramethyl-3,5-heptadionate tetrahydro boronates. 1: Experimental results by photolysis and combustion of a number of 2,2,6,6-tetramethyl-3,5-heptadionate hydrates. 2: Calculated densities in Binary Mixtures of Nitro, 2,6-Dithia-4-phenylbenzamide: Their Correlation Using the VTPR and PSRK GCEOS:
- <https://www.doi.org/10.1021/je2007764>
<https://www.doi.org/10.1016/j.jct.2007.07.007>
<https://www.doi.org/10.1016/j.tca.2015.12.007>
<https://www.doi.org/10.1016/j.jct.2005.06.002>
<https://www.doi.org/10.1016/j.fluid.2018.01.023>
<https://www.doi.org/10.1016/j.jct.2011.07.006>
<https://www.doi.org/10.1016/j.jct.2012.12.020>
<https://www.doi.org/10.1021/je8009545>
<https://www.doi.org/10.1016/j.jct.2012.05.015>
<https://www.doi.org/10.1016/j.fluid.2012.05.005>
<https://www.doi.org/10.1016/j.jct.2019.01.022>
<https://www.doi.org/10.1021/je700072a>
<https://www.doi.org/10.1021/acs.jced.5b00458>
<https://www.doi.org/10.1016/j.jct.2019.02.001>
<https://www.doi.org/10.1016/j.fluid.2019.03.016>
<https://www.doi.org/10.1021/acs.jced.6b00720>
<https://www.doi.org/10.1021/acs.jced.7b00263>
<https://www.doi.org/10.1021/je200549z>
<https://www.doi.org/10.1021/je800881t>
<https://www.doi.org/10.1016/j.jct.2010.04.026>
<https://www.doi.org/10.1016/j.jct.2005.10.004>
<https://www.doi.org/10.1016/j.jct.2018.12.040>
<https://www.doi.org/10.1016/j.jct.2018.03.002>
<https://www.doi.org/10.1016/j.jct.2014.11.012>
<https://www.doi.org/10.1016/j.jct.2012.08.018>
<https://www.doi.org/10.1021/je100381g>
<https://www.doi.org/10.1016/j.fluid.2017.12.001>
<https://www.doi.org/10.1021/je901051z>
<https://www.doi.org/10.1016/j.jct.2017.03.029>
<https://www.doi.org/10.1021/je6005357>
<https://www.doi.org/10.1021/je1012372>
<https://www.doi.org/10.1021/je060194j>
<https://www.doi.org/10.1016/j.jct.2014.03.005>
<https://www.doi.org/10.1016/j.jct.2017.08.017>
<https://www.doi.org/10.1021/je700578f>
<https://www.doi.org/10.1016/j.jct.2011.10.007>
<https://www.doi.org/10.1016/j.tca.2011.02.016>
<https://www.doi.org/10.1016/j.fluid.2014.10.023>
<https://www.doi.org/10.1016/j.jct.2013.03.001>
<https://www.doi.org/10.1021/je9006822>
<https://www.doi.org/10.1016/j.jct.2009.11.010>
<https://www.doi.org/10.1016/j.jct.2013.05.010>
<https://www.doi.org/10.1021/je700210n>

- Thermodynamic properties of vitamin B9:** <https://www.doi.org/10.1016/j.jct.2016.05.001>
- Thermochemistry of ammonium based ionic liquids: Tetra-alkyl-ammonium Experimental Study of Solubility of Natural Gas Components in Aqueous Solutions on the Equilibrium of Ethyl fluoride (HF₂) Temperature and High-Pressure Clathrate Pressure (vapor + liquid) equilibria in the (nitrogen + n-heptane) system: The Yaws Handbook of Vapor Pressure:** <https://www.doi.org/10.1016/j.jct.2012.02.035>
- Solubility and selectivity of CO₂ in ether-functionalized imidazolium ionic Liquids: Absorption, desorption and spectroscopic investigation of sulfur dioxide in refrigerant systems Purity of Sulfur Dioxide in Pure Refrigerants R116 and R218 and Their Mixtures: Experimental and Modeling: measurements of binary mixtures rich in CO₂ for absorption by key molecules: N-methylphenoxythiazine and N-methylphenoxythiazine properties of 2-methylquinoline and 8-Mannitol and vapor-liquid-liquid equilibrium measurements and Correlation of physical properties of 4-nitro-2-(1,3-benzodioxole)pyridine(R1234yf): The liquid-gas interface of oxygen-hydrogen solution: Surface tension: Thermochemistry of Cu(II) and Ni(II) octafluoropropionate (R218), nitrogen tetroxide, carbon dioxide and methane: Kinetic study of the formation of thiourea and thioimidate carboxylate derivatives: A thermochromic study of Dyes: Compounds and Catalysts-Principles Study: Enthalpies of pyrrolecaronitriles and derivatives: A combination of CO₂, N₂ and CO₂ + N₂ combustion in octane: Thermodynamic properties of 5-(1-adamantyl)tetrazole: Experimental and Computational Thermochemistry of 1,3-Benzodioxole Derivatives of argon and nitrogen in aqueous solutions of Experimental study on the thermochemistry of furanone and Experimental and computational thermal pressure of gas: thermochemical studies of acridone Solubilities of CO₂, H₂, N₂ and O₂ in ionic liquid: Experimental and computational thermodynamic study of ortho-, meta-, and para-methoxybenzene: Enthalpy of formation of 2-aminobenzothiazoles in the Thermochemical properties of bomb 2-methyltetralin: Experimental and computational results for reaction Studies and enthalpy of formation: Diethoxyphenoxide, ethoxyborate and 2-N,N-dimethylaminonaphthalenofuranazan Bicyclic System: computational: thermocchemical study of Gas solubilities (CO₂, H₂, Ar, N₂, H₂, and He) in Liquid Chlorinated Methanes: Solubilities of several non-polar gases in mixtures water + Benchmark thermochemistry of K and methylbenzonitriles: Experimental and theoretical studies of cyclic ureas: 2. Enthalpy of formation of parabanic acid: Synthesis, structure, and thermodynamics of a lanthanide coordination compound incorporating amino acid substituents in the Enthalpy of combustion and formation of 2-acetylpyrrole, 2-acetylpyrrolidine and 2-acetylthiophene: Calorimetric and computational studies for three nitroimidazole isomers: Thermodynamic properties and spectral investigation of dilute sulfur establishing benchmarks for the Second-Industrial Fluids Simulation: Enthalpies vapor liquid equilibria in the nitrogen n-pentane system:** <https://www.doi.org/10.1016/j.jct.2014.04.038>
- <https://www.doi.org/10.1016/j.jct.2006.11.007>
- <https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>
- <https://www.doi.org/10.1016/j.jct.2016.08.028>
- <https://www.doi.org/10.1016/j.fluid.2015.06.047>
- <https://www.doi.org/10.1021/acs.jced.6b00536>
- <https://www.doi.org/10.1021/je300590v>
- <https://www.doi.org/10.1016/j.jct.2015.10.013>
- <https://www.doi.org/10.1021/je049595u>
- <https://www.doi.org/10.1016/j.fluid.2017.07.002>
- <https://www.doi.org/10.1016/j.jct.2012.01.018>
- <https://www.doi.org/10.1016/j.fluid.2008.06.016>
- <https://www.doi.org/10.1016/j.jct.2007.11.008>
- <https://www.doi.org/10.1016/j.jct.2016.01.006>
- <https://www.doi.org/10.1021/je200128y>
- <https://www.doi.org/10.1016/j.jct.2011.12.019>
- <https://www.doi.org/10.1021/je800053f>
- <https://www.doi.org/10.1016/j.tca.2014.07.018>
- <https://www.doi.org/10.1021/je700035m>
- <https://www.doi.org/10.1016/j.jct.2018.07.001>
- <https://www.doi.org/10.1016/j.jct.2008.09.014>
- <https://www.doi.org/10.1016/j.jct.2017.11.002>
- <https://www.doi.org/10.1016/j.jct.2012.11.030>
- <https://www.doi.org/10.1016/j.jct.2011.09.024>
- <https://www.doi.org/10.1016/j.jct.2014.01.018>
- <https://www.doi.org/10.1016/j.jct.2018.05.029>
- <https://www.doi.org/10.1021/je049586l>
- <https://www.doi.org/10.1016/j.jct.2013.09.004>
- <https://www.doi.org/10.1016/j.jct.2007.03.011>
- <https://www.doi.org/10.1021/je800200j>
- <https://www.doi.org/10.1016/j.fluid.2011.11.006>
- <https://www.doi.org/10.1016/j.jct.2015.07.025>
- <https://www.doi.org/10.1016/j.jct.2008.05.006>
- <https://www.doi.org/10.1016/j.jct.2012.06.029>
- <https://www.doi.org/10.1016/j.jct.2018.03.001>
- <https://www.doi.org/10.1016/j.tca.2009.04.012>
- <https://www.doi.org/10.1016/j.jct.2016.10.026>
- <https://www.doi.org/10.1016/j.fluid.2015.01.019>
- <https://www.doi.org/10.1016/j.fluid.2005.04.020>
- <https://www.doi.org/10.1016/j.fluid.2006.09.018>

- Thermochemistry of 6-propyl-2-thiouracil: an experimental and computational study of two chlorodinitroaniline isomers: Density measurements on binary mixtures (nitrogen + carbon dioxide) and solubility of gases in fluoroparaffinic alcohols. Part II: Solubilities of 291 M₁M₂ mixtures at 298 K and 101.3 kPa at 298.15 K and 101.3 kPa.**
- Heat Capacities and Thermodynamic Properties of (3,4-Dimethoxyphenyl) Dicarbonyl Diurea (H₂O₂+CO₂) Mixtures and a (H₂+CO₂+CH₄) Mixture by a Modified Burnett Method**
- methylbenzaldehydes? Experimental results for the heat of mixing and mutual solvation between experiments and thermochemical properties of microporous materials for two benzoguanimates, 1,2,4,2,6,3,9,9,9,9-**
- and N,N'-bis(ethylene glycol solution under low pressures: A thermodynamic study of benzothiazole and two methylbenzothiazole derivatives: Computational and computation of vitamin B₂ approaches:**
- Densities of CO₂/N₂/O₂ ternary mixtures at temperatures from (300.15**
- Experiments and computational study of the energetics of hydantoin and 2-methylhydantoin**
- physico-chemical properties of hydronium and liquid equilibrium in CH₄/H₂/N₂ systematic (at 298.15 K): temperature range from 400.0 K to properties of DMAN- "proton sponges"**
- The heat of mixing and second virial cross coefficient of water + oxygen and water + methane and computational thermochemistry of 1-phenylpyrrole**
- Solubility of Nitrogen Gas in Aqueous Solution of Tetra-n-Butylammonium Bromide**
- Experimental study on the thermochemistry of 2-thiouracil, absorption in air and different electrolyte solutions: seawater and experimental thermochemical study of 4,5-dichloro-2-nitroaniline:**
- Thermochemistry of sarcosine and sarcosine anhydride: Theoretical and thermochemical values: thermophysical study of 2-thiophenecarboxylic acid hydrazide and 2-thiophenecarboxylic acid ethylene ether from (263 to 383) K:**
- Experimental thermochemical study of two polymethylpyrazine N,N -dioxide derivatives. Effect of association with impurities in ammonia purification:**
- The standard molar enthalpy of formation, molar heat capacities, and standard equilibrium constants of caffeine: Mixture Gas of Sulfur Dioxide + Nitrogen and Ethylene Glycol Aqueous solution at 298.15 K and 123.15 kPa: Density Measurements of the H₂-CO₂-CH₄-CO-H₂O System by the Isothermal-Pressure Study at 298.15 K and 300.00 MPa**
- Properties of Formamide Revisited: New Experiment and Quantum Mechanics Calculations: binary R290/R134a system:**
- Thermodynamics and kinetics analysis of thermal dissociation of low-Temperature Hydronium and Standard Molar Enthalpy of Formation Enthalpies of (Hydroxymethyl) Alanine nitrophenone and nitrobenzene: New experimental values (from 0.01 to 1.02)**
- Water solubility Measurements at 270 and 400 Modeling of the Nitrogen/Water System chemistry of substituted thiophenecarbonitrile derivatives:**
- <https://www.doi.org/10.1016/j.tca.2014.04.018>
- <https://www.doi.org/10.1016/j.jct.2009.11.003>
- <https://www.doi.org/10.1016/j.jct.2015.07.014>
- <https://www.doi.org/10.1016/j.jct.2018.12.027>
- <https://www.doi.org/10.1016/j.jct.2007.08.002>
- <https://www.doi.org/10.1016/j.tca.2013.05.011>
- <https://www.doi.org/10.1021/je800203s>
- <https://www.doi.org/10.1021/acs.jced.8b01206>
- <https://www.doi.org/10.1016/j.jct.2006.10.012>
- <https://www.doi.org/10.1016/j.jct.2006.07.007>
- <https://www.doi.org/10.1016/j.jct.2015.08.032>
- <https://www.doi.org/10.1016/j.fluid.2018.11.035>
- <https://www.doi.org/10.1016/j.jct.2013.06.021>
- <https://www.doi.org/10.1016/j.tca.2013.09.032>
- <https://www.doi.org/10.1016/j.tca.2019.03.032>
- <https://www.doi.org/10.1016/j.jct.2012.10.010>
- <https://www.doi.org/10.1016/j.tca.2015.06.019>
- <https://www.doi.org/10.1016/j.fluid.2014.01.002>
- <https://www.doi.org/10.1016/j.jct.2012.05.013>
- <https://www.doi.org/10.1016/j.jct.2008.12.009>
- <https://www.doi.org/10.1016/j.jct.2010.01.009>
- <https://www.doi.org/10.1007/s10765-017-2310-y>
- <https://www.doi.org/10.1016/j.jct.2012.08.004>
- <https://www.doi.org/10.1016/j.fluid.2015.05.041>
- <https://www.doi.org/10.1016/j.jct.2009.05.013>
- <https://www.doi.org/10.1016/j.jct.2012.11.019>
- <https://www.doi.org/10.1016/j.jct.2008.06.011>
- <https://www.doi.org/10.1021/je050305z>
- <https://www.doi.org/10.1016/j.tca.2006.07.021>
- <https://www.doi.org/10.1016/j.fluid.2015.07.034>
- <https://www.doi.org/10.1016/j.jct.2006.05.009>
- <https://www.doi.org/10.1021/je800271e>
- <https://www.doi.org/10.1016/j.jct.2019.01.014>
- <https://www.doi.org/10.1021/acs.jced.9b00399>
- <https://www.doi.org/10.1016/j.jct.2015.08.008>
- <https://www.doi.org/10.1021/je200683f>
- <https://www.doi.org/10.1016/j.jct.2013.10.031>
- <https://www.doi.org/10.1016/j.tca.2018.05.017>
- <https://www.doi.org/10.1021/je700644s>
- <https://www.doi.org/10.1016/j.jct.2013.12.013>
- <https://www.doi.org/10.1016/j.jct.2005.10.006>
- <https://www.doi.org/10.1021/je049676q>
- <https://www.doi.org/10.1016/j.jct.2007.06.020>

- Studies on Thermodynamic Properties of FOX-7 and Its Five Closed-Loop Derivatives: tension between (CO₂ + N₂) gas and tetrabutylammonium bromide**
- Thermochemical Properties of Xanthine and Hypoxanthine Revisited: Experimental and computational thermochemical studies of 6-azauracil Derivatives of Dichlorodifluoromethane's Diffusion Coefficient and Properties of Crystalline 2-Amino-5-hydroxyuridine(C₅H₁₁NO₂): Thermodynamic properties of S-(--)-nicotine:**
- Heat capacity and standard molar enthalpy of formation of crystalline Structural Studies of CYCLOPENTENES: 3. Enthalpy of formation of barbital: Synthesis, Structural Characterization and Thermochemistry of Copper Thermochemical studies of 2,6-dimethyl-3-methylpyrazole and Measurement and Calculation of CO₂ Frost Points in CH₄ + CO₂/CH₄ + CO₂ + Ar/Methane/CO₂ mixtures at Low pressures of phenoxazine and phenothiazine: structural studies for the assessment of the Measurements of refractivity on Substances like Ne, N₂, O₂, Ar, CO₂, Kr, Ne, and H₂O using a set of CO₂ and N₂ in Water at Temperatures between 298.15 Measured densities of the (methane + temperature) relation of a (methane + nitrogen) mixture and Calorimetric Study of 4-dimethylaminopyridine: Speeds of sound in (0.9 N₂ + 0.05 CO and 0.9 N₂ + 0.1 CO) gas mixtures at T Design of a 25 mm Manometer up to 10 Hydrocarbon Fuel at High Temperature and Standard Equilibrium Data for the carbon dioxide and nitrogen (CO₂+N₂) System at Temperatures 223, 270, 298 and 303 K and pressures up to 18 MPa: Enthalpies of combustion, vapour pressures, and enthalpies of Vapour-Liquid Equilibrium and Measurements of the hydrogen + Thermochemical studies of three a bis(Open-NH-benzamato)nickel(II) Complex Method:**
- PvT Measurements of trans-1,3,3,3-Tetrafluoroprop-1-ene + Thermodynamic investigation of room temperature binary liquid-¹³C The heat + capillary constant and enthalpy of extension of methanol in EG solutions: 1. Expansion energies and formation enthalpies of 2-SH-benzazoles: Fluid Phase Behavior of Nitrogen + Acetone and Oxygen + Acetone by Microcalorimetry, Empirical and Theoretical: Robinson Equation of State: Viscosity Measurements on Nitrogen:**
- Solubility of carbon dioxide, nitrous oxide, ethane, and nitrogen in Thermophysical study of lithium and 5-methyluracil, 6-methyluracil and 5-methyluridine in methanol and Gas solubility measurement and Gas solubility measurement and Modeling for the Nitrogen + Water system from 240.16 K to 363.02 K: The viscosity of (nitrogen + carbon dioxide) Experimental and computational thermophysical studies of two 1,2-dihydro-2-thiazoles: of inosine: 5-fluoro-2-methylbenzoxazole and sulfur-containing ionic liquids: Rotating-Bomb Combustion**
- Calorimetric and first-principles study of 2,4-diazepinone and The thermodynamic stability of the three isomers of methoxybenzamide: An experimental and molecular structure study 1-methylpyrrolecarboxylates (alkyl = methyl or ethyl):**
- <https://www.doi.org/10.1021/acs.jced.5b00021>
- <https://www.doi.org/10.1016/j.jct.2016.01.014>
- <https://www.doi.org/10.1021/acs.jced.7b00085>
- <https://www.doi.org/10.1016/j.jct.2015.12.020>
- <https://www.doi.org/10.1021/acs.jced.8b01229>
- <https://www.doi.org/10.1016/j.tca.2007.04.006>
- <https://www.doi.org/10.1016/j.jct.2018.01.014>
- <https://www.doi.org/10.1016/j.jct.2006.03.007>
- <https://www.doi.org/10.1016/j.jct.2009.06.018>
- <https://www.doi.org/10.1016/j.tca.2012.12.024>
- <https://www.doi.org/10.1016/j.jct.2007.09.001>
- <https://www.doi.org/10.1021/acs.jced.5b00059>
- <https://www.doi.org/10.1016/j.jct.2013.11.013>
- <https://www.doi.org/10.1016/j.jct.2013.06.003>
- <https://www.doi.org/10.1016/j.jct.2017.11.004>
- <https://www.doi.org/10.1021/je401008s>
- <https://www.doi.org/10.1016/j.jct.2012.12.018>
- <https://www.doi.org/10.1021/je6005423>
- <https://www.doi.org/10.1016/j.jct.2014.07.022>
- <https://www.doi.org/10.1021/je500314x>
- <https://www.doi.org/10.1016/j.fluid.2015.09.034>
- https://www.chemeo.com/doc/models/crippen_log10ws
- <https://www.doi.org/10.1016/j.jct.2009.09.009>
- <https://www.doi.org/10.1021/je9002064>
- <https://www.doi.org/10.1016/j.jct.2004.04.001>
- <http://pubs.acs.org/doi/abs/10.1021/ci990307l>
- <https://www.doi.org/10.1021/je500669y>
- <https://www.doi.org/10.1016/j.tca.2006.04.022>
- <https://www.doi.org/10.1016/j.fluid.2010.11.013>
- <https://www.doi.org/10.1016/j.jct.2008.02.018>
- <https://www.doi.org/10.1021/je400691f>
- <https://www.doi.org/10.1016/j.tca.2014.10.015>
- <https://www.doi.org/10.1021/je050399c>
- <https://www.doi.org/10.1016/j.jct.2012.11.010>
- <https://www.doi.org/10.1016/j.jct.2011.06.023>
- <https://www.doi.org/10.1021/je049869d>
- <https://www.doi.org/10.1016/j.jct.2018.01.015>
- <https://www.doi.org/10.1016/j.jct.2018.01.022>
- <https://www.doi.org/10.1016/j.jct.2005.03.001>
- <https://www.doi.org/10.1021/je1009366>
- <https://www.doi.org/10.1016/j.jct.2016.07.038>
- <https://www.doi.org/10.1016/j.jct.2013.06.022>
- <https://www.doi.org/10.1016/j.jct.2013.08.004>

- Vapor liquid equilibria for nitrogen with 2-hexanol, 2-heptanol, or 2-octanol binary systems: experimental (p , ρ , T) Data for the Introduction of Hydrogen into the Nafion® gas system: Preferential absorption of CO₂ from H₂, O₂ and N₂ on the membrane: Thermodynamic properties of threonine: Molar enthalpies of formation of the system: Ni(II)-nickel-based energetic MOFs incorporating 3,5-diamino-1,2,4-triazole amide and synthesis, crystal structure and thermodynamic study: Thermodynamic study of solvent-free reaction between Thermochemical properties of pyrrole, 1-methylpyrrole, 2,4-dimethylpyrrole, and 2,6-dimethylpyrrole: Experimental thermokinetic of some amino acid vapour pressure at capacity and standard molar enthalpy of formation: Synthesis and measurement of the heat capacity and standard molar enthalpy of formation of 2,4-dinitroaniline: Heat transfer and Nitrogen with a Newly Designed Dissolved Poly(Lactic Acid) over the Selectivity of O₂/N₂ and He/Gases process performance: Computational thermodynamic study of ortho-, meta-, and para-substituted fluoranoid mini-bomb combustion calorimeter: A thermochemical study of serine stereoisomers: Thermodynamic investigation of L-carnitine: Thermochemical study of 1-, 3- and 4-piperidinecarboxamide derivatives: Energetics of aminomethylpyrimidines: An examination of the aromaticity of Nitrogen Methyl Methoxydeoxyuridine Transducer and Measurements for PVT Properties of Nitrogen and Hydrogen up to 1073 K and 100 bar: Lithium Nitrate: Experimental and computational study on the energetics of Experimental and computational thermochemical studies of Guanilines and derivatives (R=OH, COO, 3'-Cytidineguanidinium Lactate at elevated pressures of naphthoxazole and naphthothiazole: Thermodynamic study of 1 and 2-aminoethanol and 2-aminoethane: 2-Aminoethothiazole: Experimental and computational approaches: Thermochemistry on crystalline compounds bis-(n-dodecylammonium) Measurements of Vapor Pressures and Saturating Densities of Pure and Vapor with New Apparatus + Enthalpies of formation of 4-(trifluoromethyl)-5-methyl-5-penten-2-one and 4-(trifluoromethyl)-3-pentanone: PESAT Equations of State: Phase Equilibria of Three Binary Mixtures: Methanethiol + Methane, Density Measurements for Ethane, Octane and Decane/Methane: Nitrogen mixtures from 400 to 1200 K on liquid-vapour equilibrium in a rotating tube: THE STANDARD ENTHALPIES OF FORMATION OF L-ASPARAGINE AND L-asparagine: heat capacities and standard molar enthalpy of formation Determination of the energies of combustion and enthalpies of Ala = L-Asparagine and its amide: Experimental and computational thermochimical combustion calorimetry in gases containing carbon dioxide in ionic liquids: Experimental and computational energetic study of 1-R-2-phenylindole (R=H, OH, Cl, Br): Experimental and computational study of vapor-liquid equilibria for nitrogen with 2-propanol, 2-butanol, or 2-pentanol binary systems: Experimental and computational thermodynamic study of Experimental and computational study of the thermodynamics of the three iodonitrobenzené isomers:
- <https://www.doi.org/10.1016/j.fluid.2006.08.005>
- <https://www.doi.org/10.1021/acs.jced.7b00694>
- <https://www.doi.org/10.1016/j.jct.2016.01.013>
- <https://www.doi.org/10.1016/j.tca.2013.04.001>
- <https://www.doi.org/10.1016/j.jct.2015.09.009>
- <https://www.doi.org/10.1016/j.jct.2016.04.011>
- <https://www.doi.org/10.1016/j.jct.2011.02.003>
- <https://www.doi.org/10.1016/j.jct.2017.09.005>
- <https://www.doi.org/10.1016/j.jct.2011.06.003>
- <https://www.doi.org/10.1016/j.jct.2006.09.016>
- <https://www.doi.org/10.1021/je900131q>
- <https://www.doi.org/10.1021/acs.jced.5b00268>
- <https://www.doi.org/10.1016/j.jct.2012.12.006>
- <https://www.doi.org/10.1016/j.jct.2006.10.013>
- <https://www.doi.org/10.1016/j.tca.2014.08.032>
- <https://www.doi.org/10.1016/j.jct.2018.12.006>
- <https://www.doi.org/10.1016/j.tca.2006.11.008>
- <https://www.doi.org/10.1016/j.jct.2013.03.010>
- <https://www.doi.org/10.1007/s10765-011-1120-x>
- <https://www.doi.org/10.1016/j.tca.2008.05.002>
- <https://www.doi.org/10.1016/j.jct.2013.08.026>
- <https://www.doi.org/10.1016/j.jct.2012.03.017>
- <https://www.doi.org/10.1021/je050437s>
- <https://www.doi.org/10.1016/j.jct.2018.07.008>
- <https://www.doi.org/10.1016/j.jct.2014.04.001>
- <http://webbook.nist.gov/cgi/cbook.cgi?ID=C7727379&Units=SI>
- <https://www.doi.org/10.1016/j.jct.2013.07.001>
- <https://www.doi.org/10.1021/je0497496>
- <https://www.doi.org/10.1021/acs.jced.7b00217>
- <https://www.doi.org/10.1016/j.jct.2013.05.002>
- <http://link.springer.com/article/10.1007/BF02311772>
- <https://www.doi.org/10.1021/je2011049>
- <https://www.doi.org/10.1021/acs.jced.6b00138>
- <https://www.doi.org/10.1016/j.fluid.2013.11.009>
- <https://www.doi.org/10.1016/j.tca.2009.08.017>
- <https://www.doi.org/10.1016/j.tca.2008.02.024>
- <https://www.doi.org/10.1016/j.jct.2009.10.003>
- <https://www.doi.org/10.1016/j.jct.2018.07.026>
- <https://www.doi.org/10.1016/j.fluid.2006.11.019>
- <https://www.doi.org/10.1016/j.jct.2015.01.012>
- <https://www.doi.org/10.1016/j.fluid.2005.11.023>
- <https://www.doi.org/10.1016/j.jct.2014.01.023>
- <https://www.doi.org/10.1016/j.jct.2012.09.031>

Vapor liquid equilibrium data for the nitrogen + n-octane system from (344.5 K to 400 K) at pressures up to formation of benzenesulfonamide and Standard molar enthalpies of formation of 3'- and 4'-nitroacetophenones: KDB:	https://www.doi.org/10.1016/j.fluid.2009.04.015
Thermochemistry of uracil and thymine revisited:	https://www.doi.org/10.1016/j.jct.2015.03.015
Viscosity measurements of hydrogen at high temperatures up to 573 K by a Survey of literature on binary mixtures: 1. Enthalpies of formation of Accurate (rho, T) data for two new (carbon dioxide/nitrogen) mixtures from 200 to 400 K at pressure low sublimation pressures and diffusion coefficients of carbon dioxide.	https://www.doi.org/10.1016/j.jct.2015.04.028
Temperature Dependence of Binary Diffusion Coefficients under the Mixtures Nitrogen (N ₂) + Methane (CH ₄) Low Temperature Range (T) and the Standard Molar Enthalpy of Formation of Compounds Chromatographic separation of krypton from air by selective absorption in barium chloride binary mixtures containing NO and CO.	https://www.doi.org/10.1016/j.jct.2007.08.004
Components present in air: Carbon Monoxide and Nitrogen at Low Density using Measurements between Measurement at the Binary Mixture Experimentally thermodynamic study of 4,6-dinitro-2,6-dichloro-4-nitroanilines: Solubility for dilute sulfur dioxide, viscosities, excess properties, and Rate theory orientation dynamics of binary system N ₁ , 3-dimethylbarbituric acid + thiobarbituric acid revisited: 1,3-diethylbarbituric and 1,3-diethyl-2-thiobarbituric acids: Experimental and computational study:	https://www.doi.org/10.1016/j.jct.2011.01.006
	https://www.cheric.org/files/research/kdb/mol/mol1930.mol
	https://www.doi.org/10.1016/j.jct.2015.11.026
	https://www.doi.org/10.1016/j.jct.2011.12.035
	https://www.doi.org/10.1016/j.tca.2006.10.021
	https://www.doi.org/10.1007/s10765-013-1539-3
	https://www.doi.org/10.1021/je201299u
	https://www.doi.org/10.1016/j.tca.2012.05.023
	https://www.doi.org/10.1016/j.fluid.2015.06.037
	https://www.doi.org/10.1021/acs.jced.7b00782
	https://www.doi.org/10.1007/s10765-012-1185-1
	https://www.doi.org/10.1021/je201058j
	https://www.doi.org/10.1016/j.jct.2009.04.012
	https://www.doi.org/10.1016/j.fluid.2014.04.019
	https://www.doi.org/10.1016/j.jct.2014.02.018
	https://www.doi.org/10.1016/j.jct.2014.06.001

Legend

af:	Acentric Factor
affp:	Proton affinity
basg:	Gas basicity
dm:	Dipole Moment
dvisc:	Dynamic viscosity
gyrad:	Radius of Gyration
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pt:	Triple Point Pressure
pvap:	Vapor pressure
rhoc:	Critical density
rhog:	Gas Density
rhol:	Liquid Density
rhomg:	Gas Amount Density

sgb:	Molar entropy at standard conditions (1 bar)
speedsl:	Speed of sound in fluid
srf:	Surface Tension
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tcondg:	Gas thermal conductivity
tf:	Normal melting (fusion) point
tt:	Triple Point Temperature
vc:	Critical Volume
zc:	Critical Compressibility
zra:	Rackett Parameter

Latest version available from:

<https://www.chemeo.com/cid/18-589-9/Nitrogen.pdf>

Generated by Cheméo on 2024-04-19 16:34:44.649771572 +0000 UTC m=+15833733.570348891.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.