

1,2,4,5-Benzenetetracarboxylic acid, tetramethyl ester

Other names:	Pyromellitic acid tetramethyl ester Tetramethyl pyromellitate Tetramethyl 1,2,4,5-benzenetetracarboxylate Tetramethyl benzene-1,2,4,5-tetracarboxylate
Inchi:	InChI=1S/C14H14O8/c1-19-11(15)7-5-9(13(17)21-3)10(14(18)22-4)6-8(7)12(16)20-2/h5-
InchiKey:	QVEIFJBUBJUUMB-UHFFFAOYSA-N
Formula:	C14H14O8
SMILES:	COC(=O)c1cc(C(=O)OC)c(C(=O)OC)cc1C(=O)OC
Mol. weight [g/mol]:	310.26
CAS:	635-10-9

Physical Properties

Property code	Value	Unit	Source
chs	-6077.60 ± 0.91	kJ/mol	NIST Webbook
chs	-6069.10 ± 2.40	kJ/mol	NIST Webbook
gf	-785.16	kJ/mol	Joback Method
hf	-1361.30	kJ/mol	NIST Webbook
hf	-1352.00 ± 16.00	kJ/mol	NIST Webbook
hf	-1353.20	kJ/mol	NIST Webbook
hfs	-1440.30 ± 2.40	kJ/mol	NIST Webbook
hfs	-1431.00 ± 2.40	kJ/mol	NIST Webbook
hfs	-1432.20 ± 1.20	kJ/mol	NIST Webbook
hfus	36.04	kJ/mol	Joback Method
hsub	79.00	kJ/mol	NIST Webbook
hsub	135.90 ± 1.30	kJ/mol	NIST Webbook
hsub	143.30 ± 0.80	kJ/mol	NIST Webbook
hvap	87.64	kJ/mol	Joback Method
log10ws	-2.44		Crippen Method
logp	0.833		Crippen Method
mcvol	214.120	ml/mol	McGowan Method
pc	2284.95	kPa	Joback Method
rinpol	2095.00		NIST Webbook
rinpol	2095.00		NIST Webbook
tb	866.50	K	Joback Method
tc	1084.43	K	Joback Method
tf	418.00 ± 0.10	K	NIST Webbook
vc	0.807	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	613.37	J/mol×K	866.50	Joback Method
cpg	623.34	J/mol×K	902.82	Joback Method
cpg	632.12	J/mol×K	939.14	Joback Method
cpg	639.66	J/mol×K	975.46	Joback Method
cpg	645.92	J/mol×K	1011.79	Joback Method
cpg	650.85	J/mol×K	1048.11	Joback Method
cpg	654.42	J/mol×K	1084.43	Joback Method
dvisc	0.0002215	Pa×s	644.55	Joback Method
dvisc	0.0003119	Pa×s	600.16	Joback Method
dvisc	0.0001644	Pa×s	688.94	Joback Method
dvisc	0.0001265	Pa×s	733.33	Joback Method
dvisc	0.0001003	Pa×s	777.72	Joback Method
dvisc	0.0000816	Pa×s	822.11	Joback Method
dvisc	0.0000677	Pa×s	866.50	Joback Method
hfust	35.70	kJ/mol	416.70	NIST Webbook
hsubt	140.40 ± 0.80	kJ/mol	381.00	NIST Webbook

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C635109&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions

hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/19-508-7/1-2-4-5-Benzenetetracarboxylic-acid-tetramethyl-ester.pdf>

Generated by Cheméo on 2025-12-05 20:12:25.966194465 +0000 UTC m=+4713743.496235129.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.