

O-Acetylcitric acid triethyl ester

Other names:	1,2,3-Propanetricarboxylic acid, 2-(acetyloxy)-, 1,2,3-triethyl ester
	1,2,3-Propanetricarboxylic acid, 2-(acetyloxy)-, triethyl ester
	1,2,3-Propanetricarboxylic acid, 2-acetoxy-, triethyl ester
	ATEC
	Acetyl triethyl citrate
	Citric acid, acetyl triethyl ester
	Citric acid, triethyl ester, acetate
	Citroflex A 2
	NSC 3887
	Tricarballic acid, «beta»-acetoxytributyl ester
	Triethyl 2-(acetyloxy)-1,2,3-propanetricarboxylate
	Triethyl 2-acetoxy-1,2,3-propanetricarboxylate
	Triethyl O-acetylcitrate
	Triethyl acetylcitrate
	Triethylester kyseliny acetylcitronove
	Uniplex 82
	triethyl 2-acetoxypropane-1,2,3-tricarboxylate
	triethyl 2-acetyloxy-1,2,3-propanetricarboxylate
	triethyl acetyl citrate
	triethyl citrate acetate
Inchi:	InChI=1S/C14H22O8/c1-5-19-11(16)8-14(22-10(4)15,13(18)21-7-3)9-12(17)20-6-2/h5-9H
InchiKey:	WEAPVABOECTMGR-UHFFFAOYSA-N
Formula:	C14H22O8
SMILES:	CCOC(=O)CC(CC(=O)OCC)(OC(C)=O)C(=O)OCC
Mol. weight [g/mol]:	318.32
CAS:	77-89-4

Physical Properties

Property code	Value	Unit	Source
dvisc	0.0465500	Paxs	Solubilities and Thermodynamic Properties of Carbon Dioxide in Some Biobased Solvents
gf	-865.84	kJ/mol	Joback Method
hf	-1320.24	kJ/mol	Joback Method
hfus	35.75	kJ/mol	Joback Method
hvap	82.09	kJ/mol	Joback Method

log10ws	-1.24		Crippen Method
logp	0.758		Crippen Method
mcvol	237.880	ml/mol	McGowan Method
pc	1796.98	kPa	Joback Method
rinpol	1730.00		NIST Webbook
rinpol	1730.00		NIST Webbook
rinpol	1730.00		NIST Webbook
tb	821.65	K	Joback Method
tc	1019.88	K	Joback Method
tf	538.60	K	Joback Method
vc	0.904	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	752.02	J/molxK	920.77	Joback Method
cpg	729.91	J/molxK	854.69	Joback Method
cpg	717.34	J/molxK	821.65	Joback Method
cpg	761.55	J/molxK	953.80	Joback Method
cpg	770.05	J/molxK	986.84	Joback Method
cpg	777.51	J/molxK	1019.88	Joback Method
cpg	741.48	J/molxK	887.73	Joback Method
dvisc	0.0002636	Paxs	585.77	Joback Method
dvisc	0.0001723	Paxs	632.95	Joback Method
dvisc	0.0001194	Paxs	680.12	Joback Method
dvisc	0.0000868	Paxs	727.30	Joback Method
dvisc	0.0000656	Paxs	774.47	Joback Method
dvisc	0.0004345	Paxs	538.60	Joback Method
dvisc	0.0000512	Paxs	821.65	Joback Method
rhoI	1100.50	kg/m3	338.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties
rhoI	1105.40	kg/m3	333.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties

rho1	1110.10	kg/m3	328.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties
rho1	1115.10	kg/m3	323.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties
rho1	1118.50	kg/m3	318.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties
rho1	1124.10	kg/m3	313.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties
rho1	1127.60	kg/m3	308.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties
rho1	1133.10	kg/m3	303.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties
rho1	1137.50	kg/m3	298.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties
rho1	1142.10	kg/m3	293.15	Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties

Sources

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Investigation of SO2 solubilities in some biobased solvents and their thermodynamic properties: Properties of Carbon Dioxide in Some Biobased Solvents:

<https://www.doi.org/10.1016/j.jct.2017.12.021>

<https://www.doi.org/10.1021/acs.jced.6b00399>

https://en.wikipedia.org/wiki/Joback_method

McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>
NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=C77894&Units=SI>
Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rho:	Liquid Density
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/19-946-1/O-Acetylcitric-acid-triethyl-ester.pdf>

Generated by Cheméo on 2025-12-05 19:14:06.051142644 +0000 UTC m=+4710243.581183298.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.