

3-Oxatricyclo[3.2.1.0(2,4)]octane, (1«alpha»,2«beta»,4«beta»,5«alpha»)-

Other names:	Norbornane, 2,3-epoxy-, exo- exo-Norbornene oxide exo-2,exo-3-Epoxybicyclo[2.2.1]heptane exo-2,3-Epoxybornane exo-2,3-Oxidonorbornane 3-Oxatricyclo[3.2.1.02,4]octane, exo- 3-Oxatricyclo(3.2.1.0(2,4))octane, exo- Norbornane oxide, exo-2,3- 3-Oxatricyclo[3.2.1.02,4]octane, (1«alpha»,2«beta»,4«beta»,5«alpha»)- NSC 103153 NSC 196237
Inchi:	InChI=1S/C7H10O/c1-2-5-3-4(1)6-7(5)8-6/h4-7H,1-3H2
InchiKey:	OHNNZOOGWXZCPZ-UHFFFAOYSA-N
Formula:	C7H10O
SMILES:	C1CC2CC1C1OC21
Mol. weight [g/mol]:	110.15
CAS:	3146-39-2

Physical Properties

Property code	Value	Unit	Source
chs	-4085.70 ± 2.50	kJ/mol	NIST Webbook
gf	108.58	kJ/mol	Joback Method
hf	-53.90 ± 2.60	kJ/mol	NIST Webbook
hfs	-98.00 ± 2.50	kJ/mol	NIST Webbook
hfus	19.44	kJ/mol	Joback Method
hsub	44.10 ± 0.50	kJ/mol	NIST Webbook
hsub	44.10	kJ/mol	NIST Webbook
hvap	34.94	kJ/mol	Joback Method
log10ws	-1.26		Crippen Method
logp	1.184		Crippen Method
mcvol	82.780	ml/mol	McGowan Method
pc	4072.51	kPa	Joback Method
tb	397.79	K	Joback Method
tc	601.21	K	Joback Method
tf	248.32	K	Joback Method
vc	0.327	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	177.84	J/mol×K	397.79	Joback Method
cpg	245.27	J/mol×K	567.31	Joback Method
cpg	233.86	J/mol×K	533.40	Joback Method
cpg	221.49	J/mol×K	499.50	Joback Method
cpg	208.09	J/mol×K	465.60	Joback Method
cpg	193.57	J/mol×K	431.69	Joback Method
cpg	255.82	J/mol×K	601.21	Joback Method
dvisc	0.0010233	Pa×s	397.79	Joback Method
dvisc	0.0008928	Pa×s	372.88	Joback Method
dvisc	0.0007639	Pa×s	347.97	Joback Method
dvisc	0.0006381	Pa×s	323.05	Joback Method
dvisc	0.0005172	Pa×s	298.14	Joback Method
dvisc	0.0004034	Pa×s	273.23	Joback Method
dvisc	0.0002994	Pa×s	248.32	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C3146392&Units=SI

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions

hfus:	Enthalpy of fusion at standard conditions
hsub:	Enthalpy of sublimation at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/20-577-9/3-Oxatricyclo-3-2-1-0-2-4-octane-1-alpha-2-beta-4-beta-5-alpha.pdf>

Generated by Cheméo on 2025-12-06 05:01:45.84324953 +0000 UTC m=+4745503.373290194.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.