

# 4,8-dimethyl-diamantane

<b>Inchi:</b>	InChI=1S/C16H24/c1-8-9-3-10-12-5-16(2)6-13(10)15(8)14(7-16)11(12)4-9/h8-15H,3-7H2
<b>InchiKey:</b>	QWAZBDOWHUGFQO-UHFFFAOYSA-N
<b>Formula:</b>	C16H24
<b>SMILES:</b>	CC1C2CC3C4CC5(C)CC3C1C(C5)C4C2
<b>Mol. weight [g/mol]:</b>	216.36

## Physical Properties

Property code	Value	Unit	Source
gf	363.36	kJ/mol	Joback Method
hf	-69.53	kJ/mol	Joback Method
hfus	27.96	kJ/mol	Joback Method
hvap	48.22	kJ/mol	Joback Method
log10ws	-3.82		Crippen Method
logp	3.961		Crippen Method
mcvol	182.000	ml/mol	McGowan Method
pc	2036.39	kPa	Joback Method
rinsol	1577.00		NIST Webbook
tb	576.47	K	Joback Method
tc	794.80	K	Joback Method
tf	370.24	K	Joback Method
vc	0.719	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	546.77	J/mol×K	576.47	Joback Method
cpg	571.44	J/mol×K	612.86	Joback Method
cpg	594.33	J/mol×K	649.25	Joback Method
cpg	615.72	J/mol×K	685.64	Joback Method
cpg	635.85	J/mol×K	722.02	Joback Method
cpg	654.99	J/mol×K	758.41	Joback Method
cpg	673.40	J/mol×K	794.80	Joback Method

# Sources

<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=R514897&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=R514897&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>

# Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvac:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mccol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/20-870-3/4-8-dimethyl-diamantane.pdf>

Generated by Cheméo on 2024-04-23 20:45:26.566772276 +0000 UTC m=+16194375.487349592.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.