

Beryllium chloride

Other names:	beryllium chloride (BeCl ₂) beryllium dichloride
Inchi:	InChI=1S/Be.ClH/h;1H/q+1;/p-1
InchiKey:	LDIHXRVMZWMIW-UHFFFAOYSA-M
Formula:	BeCl
SMILES:	[Be]Cl
Mol. weight [g/mol]:	44.47
CAS:	13814-50-1

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
econd	74.68	S/m	693.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	80.45	S/m	695.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	87.66	S/m	698.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂

econd	96.11	S/m	701.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	107.30	S/m	705.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	132.10	S/m	711.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	143.00	S/m	714.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	164.60	S/m	719.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	174.30	S/m	721.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂

econd	186.40	S/m	724.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	193.20	S/m	726.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	201.60	S/m	728.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	252.60	S/m	735.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	270.30	S/m	738.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	287.60	S/m	739.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂

econd	297.40	S/m	741.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	326.60	S/m	744.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	335.20	S/m	746.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	348.40	S/m	747.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	375.50	S/m	750.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	398.10	S/m	752.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂

econd	436.70	S/m	755.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	454.50	S/m	759.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	487.50	S/m	761.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	505.00	S/m	763.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	531.10	S/m	765.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	544.60	S/m	766.35	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂

econd	572.00	S/m	767.35	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	609.50	S/m	770.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	635.50	S/m	772.85	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	670.00	S/m	775.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	706.90	S/m	777.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	730.50	S/m	781.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂

econd	762.60	S/m	783.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	824.30	S/m	786.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	836.00	S/m	787.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	851.20	S/m	788.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	886.60	S/m	790.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	934.80	S/m	793.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂

econd	954.20	S/m	795.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	966.00	S/m	795.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	1006.00	S/m	797.15	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	1086.00	S/m	801.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	1164.00	S/m	807.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂
econd	1185.00	S/m	809.65	Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl ₂ , ZnCl ₂ , and PbCl ₂

econd

1392.00

S/m

822.65

Conductivity of
Some Molten
Chlorides at
Elevated
Temperatures I.
Experimental and
Calculation
Techniques for
BeCl₂, ZnCl₂,
and PbCl₂

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	2.38048e+01
Coeff. B	-1.43225e+04
Coeff. C	-8.66000e+00
Temperature range (K), min.	564.15
Temperature range (K), max.	755.15

Sources

Conductivity of Some Molten Chlorides at Elevated Temperatures I. Experimental and Calculation Techniques for BeCl₂, ZnCl₂, and PbCl₂.
NIST Webbook
The Yaws Handbook of Vapor Pressure:

<https://www.doi.org/10.1021/je500433d>
<http://webbook.nist.gov/cgi/cbook.cgi?ID=C13814501&Units=SI>
<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

Legend

econd: Electrical conductivity
pvap: Vapor pressure

Latest version available from:

<https://www.cheméo.com/cid/22-186-1/Beryllium-chloride.pdf>

Generated by Cheméo on 2024-05-08 14:20:04.47915937 +0000 UTC m=+17467253.399736691.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.