

# Sebacic acid, decyl 6-ethyloct-3-yl ester

<b>Inchi:</b>	InChI=1S/C30H58O4/c1-5-9-10-11-12-15-18-21-26-33-29(31)22-19-16-13-14-17-20-23-30
<b>InchiKey:</b>	QWRVQYZCJZBDMA-UHFFFAOYSA-N
<b>Formula:</b>	C30H58O4
<b>SMILES:</b>	CCCCCCCCCOC(=O)CCCCCCCC(=O)OC(CC)CCC(CC)CC
<b>Mol. weight [g/mol]:</b>	482.78

## Physical Properties

Property code	Value	Unit	Source
gf	-271.00	kJ/mol	Joback Method
hf	-1162.69	kJ/mol	Joback Method
hfus	71.98	kJ/mol	Joback Method
hvap	99.91	kJ/mol	Joback Method
log10ws	-9.98		Crippen Method
logp	9.329		Crippen Method
mvol	448.440	ml/mol	McGowan Method
pc	628.14	kPa	Joback Method
rinpol	3259.00		NIST Webbook
rinpol	3259.00		NIST Webbook
tb	1037.50	K	Joback Method
tc	1297.92	K	Joback Method
tf	542.18	K	Joback Method
vc	1.752	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	1605.60	J/molxK	1037.50	Joback Method
cpg	1629.18	J/molxK	1080.90	Joback Method
cpg	1650.31	J/molxK	1124.31	Joback Method
cpg	1669.09	J/molxK	1167.71	Joback Method
cpg	1685.63	J/molxK	1211.11	Joback Method
cpg	1700.04	J/molxK	1254.52	Joback Method
cpg	1712.42	J/molxK	1297.92	Joback Method
dvisc	0.0003054	Paxs	542.18	Joback Method

dvisc	0.0001167	Paxs	624.73	Joback Method
dvisc	0.0000558	Paxs	707.29	Joback Method
dvisc	0.0000312	Paxs	789.84	Joback Method
dvisc	0.0000194	Paxs	872.39	Joback Method
dvisc	0.0000131	Paxs	954.95	Joback Method
dvisc	0.0000094	Paxs	1037.50	Joback Method

## Sources

<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=U354191&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=U354191&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.cheméo.com/doc/models/crippen_log10ws">https://www.cheméo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/22-746-9/Sebacic-acid-decyl-6-ethyloct-3-yl-ester.pdf>

Generated by Cheméo on 2024-04-17 02:56:28.363470911 +0000 UTC m=+15611837.284048225.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.