

# 1-Butanol, 3-methoxy-, acetate

<b>Other names:</b>	3-Methoxy-1-butanol, acetate 3-Methoxybutylester kyseliny octove 3-methoxy-1-butyl acetate 3-methoxy-n-butyl acetate 3-methoxybutyl acetate Acetic acid, 3-methoxybutyl ester Butoxyl UN 2708 acetic acid 3-methoxybutyl ester
<b>Inchi:</b>	InChI=1S/C7H14O3/c1-6(9-3)4-5-10-7(2)8/h6H,4-5H2,1-3H3
<b>InchiKey:</b>	QMYGFTJCQFEDST-UHFFFAOYSA-N
<b>Formula:</b>	C7H14O3
<b>SMILES:</b>	COC(C)CCOC(C)=O
<b>Mol. weight [g/mol]:</b>	146.18
<b>CAS:</b>	4435-53-4

## Physical Properties

Property code	Value	Unit	Source
gf	-333.30	kJ/mol	Joback Method
hf	-570.11	kJ/mol	Joback Method
hfus	14.34	kJ/mol	Joback Method
hvap	42.35	kJ/mol	Joback Method
log10ws	-0.81		Crippen Method
logp	0.974		Crippen Method
mcvol	122.800	ml/mol	McGowan Method
pc	2912.39	kPa	Joback Method
rinpol	922.00		NIST Webbook
rinpol	905.00		NIST Webbook
tb	442.04	K	Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate and 3-methoxybutyl acetate
tc	637.68	K	Joback Method
tf	248.04	K	Joback Method
vc	0.464	m3/kmol	Joback Method

# Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	294.65	J/molxK	547.76	Joback Method
cpg	273.14	J/molxK	487.81	Joback Method
cpg	261.88	J/molxK	457.83	Joback Method
cpg	304.87	J/molxK	577.73	Joback Method
cpg	314.74	J/molxK	607.71	Joback Method
cpg	324.24	J/molxK	637.68	Joback Method
cpg	284.07	J/molxK	517.78	Joback Method
dvisc	0.0016371	Paxs	283.00	Joback Method
dvisc	0.0009148	Paxs	317.97	Joback Method
dvisc	0.0005737	Paxs	352.94	Joback Method
dvisc	0.0003913	Paxs	387.90	Joback Method
dvisc	0.0002844	Paxs	422.87	Joback Method
dvisc	0.0034521	Paxs	248.04	Joback Method
dvisc	0.0002170	Paxs	457.83	Joback Method
pvap	10.00	kPa	374.40	Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate and 3-methoxybutyl acetate
pvap	6.43	kPa	363.37	Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate and 3-methoxybutyl acetate
pvap	101.33	kPa	442.04	Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate and 3-methoxybutyl acetate
pvap	61.99	kPa	426.02	Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate and 3-methoxybutyl acetate

pvap	46.26	kPa	416.58	Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate and 3-methoxybutyl acetate
pvap	20.93	kPa	393.70	Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate and 3-methoxybutyl acetate
pvap	3.52	kPa	350.20	Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate and 3-methoxybutyl acetate
pvap	1.22	kPa	328.91	Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate and 3-methoxybutyl acetate
rho1	965.30	kg/m3	283.15	Below the room temperature measurements of CO2 solubilities in six physical absorbents
rho1	975.30	kg/m3	273.15	Below the room temperature measurements of CO2 solubilities in six physical absorbents

## Sources

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C4435534&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

Crippen Method:

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

Solubilities of carbon dioxide in 2-methoxyethyl acetate, 1-methoxy-2-propyl acetate, and 3-methoxybutyl acetate. Fluoride in 2-Butoxyethyl Acetate, 3-Methoxybutyl Acetate, 2-Methoxyethyl Acetate, 1-Methoxy-2-propyl Acetate, and 2-(2-Ethoxyethoxy)ethyl Acetate:

<https://www.doi.org/10.1016/j.jct.2014.01.019>

<https://www.doi.org/10.1016/j.jct.2018.03.009>

<https://www.doi.org/10.1021/acs.jced.8b00224>

[https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>pvap:</b>	Vapor pressure
<b>rho:</b>	Liquid Density
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/23-085-2/1-Butanol-3-methoxy-acetate.pdf>

Generated by Cheméo on 2024-04-27 16:43:42.190472068 +0000 UTC m=+16525471.111049384.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.