

3-Ethoxy-1,2-propanediol

Other names:	1,2-Propanediol, 3-ethoxy- Glycerol «alpha»-ethyl ether Glycerol «alpha»-monoethyl ether Glycerol 1-ethyl ether 1-Ethoxy-2,3-propanediol «alpha»-Ethyl glycerol ether 3-ethoxypropane-1,2-diol
Inchi:	InChI=1S/C5H12O3/c1-2-8-4-5(7)3-6/h5-7H,2-4H2,1H3
InchiKey:	LOSWWGJGSSQDKH-UHFFFAOYSA-N
Formula:	C5H12O3
SMILES:	CCOCC(O)CO
Mol. weight [g/mol]:	120.15
CAS:	1874-62-0

Physical Properties

Property code	Value	Unit	Source
gf	-389.86	kJ/mol	Joback Method
hf	-588.49	kJ/mol	Joback Method
hfus	14.55	kJ/mol	Joback Method
hvap	62.10	kJ/mol	Joback Method
log10ws	0.36		Crippen Method
logp	-0.624		Crippen Method
mvol	98.920	ml/mol	McGowan Method
pc	4311.22	kPa	Joback Method
tb	495.20	K	NIST Webbook
tc	681.02	K	Joback Method
tf	274.98	K	Joback Method
vc	0.365	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	234.70	J/mol×K	520.14	Joback Method
cpg	242.36	J/mol×K	546.95	Joback Method

cpg	249.76	J/molxK	573.77	Joback Method
cpg	256.90	J/molxK	600.58	Joback Method
cpg	263.78	J/molxK	627.39	Joback Method
cpg	270.41	J/molxK	654.21	Joback Method
cpg	276.78	J/molxK	681.02	Joback Method
dvisc	0.1209178	Paxs	274.98	Joback Method
dvisc	0.0153990	Paxs	315.84	Joback Method
dvisc	0.0031444	Paxs	356.70	Joback Method
dvisc	0.0008900	Paxs	397.56	Joback Method
dvisc	0.0003188	Paxs	438.42	Joback Method
dvisc	0.0001360	Paxs	479.28	Joback Method
dvisc	0.0000663	Paxs	520.14	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C1874620&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/25-045-4/3-Ethoxy-1-2-propanediol.pdf>

Generated by Cheméo on 2024-04-24 21:27:02.80713661 +0000 UTC m=+16283271.727713925.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.