

3-Penten-2-ol (trans)

Inchi:	InChI=1S/C5H10O/c1-3-4-5(2)6/h3-6H,1-2H3/b4-3+
InchiKey:	GJYMQFMQRRNLCY-ONEGZZNKSA-N
Formula:	C5H10O
SMILES:	CC=CC(C)O
Mol. weight [g/mol]:	86.13

Physical Properties

Property code	Value	Unit	Source
gf	-67.82	kJ/mol	Joback Method
hf	-186.82	kJ/mol	Joback Method
hfus	9.47	kJ/mol	Joback Method
hvap	42.97	kJ/mol	Joback Method
log10ws	-1.14		Crippen Method
logp	0.943		Crippen Method
mcvol	82.880	ml/mol	McGowan Method
pc	4183.90	kPa	Joback Method
tb	409.70	K	Joback Method
tc	583.15	K	Joback Method
tf	186.85	K	Joback Method
vc	0.308	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	154.35	J/mol×K	409.70	Joback Method
cpg	191.93	J/mol×K	554.24	Joback Method
cpg	185.11	J/mol×K	525.33	Joback Method
cpg	177.96	J/mol×K	496.43	Joback Method
cpg	170.46	J/mol×K	467.52	Joback Method
cpg	162.59	J/mol×K	438.61	Joback Method
cpg	198.43	J/mol×K	583.15	Joback Method
dvisc	0.0002249	Paxs	409.70	Joback Method
dvisc	0.0004148	Paxs	372.56	Joback Method
dvisc	0.0008759	Paxs	335.42	Joback Method

dvisc	0.0022280	Paxs	298.27	Joback Method
dvisc	0.0073915	Paxs	261.13	Joback Method
dvisc	0.0364983	Paxs	223.99	Joback Method
dvisc	0.3400407	Paxs	186.85	Joback Method

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=B6009168&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/27-922-8/3-Penten-2-ol-trans.pdf>

Generated by Cheméo on 2024-04-25 08:33:17.64927081 +0000 UTC m=+16323246.569848125.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.