

Ethene, 1,2-dibromo-, (Z)-

Other names:	(Z)-1,2-Dibromoethylene
Inchi:	InChI=1S/C2H2Br2/c3-1-2-4/h1-2H/b2-1-
InchiKey:	UWTUEMKLYAGTNQ-UPHRSURJSA-N
Formula:	C2H2Br2
SMILES:	BrC=CB
Mol. weight [g/mol]:	185.84
CAS:	590-11-4

Physical Properties

Property code	Value	Unit	Source
gf	74.82	kJ/mol	Joback Method
hf	85.27	kJ/mol	Joback Method
hfus	11.71	kJ/mol	Joback Method
hvap	32.87	kJ/mol	Joback Method
ie	9.45	eV	NIST Webbook
ie	9.32 ± 0.02	eV	NIST Webbook
ie	9.45 ± 0.02	eV	NIST Webbook
ie	9.63 ± 0.01	eV	NIST Webbook
ie	9.63	eV	NIST Webbook
log10ws	-2.37		Crippen Method
logp	2.247		Crippen Method
mcvol	69.740	ml/mol	McGowan Method
pc	6718.62	kPa	Joback Method
rinpol	766.00		NIST Webbook
rinpol	758.00		NIST Webbook
rinpol	774.00		NIST Webbook
ripol	1266.33		NIST Webbook
ripol	1252.54		NIST Webbook
ripol	1274.70		NIST Webbook
ripol	1266.33		NIST Webbook
tb	381.64	K	Joback Method
tc	604.03	K	Joback Method
tf	226.82	K	Joback Method
vc	0.252	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	93.12	J/mol×K	604.03	Joback Method
cpg	75.76	J/mol×K	381.64	Joback Method
cpg	79.56	J/mol×K	418.71	Joback Method
cpg	82.94	J/mol×K	455.77	Joback Method
cpg	85.95	J/mol×K	492.84	Joback Method
cpg	88.63	J/mol×K	529.90	Joback Method
cpg	91.00	J/mol×K	566.97	Joback Method
dvisc	0.0004097	Pa×s	381.64	Joback Method
dvisc	0.0026536	Pa×s	226.82	Joback Method
dvisc	0.0016579	Pa×s	252.62	Joback Method
dvisc	0.0011301	Pa×s	278.43	Joback Method
dvisc	0.0008221	Pa×s	304.23	Joback Method
dvisc	0.0006286	Pa×s	330.03	Joback Method
dvisc	0.0004997	Pa×s	355.84	Joback Method
hvapt	40.60	kJ/mol	325.00	NIST Webbook

Sources

Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C590114&Units=SI

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature

ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/28-537-5/Ethene-1-2-dibromo-Z.pdf>

Generated by Cheméo on 2025-12-05 13:54:03.376612501 +0000 UTC m=+4691040.906653169.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.