D-Galactose

Other names:	(+)-galactose
	D(+)-galactose
	D-(+)-galactose
	Galactose
	Galactose, D-
Inchi:	InChI=1S/C6H12O6/c7-1-3(9)5(11)6(12)4(10)2-8/h1,3-6,8-12H,2H2/t3-,4+,5+,6-/m0/s1
InchiKey:	GZCGUPFRVQAUEE-KCDKBNATSA-N
Formula:	C6H12O6
SMILES:	O=CC(O)C(O)C(O)C(O)CO
Mol. weight [g/mol]:	180.16
CAS:	59-23-4

Physical Properties

Property code	Value	Unit	Source
gf	-793.74	kJ/mol	Joback Method
hf	-1035.02	kJ/mol	Joback Method
hfus	19.93	kJ/mol	Joback Method
hvap	117.51	kJ/mol	Joback Method
log10ws	1.62		Crippen Method
logp	-3.379		Crippen Method
mcvol	126.320	ml/mol	McGowan Method
pc	6631.37	kPa	Joback Method
ss	205.40	J/mol×K	NIST Webbook
tb	844.48	K	Joback Method
tc	1034.02	K	Joback Method
tf	443.48	K	Joback Method
vc	0.460	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	390.04	J/mol×K	844.48	Joback Method
cpg	419.64	J/mol×K	1034.02	Joback Method
cpg	415.49	J/mol×K	1002.43	Joback Method

cpg	411.06	J/mol×K	970.84	Joback Method
cpg	406.32	J/mol×K	939.25	Joback Method
cpg	401.25	J/mol×K	907.66	Joback Method
cpg	395.83	J/mol×K	876.07	Joback Method
cps	236.80	J/mol×K	328.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	242.80	J/mol×K	333.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	247.00	J/mol×K	338.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	251.20	J/mol×K	343.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	254.70	J/mol×K	348.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	257.50	J/mol×K	353.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	265.10	J/mol×K	358.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	216.30	J/mol×K	300.00	NIST Webbook
cps	203.30	J/mol×K	288.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides

cps	210.70	J/mol×K	293.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	213.70	J/mol×K	298.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	217.50	J/mol×K	303.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	222.30	J/mol×K	308.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	227.10	J/mol×K	313.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	229.40	J/mol×K	318.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	235.60	J/mol×K	323.15	Temperature dependence of the heat capacities in the solid state of 18 mono-, di-, and poly-saccharides
cps	220.54	J/mol×K	296.90	NIST Webbook
dvisc	0.0000991	Pa×s	510.31	Joback Method
dvisc	4.8974616e-08	Pa×s	844.48	Joback Method
dvisc	0.0000001	Pa×s	777.65	Joback Method
dvisc	0.0000004	Pa×s	710.81	Joback Method
dvisc	0.0000018	Pa×s	643.98	Joback Method
dvisc	0.0000107	Pa×s	577.15	Joback Method
dvisc	0.0017994	Pa×s	443.48	Joback Method
hfust	43.80	kJ/mol	436.20	NIST Webbook

Sources

Selective interactions of 18-crown-6 with d-glucose and d-galactose in aqueous solutions: Titration calorimetry, densimetry, viscosimetry:	https://www.doi.org/10.1016/j.tca.2005.05.002
Effect of fruit and milk sugars on solute-solvent interactions of diphenhydramine-hydrochloride drug in aqueous solutions in viewpoint of volumetric and transport properties:	https://www.doi.org/10.1016/j.jct.2017.12.013
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Studies on volumetric properties of some saccharides in aqueous potassium chloride solutions over temperature range (288.15 to 318.15) K:	https://www.doi.org/10.1016/j.jct.2008.11.009
Viscometric studies on saccharides in aqueous magnesium chloride solutions at T = (288.15 to 318.15) K:	https://www.doi.org/10.1016/j.jct.2012.02.016
Diffusion Coefficients for Six Sugars at 0.1 MPa and Temperatures from (278.2 to 353.2) K:	https://www.doi.org/10.1021/je0601816
Measurements and Correlation of Water Activity in Aqueous Solutions Containing Diphenhydramine-Hydrochloride Drug, Conductivity in MnSO4-saccharide-water solutions at 298.15 K:	https://www.doi.org/10.1021/acs.jced.9b00694
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
(D+)-Galactose, (D-)-Fructose, (D+)-Lactose and Sucrose at 298.15 K:	https://www.doi.org/10.1016/j.fluid.2013.05.006
Volumetric properties and volumetric interaction parameters for the CsCl-monosaccharide (D-galactose, D-fructose and D-ribose)-water systems at T = 298.15 K:	https://www.doi.org/10.1016/j.jct.2004.04.010
Volumetric and Viscosity Properties of Monosaccharides in Aqueous Amino Acid Solutions at 298.15 K:	https://www.doi.org/10.1021/je050412t
Thermochemical behavior of 18-crown-6 in aqueous solutions of some monosaccharides:	https://www.doi.org/10.1016/j.tca.2006.02.011
Volumetric and Viscometric Studies on Saccharide-Disodium Tetraborate (Borax) Interactions in Aqueous Solutions:	https://www.doi.org/10.1021/je400264a
Viscosity of Multicomponent Solutions of Simple and Complex Sugars in Water:	https://www.doi.org/10.1021/je700062x
Physicochemical Behavior of Some Amino Acids/Glycylglycine in Aqueous Solutions at Different Temperatures:	https://www.doi.org/10.1007/s10765-010-0742-8
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C59234&Units=SI
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
Osmotic properties of carbohydrate aqueous solutions:	https://www.doi.org/10.1016/j.fluid.2016.02.030
Solubility of monosaccharides in ionic liquids - Experimental data and modeling:	https://www.doi.org/10.1016/j.fluid.2011.10.011
Temperature dependence of the heat capacities in the solid state of 18 mono- di- and poly-saccharides:	https://www.doi.org/10.1016/j.jct.2008.08.007
Conductivities of 1-alkyl-3-methylimidazolium chloride ionic liquids in aqueous solutions:	https://www.doi.org/10.1016/j.fluid.2011.11.028
Effect of sodium acetate on the volumetric behavior of some mono-, di-, and tri-saccharides in aqueous solutions at 298.15 K:	https://www.doi.org/10.1016/j.jct.2009.07.015
Studies on the Interactions of Saccharides and Methyl Glycosides in Aqueous Solutions over a Temperature Range (288.15 to 318.15) K:	https://www.doi.org/10.1021/je5001523
Solubilities of Proteinogenic Monoamino Carboxylic Acids and d-galactose, and d-mannose Pentahydrate in Binary Water + Solvent Mixtures:	https://www.doi.org/10.1021/je300323g
Measurement and Correlation of Liquid Liquid Equilibria for the Ternary (polyhydroxy solute + L-ascorbic acid + H2O) Solutions at different temperatures: Calorimetric and viscometric approach:	https://www.doi.org/10.1016/j.jct.2016.07.020
Nictowan Method:	https://www.doi.org/10.1021/acs.jced.7b00302
Solubility of glucose, xylose, fructose and galactose in ionic liquids: Experimental and theoretical studies using a continuum solvation model:	http://link.springer.com/article/10.1007/BF02311772
Aqueous Solubility of Polyhydroxy Solutes in Tetrahydrofuran + 1-Butanol, Water + d-Glucose + 1-Butanol, and Water + d-Galactose + 1-Butanol at (298.2, 303.2, and 318.2) K:	https://www.doi.org/10.1016/j.fluid.2015.03.020
Behavior of Polyhydroxy Solutes in Aqueous Solutions at Different Temperatures and Atmospheric Pressure:	https://www.doi.org/10.1021/je500886a
Polyhydroxy Solutes in Aqueous Tetraethylammonium Bromide Solutions at Different Temperatures:	https://www.doi.org/10.1021/acs.jced.5b00940

Legend

cpg:	Ideal gas heat capacity
cps:	Solid phase heat capacity

dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
ss:	Solid phase molar entropy at standard conditions
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

https://www.chemeo.com/cid/28-751-7/D-Galactose.pdf

Generated by Cheméo on 2025-12-05 07:56:29.082109351 +0000 UTC m=+4669586.612150011.

Cheméo (https://www.chemeo.com) is the biggest free database of chemical and physical data for the process industry.