

1,2-PENTANEDIOL

Other names:	pentane-1,2-diol
Inchi:	InChI=1S/C5H12O2/c1-2-3-5(7)4-6/h5-7H,2-4H2,1H3
InchiKey:	WCVRQHFDJLLWFE-UHFFFAOYSA-N
Formula:	C5H12O2
SMILES:	CCCC(O)CO
Mol. weight [g/mol]:	104.15
CAS:	5343-92-0

Physical Properties

Property code	Value	Unit	Source
chl	-3135.80 ± 7.50	kJ/mol	NIST Webbook
hf	-465.10 ± 7.50	kJ/mol	NIST Webbook
hfl	-546.70 ± 7.50	kJ/mol	NIST Webbook
hfus	13.36	kJ/mol	Joback Method
hvap	74.60 ± 0.30	kJ/mol	NIST Webbook
hvap	81.60 ± 0.20	kJ/mol	NIST Webbook
hvap	81.60	kJ/mol	NIST Webbook
ie	10.12	eV	Cheméo Relay (1.0)
log10ws	0.23		Cheméo Relay (1.0)
logp	0.140		Crippen Method
mcvol	93.050	ml/mol	McGowan Method
pc	4409.10	kPa	Joback Method
tb	484.00 ± 2.00	K	NIST Webbook
tb	483.15 ± 3.00	K	NIST Webbook
tb	479.15 ± 2.00	K	NIST Webbook
tb	479.15 ± 2.00	K	NIST Webbook
tb	482.65 ± 3.00	K	NIST Webbook
tb	450.15 ± 3.00	K	NIST Webbook
tb	479.20	K	NIST Webbook
tc	660.86	K	Cheméo Relay (1.0)
tf	265.59	K	Cheméo Relay (1.0)
vc	0.345	m3/kmol	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	213.31	J/mol×K	497.72	Joback Method
cpg	220.99	J/mol×K	524.53	Joback Method
cpg	228.37	J/mol×K	551.34	Joback Method
cpg	235.47	J/mol×K	578.15	Joback Method
cpg	242.28	J/mol×K	604.96	Joback Method
cpg	248.82	J/mol×K	631.77	Joback Method
cpg	255.10	J/mol×K	658.58	Joback Method
dvisc	0.0769600	Pa×s	293.15	Excess molar volume and viscosity deviation for binary mixtures of polyethylene glycol dimethyl ether 250 with 1,2-alkanediols (C3 C6) at T = (293.15 to 323.15) K
dvisc	0.0391600	Pa×s	303.15	Excess molar volume and viscosity deviation for binary mixtures of polyethylene glycol dimethyl ether 250 with 1,2-alkanediols (C3 C6) at T = (293.15 to 323.15) K
dvisc	0.0225200	Pa×s	313.15	Excess molar volume and viscosity deviation for binary mixtures of polyethylene glycol dimethyl ether 250 with 1,2-alkanediols (C3 C6) at T = (293.15 to 323.15) K

dvisc	0.0136600	Pa×s	323.15	Excess molar volume and viscosity deviation for binary mixtures of polyethylene glycol dimethyl ether 250 with 1,2-alkanediols (C3 C6) at T = (293.15 to 323.15) K
rhoI	966.68	kg/m3	298.15	Excess volumes and excess heat capacities of {1,2- alkanediol + methanol} mixtures and ionic volumes in these systems

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.66293e+01
Coeff. B	-4.86217e+03
Coeff. C	-7.51880e+01
Temperature range (K), min.	372.72
Temperature range (K), max.	504.79

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307I
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Cheméo Relay (1.0):	
Phase behavior of imidazolium and phosphonium tetrafluoroborates with binary mixtures of polyethylene glycol dimethyl ether 250 with 1,2-alkanediols (C3 C6) at T = (293.15 to 323.15) K	https://www.doi.org/10.1016/j.fluid.2014.08.028
Excess molar volumes and excess heat capacities of {1,2- alkanediol + methanol} mixtures and ionic volumes in these systems	https://www.doi.org/10.1016/j.fluid.2015.05.016
Excess molar volumes and viscosity deviation for binary mixtures of polyethylene glycol dimethyl ether 250 with 1,2-alkanediols (C3 C6) at T = (293.15 to 323.15) K	https://www.doi.org/10.1016/j.jct.2008.01.022
Joback method	https://en.wikipedia.org/wiki/Joback_method
Phase behavior of hexafluorophosphate ionic liquids with polyhydric alcohols	https://www.doi.org/10.1016/j.fluid.2011.11.004
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure

Legend

chl:	Standard liquid enthalpy of combustion
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
hf:	Enthalpy of formation at standard conditions
hfl:	Liquid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rhol:	Liquid Density
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/29-045-0/1-2-PENTANEDIOL.pdf>

Generated by Cheméo on 2026-07-21 13:35:10.281236038 +0000 UTC m=+152006.123121433.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.