

# Phenol, p-tert-butyl-

<b>Other names:</b>	1-Hydroxy-4-tert-butylbenzene 4-(1,1-Dimethylethyl)phenol 4-TERT-BUTYLPHENOL 4-t-Butylphenol BUTYLPHEN NSC 3697 PTBP Phenol, 4-(1,1-dimethylethyl)- Phenol, 4-tert-butyl- p-t-Butylphenol p-terc.Butylfenol p-tert-Butylphenol
<b>Inchi:</b>	InChI=1S/C10H14O/c1-10(2,3)8-4-6-9(11)7-5-8/h4-7,11H,1-3H3
<b>InchiKey:</b>	QHPQWRBYOIRBIT-UHFFFAOYSA-N
<b>Formula:</b>	C10H14O
<b>SMILES:</b>	CC(C)(C)c1ccc(O)cc1
<b>Mol. weight [g/mol]:</b>	150.22
<b>CAS:</b>	98-54-4

## Physical Properties

Property code	Value	Unit	Source
chs	-5625.80 ± 1.20	kJ/mol	NIST Webbook
chs	-5669.00	kJ/mol	NIST Webbook
gf	-6.05	kJ/mol	Joback Method
hf	-186.20	kJ/mol	NIST Webbook
hf	-174.30	kJ/mol	NIST Webbook
hf	-214.80	kJ/mol	NIST Webbook
hfs	-270.00	kJ/mol	NIST Webbook
hfs	-310.50 ± 1.20	kJ/mol	NIST Webbook
hfus	14.07	kJ/mol	Joback Method
hsub	85.90 ± 0.50	kJ/mol	NIST Webbook
hsub	93.43	kJ/mol	NIST Webbook
hsub	95.70	kJ/mol	NIST Webbook
hsub	89.40 ± 2.50	kJ/mol	NIST Webbook
hvap	67.90 ± 1.00	kJ/mol	NIST Webbook
ie	8.16	eV	NIST Webbook
ie	7.80	eV	NIST Webbook

log10ws	-2.41		Estimated Solubility Method
log10ws	-2.41		Aqueous Solubility Prediction Method
logp	2.690		Crippen Method
mvol	133.870	ml/mol	McGowan Method
pc	3547.31	kPa	Joback Method
rinpol	1297.80		NIST Webbook
rinpol	1294.70		NIST Webbook
rinpol	1295.60		NIST Webbook
rinpol	1256.00		NIST Webbook
rinpol	1297.00		NIST Webbook
rinpol	1292.00		NIST Webbook
rinpol	1291.00		NIST Webbook
rinpol	1265.00		NIST Webbook
rinpol	1261.00		NIST Webbook
rinpol	1274.00		NIST Webbook
rinpol	1274.00		NIST Webbook
tb	532.27	K	Joback Method
tc	765.16	K	Joback Method
tf	372.03	K	Aqueous Solubility Prediction Method
vc	0.443	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	329.85	J/molxK	571.08	Joback Method
cpg	388.58	J/molxK	765.16	Joback Method
cpg	378.53	J/molxK	726.34	Joback Method
cpg	367.75	J/molxK	687.53	Joback Method
cpg	356.13	J/molxK	648.71	Joback Method
cpg	343.53	J/molxK	609.90	Joback Method
cpg	314.96	J/molxK	532.27	Joback Method
dvisc	0.0001617	Paxs	469.19	Joback Method
dvisc	0.0000940	Paxs	500.73	Joback Method
dvisc	0.0000583	Paxs	532.27	Joback Method
dvisc	0.0038345	Paxs	343.02	Joback Method
dvisc	0.0014227	Paxs	374.56	Joback Method
dvisc	0.0006157	Paxs	406.10	Joback Method
dvisc	0.0003007	Paxs	437.64	Joback Method
hfust	14.52	kJ/mol	373.20	NIST Webbook

hfust	14.52	kJ/mol	373.20	NIST Webbook
hsubt	85.00 ± 0.50	kJ/mol	313.50	NIST Webbook
hsubt	84.30	kJ/mol	292.00	NIST Webbook
hvapt	49.90	kJ/mol	434.50	NIST Webbook
hvapt	54.40	kJ/mol	434.50	NIST Webbook
hvapt	56.60	kJ/mol	434.50	NIST Webbook
hvapt	57.60	kJ/mol	434.50	NIST Webbook
hvapt	59.60	kJ/mol	434.50	NIST Webbook
hvapt	54.30	kJ/mol	498.00	NIST Webbook

## Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.54499e+01
Coeff. B	-4.64835e+03
Coeff. C	-8.37310e+01
Temperature range (K), min.	371.95
Temperature range (K), max.	542.22

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	1.50423e+02
Coeff. B	-1.41269e+04
Coeff. C	-1.92734e+01
Coeff. D	7.60351e-06
Temperature range (K), min.	371.56
Temperature range (K), max.	734.00

## Sources

- McGowan Method:** <http://link.springer.com/article/10.1007/BF02311772>
- Joback Method:** [https://en.wikipedia.org/wiki/Joback\\_method](https://en.wikipedia.org/wiki/Joback_method)
- Aqueous Solubility Prediction Method:** <http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDa>
- Estimated Solubility Method:** [http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl\\_file/ci034243xsi20040112\\_053635.txt](http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl_file/ci034243xsi20040112_053635.txt)

<b>The Yaws Handbook of Vapor Pressure: Crippen Method:</b>	<a href="https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure">https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure</a> <a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Solubilities of Substituted Phenols in Supercritical Carbon Dioxide: NIST Webbook:</b>	<a href="https://www.doi.org/10.1021/je060058e">https://www.doi.org/10.1021/je060058e</a> <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C98544&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C98544&amp;Units=SI</a>
<b>KDB Vapor Pressure Data:</b>	<a href="https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=885">https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=885</a>
<b>KDB:</b>	<a href="https://www.thermo.com/files/research/kdb/mol/mol885.mol">https://www.thermo.com/files/research/kdb/mol/mol885.mol</a>

## Legend

<b>chs:</b>	Standard solid enthalpy of combustion
<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfs:</b>	Solid phase enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hfust:</b>	Enthalpy of fusion at a given temperature
<b>hsub:</b>	Enthalpy of sublimation at standard conditions
<b>hsubt:</b>	Enthalpy of sublimation at a given temperature
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>hvapt:</b>	Enthalpy of vaporization at a given temperature
<b>ie:</b>	Ionization energy
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>pvap:</b>	Vapor pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/31-585-8/Phenol-p-tert-butyl.pdf>

Generated by Cheméo on 2024-04-23 16:00:58.37467198 +0000 UTC m=+16177307.295249297.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.