

Cyclobutanecarboxamide, N-(3-methylphenyl)-

Inchi:	InChI=1S/C12H15NO/c1-9-4-2-7-11(8-9)13-12(14)10-5-3-6-10/h2,4,7-8,10H,3,5-6H2,1H3
InchiKey:	FAZSASKSCDHQIE-UHFFFAOYSA-N
Formula:	C12H15NO
SMILES:	<chem>Cc1cccc(NC(=O)C2CCC2)c1</chem>
Mol. weight [g/mol]:	189.25

Physical Properties

Property code	Value	Unit	Source
gf	162.06	kJ/mol	Joback Method
hf	-58.42	kJ/mol	Joback Method
hfus	23.22	kJ/mol	Joback Method
hvap	58.51	kJ/mol	Joback Method
log10ws	-3.06		Crippen Method
logp	2.734		Crippen Method
mcvol	156.870	ml/mol	McGowan Method
pc	3009.03	kPa	Joback Method
rinpol	1765.00		NIST Webbook
tb	620.67	K	Joback Method
tc	852.08	K	Joback Method
tf	380.95	K	Joback Method
vc	0.590	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	406.39	J/molxK	620.67	Joback Method
cpg	422.76	J/molxK	659.24	Joback Method
cpg	437.96	J/molxK	697.81	Joback Method
cpg	452.05	J/molxK	736.37	Joback Method
cpg	465.11	J/molxK	774.94	Joback Method
cpg	477.20	J/molxK	813.51	Joback Method
cpg	488.40	J/molxK	852.08	Joback Method

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=U307047&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
h vap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
m cvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/31-667-7/Cyclobutanecarboxamide-N-3-methylphenyl.pdf>

Generated by Cheméo on 2024-12-05 00:24:46.593330001 +0000 UTC m=+7939149.230299249.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.