

Mercaptoacetamide

Inchi:	InChI=1S/C2H5NOS/c3-2(4)1-5/h5H,1H2,(H2,3,4)
InchiKey:	GYXHHICIFZSKKZ-UHFFFAOYSA-N
Formula:	C2H5NOS
SMILES:	NC(=O)CS
Mol. weight [g/mol]:	91.13
CAS:	758-08-7

Physical Properties

Property code	Value	Unit	Source
gf	-67.12	kJ/mol	Joback Method
hf	-124.92	kJ/mol	Joback Method
hfus	11.77	kJ/mol	Joback Method
hvap	44.17	kJ/mol	Joback Method
log10ws	0.06		Crippen Method
logp	-0.599		Crippen Method
mcvol	66.940	ml/mol	McGowan Method
pc	6653.02	kPa	Joback Method
tb	434.42	K	Joback Method
tc	659.97	K	Joback Method
tf	281.95	K	Joback Method
vc	0.236	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	117.31	J/mol×K	434.42	Joback Method
cpg	122.86	J/mol×K	472.01	Joback Method
cpg	128.12	J/mol×K	509.60	Joback Method
cpg	133.10	J/mol×K	547.19	Joback Method
cpg	137.79	J/mol×K	584.79	Joback Method
cpg	142.21	J/mol×K	622.38	Joback Method
cpg	146.36	J/mol×K	659.97	Joback Method

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C758087&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/31-851-2/Mercaptoacetamide.pdf>

Generated by Cheméo on 2025-12-05 23:41:05.061415606 +0000 UTC m=+4726262.591456270.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.