Propanoic acid, phenylmethyl ester

Other names: Benzyl n-propionate

Benzyl propionate benzyl propanoate

propionic acid, benzyl ester

Inchi: InChl=1S/C10H12O2/c1-2-10(11)12-8-9-6-4-3-5-7-9/h3-7H,2,8H2,1H3

InchiKey: VHOMAPWVLKRQAZ-UHFFFAOYSA-N

Formula: C10H12O2

SMILES: CCC(=O)OCc1ccccc1

Mol. weight [g/mol]: 164.20 CAS: 122-63-4

Physical Properties

Property code	Value	Unit	Source
gf	-88.19	kJ/mol	Joback Method
hf	-258.00	kJ/mol	Joback Method
hfus	18.48	kJ/mol	Joback Method
hvap	49.29	kJ/mol	Joback Method
log10ws	-2.47		Crippen Method
logp	2.140		Crippen Method
mcvol	135.440	ml/mol	McGowan Method
рс	3082.99	kPa	Joback Method
rinpol	1245.00		NIST Webbook
rinpol	1259.00		NIST Webbook
rinpol	1245.00		NIST Webbook
rinpol	1284.00		NIST Webbook
rinpol	1257.00		NIST Webbook
rinpol	1266.00		NIST Webbook
rinpol	1255.00		NIST Webbook
rinpol	1230.40		NIST Webbook
rinpol	1225.00		NIST Webbook
rinpol	1224.40		NIST Webbook
rinpol	1272.00		NIST Webbook
rinpol	1237.00		NIST Webbook
rinpol	1250.00		NIST Webbook
rinpol	1225.00		NIST Webbook
rinpol	1234.00		NIST Webbook
rinpol	1227.90		NIST Webbook

rinpol	1230.40		NIST Webbook
rinpol	1284.00		NIST Webbook
rinpol	1250.00		NIST Webbook
rinpol	1225.00		NIST Webbook
rinpol	1266.20		NIST Webbook
rinpol	1224.40		NIST Webbook
ripol	1784.40		NIST Webbook
ripol	1791.00		NIST Webbook
ripol	1775.00		NIST Webbook
ripol	1766.00		NIST Webbook
ripol	1769.00		NIST Webbook
ripol	1784.40		NIST Webbook
ripol	1787.90		NIST Webbook
ripol	1784.70		NIST Webbook
ripol	1787.90		NIST Webbook
ripol	1783.00		NIST Webbook
ripol	1791.00		NIST Webbook
ripol	1775.00		NIST Webbook
tb	531.17	K	Joback Method
tc	743.85	K	Joback Method
tf	301.04	K	Joback Method
VC	0.511	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	370.98	J/mol×K	743.85	Joback Method
cpg	326.90	J/mol×K	602.06	Joback Method
cpg	314.07	J/mol×K	566.62	Joback Method
cpg	300.47	J/mol×K	531.17	Joback Method
cpg	361.01	J/mol×K	708.40	Joback Method
cpg	350.35	J/mol×K	672.95	Joback Method
cpg	338.99	J/mol×K	637.51	Joback Method

dvisc	0.0021230	Paxs	298.15	Densities and Viscosities of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at T) (288.15, 298.15, 308.15, and 318.15) K	
dvisc	0.0017870	Paxs	308.15	Densities and Viscosities of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at T) (288.15, 298.15, 308.15, and 318.15) K	
dvisc	0.0015150	Paxs	318.15	Densities and Viscosities of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at T) (288.15, 298.15, 308.15, and 318.15) K	
dvisc	0.0025500	Paxs	288.15	Densities and Viscosities of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at T) (288.15, 298.15, 308.15, and 318.15) K	
hvapt	59.00	kJ/mol	338.00	NIST Webbook	

rhol	1027.60	kg/m3	298.15	Refractive Indices and Surface Tensions of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at (288.15, 298.15, 308.15, and 318.15) K	
srf	0.03	N/m	338.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K	
srf	0.03	N/m	318.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K	
srf	0.03	N/m	308.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K	
srf	0.03	N/m	298.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K	
srf	0.04	N/m	288.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K	

srf	0.03	N/m	348.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K	
srf	0.03	N/m	358.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K	
srf	0.03	N/m	328.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K	

Sources

Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Pensities and Surface Tensions for 12 Pensities and Norace Tensions for 12 Pensities and Norace Tensions for 12 Pensities and Norace Tensions for 12 Pensities and Pensities and Pensities and Pensions for Pe

Crippen Method:

Crippen Method:

https://www.doi.org/10.1021/je050170x

https://www.doi.org/10.1021/je050402s

https://www.doi.org/10.1021/je060139a

https://en.wikipedia.org/wiki/Joback_method

http://link.springer.com/article/10.1007/BF02311772

http://webbook.nist.gov/cgi/cbook.cgi?ID=C122634&Units=SI

http://pubs.acs.org/doi/abs/10.1021/ci990307l

https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg: Ideal gas heat capacitydvisc: Dynamic viscosity

gf: Standard Gibbs free energy of formationhf: Enthalpy of formation at standard conditionshfus: Enthalpy of fusion at standard conditions

hvap: Enthalpy of vaporization at standard conditions

hvapt: Enthalpy of vaporization at a given temperature

log10ws: Log10 of Water solubility in mol/llogp: Octanol/Water partition coefficientmcvol: McGowan's characteristic volume

pc: Critical Pressurerhol: Liquid Density

rinpol: Non-polar retention indices

ripol: Polar retention indices

srf: Surface Tension

tb: Normal Boiling Point Temperature

tc: Critical Temperature

tf: Normal melting (fusion) point

vc: Critical Volume

Latest version available from:

https://www.chemeo.com/cid/34-105-7/Propanoic-acid-phenylmethyl-ester.pdf

Generated by Cheméo on 2025-12-06 00:04:43.673627555 +0000 UTC m=+4727681.203668225.

Cheméo (https://www.chemeo.com) is the biggest free database of chemical and physical data for the process industry.