

# Pentasiloxane, dodecamethyl-

<b>Other names:</b>	1,1,1,3,3,5,5,7,7,9,9,9-Dodecamethylpentasiloxane Dodecamethylpentasiloxane
<b>Inchi:</b>	InChI=1S/C12H36O4Si5/c1-17(2,3)13-19(7,8)15-21(11,12)16-20(9,10)14-18(4,5)6/h1-12
<b>InchiKey:</b>	FBZANXDWQAVSTQ-UHFFFAOYSA-N
<b>Formula:</b>	C12H36O4Si5
<b>SMILES:</b>	C[Si](C)(C)O[Si](C)(C)O[Si](C)(C)O[Si](C)(C)O[Si](C)(C)C
<b>Mol. weight [g/mol]:</b>	384.84
<b>CAS:</b>	141-63-9

## Physical Properties

Property code	Value	Unit	Source
log10ws	6.80		Crippen Method
logp	4.828		Crippen Method
rinpol	1202.90		NIST Webbook
volm	4.42e-04	m3/mol	Thermodynamic Study of Heptane + Silicone Mixtures. Excess Volumes and Enthalpies at 298.15 K

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
hvapt	50.30	kJ/mol	443.50	NIST Webbook
hvapt	55.40	kJ/mol	455.00	NIST Webbook
pvap	0.09	kPa	338.15	Temperature-Dependent Vapor Pressure of Selected Cyclic and Linear Polydimethylsiloxane Oligomers
pvap	0.17	kPa	348.15	Temperature-Dependent Vapor Pressure of Selected Cyclic and Linear Polydimethylsiloxane Oligomers

pvap	0.30	kPa	358.15	Temperature-Dependent Vapor Pressure of Selected Cyclic and Linear Polydimethylsiloxane Oligomers
pvap	0.51	kPa	368.15	Temperature-Dependent Vapor Pressure of Selected Cyclic and Linear Polydimethylsiloxane Oligomers
pvap	0.84	kPa	378.15	Temperature-Dependent Vapor Pressure of Selected Cyclic and Linear Polydimethylsiloxane Oligomers
pvap	1.36	kPa	388.15	Temperature-Dependent Vapor Pressure of Selected Cyclic and Linear Polydimethylsiloxane Oligomers
pvap	2.14	kPa	398.15	Temperature-Dependent Vapor Pressure of Selected Cyclic and Linear Polydimethylsiloxane Oligomers
pvap	3.28	kPa	408.15	Temperature-Dependent Vapor Pressure of Selected Cyclic and Linear Polydimethylsiloxane Oligomers

## Sources

Bubble-Point Measurements and Modeling of Binary Mixtures of Linear and Cyclic Polydimethylsiloxane + Silicone Mixtures. Excess Volumes and Enthalpies at 298.15 K:

<https://www.doi.org/10.1021/acs.jced.8b00200>

Crippen Method:

<https://www.doi.org/10.1021/je100835n>

Crippen Method:

<https://www.doi.org/10.1021/je2007378>

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C141639&Units=SI>

<http://pubs.acs.org/doi/abs/10.1021/ci9903071>

[https://www.chemeo.com/doc/models/crippen\\_log10ws](https://www.chemeo.com/doc/models/crippen_log10ws)

# Legend

<b>hvapt:</b>	Enthalpy of vaporization at a given temperature
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>pvap:</b>	Vapor pressure
<b>rinppl:</b>	Non-polar retention indices
<b>volm:</b>	Molar Volume

Latest version available from:

<https://www.cheméo.com/cid/41-503-7/Pentasiloxane-dodecamethyl.pdf>

Generated by Cheméo on 2024-02-22 20:09:12.947842162 +0000 UTC m=+10921801.868419485.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.