

# sulfur

<b>Other names:</b>	Insoluble sulfur Sulfur atom Sulphur
<b>Inchi:</b>	InChI=1S/S
<b>InchiKey:</b>	NINIDFKCEFEMDL-UHFFFAOYSA-N
<b>Formula:</b>	S
<b>SMILES:</b>	[S]
<b>Mol. weight [g/mol]:</b>	32.06
<b>CAS:</b>	7704-34-9

## Physical Properties

Property code	Value	Unit	Source
af	0.1710		KDB
affp	664.30	kJ/mol	NIST Webbook
basg	640.20	kJ/mol	NIST Webbook
ea	2.08 ± 0.00	eV	NIST Webbook
ea	2.08 ± 0.00	eV	NIST Webbook
ea	2.02 ± 0.00	eV	NIST Webbook
ea	2.07 ± 0.13	eV	NIST Webbook
gf	238.60	kJ/mol	KDB
hf	279.20	kJ/mol	KDB
hf	277.17 ± 0.15	kJ/mol	NIST Webbook
ie	11.00 ± 0.50	eV	NIST Webbook
ie	10.30 ± 0.30	eV	NIST Webbook
ie	10.50 ± 0.30	eV	NIST Webbook
ie	10.36	eV	NIST Webbook
ie	10.36	eV	NIST Webbook
ie	10.36	eV	NIST Webbook
ie	10.36	eV	NIST Webbook
ie	10.36	eV	NIST Webbook
ie	10.40 ± 0.30	eV	NIST Webbook
ie	10.40 ± 0.30	eV	NIST Webbook
ie	10.36	eV	NIST Webbook
ie	10.50 ± 0.30	eV	NIST Webbook
ie	10.50	eV	NIST Webbook
ie	10.50 ± 0.30	eV	NIST Webbook
pc	20700.00	kPa	KDB

pc	18208.10 ± 18.18	kPa	NIST Webbook
rhoc	564.34 ± 5.61	kg/m <sup>3</sup>	NIST Webbook
sgb	167.83 ± 0.01	J/mol×K	NIST Webbook
ss	32.05 ± 0.05	J/mol×K	NIST Webbook
tb	717.75	K	KDB
tc	1314.00	K	KDB
tc	1313.00 ± 1.31	K	NIST Webbook
tf	388.36	K	KDB
tt	388.33	K	KDB

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
rho1	1848.86	kg/m <sup>3</sup>	334.30	Density of molten sulfur in the 334 508K range
rho1	1848.17	kg/m <sup>3</sup>	335.30	Density of molten sulfur in the 334 508K range
rho1	1847.82	kg/m <sup>3</sup>	336.30	Density of molten sulfur in the 334 508K range
rho1	1846.09	kg/m <sup>3</sup>	337.30	Density of molten sulfur in the 334 508K range
rho1	1844.88	kg/m <sup>3</sup>	338.30	Density of molten sulfur in the 334 508K range
rho1	1844.36	kg/m <sup>3</sup>	339.40	Density of molten sulfur in the 334 508K range
rho1	1842.46	kg/m <sup>3</sup>	340.40	Density of molten sulfur in the 334 508K range
rho1	1841.94	kg/m <sup>3</sup>	341.40	Density of molten sulfur in the 334 508K range
rho1	1841.42	kg/m <sup>3</sup>	342.50	Density of molten sulfur in the 334 508K range
rho1	1839.87	kg/m <sup>3</sup>	343.50	Density of molten sulfur in the 334 508K range
rho1	1839.87	kg/m <sup>3</sup>	344.50	Density of molten sulfur in the 334 508K range
rho1	1838.15	kg/m <sup>3</sup>	346.60	Density of molten sulfur in the 334 508K range

rho1	1837.81	kg/m3	348.60	Density of molten sulfur in the 334 508K range
rho1	1835.41	kg/m3	350.80	Density of molten sulfur in the 334 508K range
rho1	1833.18	kg/m3	352.80	Density of molten sulfur in the 334 508K range
rho1	1830.97	kg/m3	354.80	Density of molten sulfur in the 334 508K range
rho1	1829.77	kg/m3	356.90	Density of molten sulfur in the 334 508K range
rho1	1828.24	kg/m3	358.90	Density of molten sulfur in the 334 508K range
rho1	1823.16	kg/m3	361.00	Density of molten sulfur in the 334 508K range
rho1	1823.16	kg/m3	363.10	Density of molten sulfur in the 334 508K range
rho1	1821.81	kg/m3	365.10	Density of molten sulfur in the 334 508K range
rho1	1821.14	kg/m3	367.30	Density of molten sulfur in the 334 508K range
rho1	1817.43	kg/m3	369.30	Density of molten sulfur in the 334 508K range
rho1	1815.76	kg/m3	371.30	Density of molten sulfur in the 334 508K range
rho1	1813.41	kg/m3	373.40	Density of molten sulfur in the 334 508K range
rho1	1810.74	kg/m3	375.40	Density of molten sulfur in the 334 508K range
rho1	1809.08	kg/m3	377.50	Density of molten sulfur in the 334 508K range
rho1	1808.41	kg/m3	379.50	Density of molten sulfur in the 334 508K range
rho1	1807.08	kg/m3	381.60	Density of molten sulfur in the 334 508K range
rho1	1804.76	kg/m3	383.80	Density of molten sulfur in the 334 508K range
rho1	1801.46	kg/m3	385.80	Density of molten sulfur in the 334 508K range

rho1	1798.16	kg/m3	387.80	Density of molten sulfur in the 334 508K range
rho1	1795.87	kg/m3	389.90	Density of molten sulfur in the 334 508K range
rho1	1794.55	kg/m3	391.90	Density of molten sulfur in the 334 508K range
rho1	1792.92	kg/m3	394.00	Density of molten sulfur in the 334 508K range
rho1	1789.33	kg/m3	396.10	Density of molten sulfur in the 334 508K range
rho1	1788.19	kg/m3	398.10	Density of molten sulfur in the 334 508K range
rho1	1787.06	kg/m3	400.20	Density of molten sulfur in the 334 508K range
rho1	1784.95	kg/m3	402.20	Density of molten sulfur in the 334 508K range
rho1	1782.84	kg/m3	404.30	Density of molten sulfur in the 334 508K range
rho1	1780.59	kg/m3	406.40	Density of molten sulfur in the 334 508K range
rho1	1778.65	kg/m3	408.40	Density of molten sulfur in the 334 508K range
rho1	1777.37	kg/m3	410.50	Density of molten sulfur in the 334 508K range
rho1	1777.05	kg/m3	412.50	Density of molten sulfur in the 334 508K range
rho1	1774.16	kg/m3	414.60	Density of molten sulfur in the 334 508K range
rho1	1770.65	kg/m3	416.70	Density of molten sulfur in the 334 508K range
rho1	1770.01	kg/m3	418.70	Density of molten sulfur in the 334 508K range
rho1	1766.51	kg/m3	420.80	Density of molten sulfur in the 334 508K range
rho1	1768.10	kg/m3	422.80	Density of molten sulfur in the 334 508K range
rho1	1765.25	kg/m3	424.90	Density of molten sulfur in the 334 508K range

rho1	1762.40	kg/m3	426.90	Density of molten sulfur in the 334 508K range
rho1	1761.77	kg/m3	429.10	Density of molten sulfur in the 334 508K range
rho1	1760.03	kg/m3	431.00	Density of molten sulfur in the 334 508K range
rho1	1759.56	kg/m3	433.10	Density of molten sulfur in the 334 508K range
rho1	1759.25	kg/m3	435.10	Density of molten sulfur in the 334 508K range
rho1	1757.99	kg/m3	437.30	Density of molten sulfur in the 334 508K range
rho1	1756.73	kg/m3	439.30	Density of molten sulfur in the 334 508K range
rho1	1755.79	kg/m3	441.30	Density of molten sulfur in the 334 508K range
rho1	1757.05	kg/m3	443.40	Density of molten sulfur in the 334 508K range
rho1	1756.11	kg/m3	445.40	Density of molten sulfur in the 334 508K range
rho1	1754.85	kg/m3	447.50	Density of molten sulfur in the 334 508K range
rho1	1751.57	kg/m3	449.60	Density of molten sulfur in the 334 508K range
rho1	1751.57	kg/m3	451.60	Density of molten sulfur in the 334 508K range
rho1	1751.10	kg/m3	453.80	Density of molten sulfur in the 334 508K range
rho1	1749.55	kg/m3	455.80	Density of molten sulfur in the 334 508K range
rho1	1747.68	kg/m3	457.80	Density of molten sulfur in the 334 508K range
rho1	1748.21	kg/m3	459.90	Density of molten sulfur in the 334 508K range
rho1	1746.13	kg/m3	461.90	Density of molten sulfur in the 334 508K range
rho1	1744.89	kg/m3	464.00	Density of molten sulfur in the 334 508K range

rho1	1743.04	kg/m3	466.00	Density of molten sulfur in the 334 508K range
rho1	1740.57	kg/m3	468.10	Density of molten sulfur in the 334 508K range
rho1	1742.73	kg/m3	470.30	Density of molten sulfur in the 334 508K range
rho1	1739.95	kg/m3	472.30	Density of molten sulfur in the 334 508K range
rho1	1740.57	kg/m3	474.30	Density of molten sulfur in the 334 508K range
rho1	1739.65	kg/m3	476.30	Density of molten sulfur in the 334 508K range
rho1	1737.49	kg/m3	478.40	Density of molten sulfur in the 334 508K range
rho1	1737.95	kg/m3	480.40	Density of molten sulfur in the 334 508K range
rho1	1736.88	kg/m3	481.50	Density of molten sulfur in the 334 508K range
rho1	1735.96	kg/m3	482.50	Density of molten sulfur in the 334 508K range
rho1	1735.35	kg/m3	483.50	Density of molten sulfur in the 334 508K range
rho1	1736.88	kg/m3	484.60	Density of molten sulfur in the 334 508K range
rho1	1734.74	kg/m3	485.60	Density of molten sulfur in the 334 508K range
rho1	1730.46	kg/m3	486.60	Density of molten sulfur in the 334 508K range
rho1	1731.83	kg/m3	487.80	Density of molten sulfur in the 334 508K range
rho1	1731.68	kg/m3	488.80	Density of molten sulfur in the 334 508K range
rho1	1728.64	kg/m3	489.80	Density of molten sulfur in the 334 508K range
rho1	1728.94	kg/m3	490.80	Density of molten sulfur in the 334 508K range
rho1	1728.64	kg/m3	491.80	Density of molten sulfur in the 334 508K range

rhoI	1727.73	kg/m3	492.80	Density of molten sulfur in the 334 508K range
rhoI	1727.12	kg/m3	493.80	Density of molten sulfur in the 334 508K range
rhoI	1727.58	kg/m3	494.90	Density of molten sulfur in the 334 508K range
rhoI	1728.03	kg/m3	495.90	Density of molten sulfur in the 334 508K range
rhoI	1726.67	kg/m3	496.90	Density of molten sulfur in the 334 508K range
rhoI	1725.30	kg/m3	498.00	Density of molten sulfur in the 334 508K range
rhoI	1724.70	kg/m3	499.00	Density of molten sulfur in the 334 508K range
rhoI	1723.49	kg/m3	500.00	Density of molten sulfur in the 334 508K range
rhoI	1724.09	kg/m3	501.00	Density of molten sulfur in the 334 508K range
rhoI	1722.89	kg/m3	502.10	Density of molten sulfur in the 334 508K range
rhoI	1721.98	kg/m3	503.10	Density of molten sulfur in the 334 508K range
rhoI	1721.53	kg/m3	504.10	Density of molten sulfur in the 334 508K range
rhoI	1719.87	kg/m3	505.30	Density of molten sulfur in the 334 508K range
rhoI	1720.17	kg/m3	506.30	Density of molten sulfur in the 334 508K range
rhoI	1717.47	kg/m3	507.30	Density of molten sulfur in the 334 508K range

## Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$

Coeff. A	1.60978e+01
Coeff. B	-7.97842e+03
Coeff. C	-2.28100e+01
Temperature range (K), min.	375.15
Temperature range (K), max.	717.15

## Sources

Thermodynamic study in the Ag-Sb-S system by the EMF method:	<a href="https://www.doi.org/10.1016/j.jct.2016.03.009">https://www.doi.org/10.1016/j.jct.2016.03.009</a>
Thermochemical studies of three bis(O-alkyl-N-benzoylthiocarbamate)nickel(II) complexes:	<a href="https://www.doi.org/10.1016/j.jct.2004.04.001">https://www.doi.org/10.1016/j.jct.2004.04.001</a>
Experimentally determined thermodynamic properties of Enthalpy of formation of natural hydrous copper sulfate: Chalcanthite:	<a href="https://www.doi.org/10.1016/j.jct.2013.11.006">https://www.doi.org/10.1016/j.jct.2013.11.006</a>
Solubility of elemental sulfur in pure organic solvents and organic solvent-melted mixtures of form	<a href="https://www.doi.org/10.1016/j.jct.2015.12.010">https://www.doi.org/10.1016/j.jct.2015.12.010</a>
Standard molar enthalpies of formation of 34 crystalline	<a href="https://www.doi.org/10.1016/j.fluid.2011.09.012">https://www.doi.org/10.1016/j.fluid.2011.09.012</a>
Standard molar enthalpies of formation of (free) beta-diketones and experimental and computational thermochemical study of two	<a href="https://www.doi.org/10.1016/j.jct.2004.04.009">https://www.doi.org/10.1016/j.jct.2004.04.009</a>
5-fluoro-2-methylbenzoxazole and 5-fluoro-2-methylbenzimidazole: The gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1016/j.jct.2005.08.017">https://www.doi.org/10.1016/j.jct.2005.08.017</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1016/j.jct.2018.01.022">https://www.doi.org/10.1016/j.jct.2018.01.022</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1964">https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1964</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1016/j.jct.2012.09.007">https://www.doi.org/10.1016/j.jct.2012.09.007</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1016/j.fluid.2008.05.001">https://www.doi.org/10.1016/j.fluid.2008.05.001</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1016/j.jct.2012.01.018">https://www.doi.org/10.1016/j.jct.2012.01.018</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1016/j.tca.2007.03.016">https://www.doi.org/10.1016/j.tca.2007.03.016</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1021/jc201091g">https://www.doi.org/10.1021/jc201091g</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure">https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1016/j.jct.2009.10.003">https://www.doi.org/10.1016/j.jct.2009.10.003</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1016/j.jct.2013.10.011">https://www.doi.org/10.1016/j.jct.2013.10.011</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="https://www.doi.org/10.1016/j.fluid.2011.04.010">https://www.doi.org/10.1016/j.fluid.2011.04.010</a>
Experimental redetermination of the gas-phase enthalpy of formation of ethyl 2-iodobenzoate:	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C7704349&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C7704349&amp;Units=SI</a>

## Legend

af:	Acentric Factor
affp:	Proton affinity
basg:	Gas basicity
ea:	Electron affinity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
ie:	Ionization energy
pc:	Critical Pressure

<b>pvap:</b>	Vapor pressure
<b>rhoc:</b>	Critical density
<b>rhoL:</b>	Liquid Density
<b>sgb:</b>	Molar entropy at standard conditions (1 bar)
<b>ss:</b>	Solid phase molar entropy at standard conditions
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>tt:</b>	Triple Point Temperature

Latest version available from:

<https://www.cheméo.com/cid/43-126-4/sulfur.pdf>

Generated by Cheméo on 2024-03-13 11:01:40.071407212 +0000 UTC m=+12616948.991984524.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.