

Diamantan-3-ol

Inchi:	InChI=1S/C14H20O/c15-14-7-4-9-8-1-6-2-11(9)13(14)12(3-6)10(8)5-7/h6-15H,1-5H2
InchiKey:	WXZXBNQJFLBGEB-UHFFFAOYSA-N
Formula:	C14H20O
SMILES:	OC1C2CC3C4CC5CC3C1C(C5)C4C2
Mol. weight [g/mol]:	204.31
CAS:	30545-24-5

Physical Properties

Property code	Value	Unit	Source
chs	-7953.70 ± 1.50	kJ/mol	NIST Webbook
gf	215.19	kJ/mol	Joback Method
hf	-297.60 ± 4.60	kJ/mol	NIST Webbook
hfs	-413.80 ± 1.50	kJ/mol	NIST Webbook
hfus	33.16	kJ/mol	Joback Method
hsub	116.10 ± 4.40	kJ/mol	NIST Webbook
hsub	116.20	kJ/mol	NIST Webbook
hvap	61.59	kJ/mol	Joback Method
log10ws	-2.60		Crippen Method
logp	2.295		Crippen Method
mcvol	159.690	ml/mol	McGowan Method
pc	2558.51	kPa	Joback Method
tb	622.65	K	Joback Method
tc	824.70	K	Joback Method
tf	384.62	K	Joback Method
vc	0.627	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	517.52	J/mol×K	622.65	Joback Method
cpg	536.70	J/mol×K	656.32	Joback Method
cpg	554.62	J/mol×K	690.00	Joback Method
cpg	571.42	J/mol×K	723.67	Joback Method
cpg	587.22	J/mol×K	757.35	Joback Method

cpg	602.17	J/mol×K	791.02	Joback Method
cpg	616.39	J/mol×K	824.70	Joback Method
dvisc	0.0082175	Paxs	384.62	Joback Method
dvisc	0.0091342	Paxs	424.29	Joback Method
dvisc	0.0099712	Paxs	463.96	Joback Method
dvisc	0.0107356	Paxs	503.63	Joback Method
dvisc	0.0114346	Paxs	543.31	Joback Method
dvisc	0.0120750	Paxs	582.98	Joback Method
dvisc	0.0126630	Paxs	622.65	Joback Method
hsubt	116.10 ± 4.40	kJ/mol	338.50	NIST Webbook

Sources

Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C30545245&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point

vc: Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/43-256-0/Diamantan-3-ol.pdf>

Generated by Cheméo on 2025-12-05 19:15:37.527342192 +0000 UTC m=+4710335.057382858.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.