

Tetracosane, 11-decyl-

Other names:	11-Decyltetracosane 11-n-Decyltetracosane
Inchi:	InChI=1S/C34H70/c1-4-7-10-13-16-19-20-21-24-27-30-33-34(31-28-25-22-17-14-11-8-5-
InchiKey:	BVMGLUHWZZEDRX-UHFFFAOYSA-N
Formula:	C34H70
SMILES:	CCCCCCCCCCCCCCCC(CCCCCCCCCCCC)CCCCCCCCCCC
Mol. weight [g/mol]:	478.92
CAS:	55429-84-0

Physical Properties

Property code	Value	Unit	Source
gf	232.96	kJ/mol	Joback Method
hf	-750.37	kJ/mol	Joback Method
hfus	80.29	kJ/mol	Joback Method
hvap	90.89	kJ/mol	Joback Method
log10ws	-13.81		Crippen Method
logp	13.365		Crippen Method
mcvol	489.920	ml/mol	McGowan Method
pc	499.58	kPa	Joback Method
tb	976.88	K	Joback Method
tc	1226.77	K	Joback Method
tf	284.00 ± 1.00	K	NIST Webbook
tf	284.00 ± 1.00	K	NIST Webbook
vc	1.933	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	1917.55	J/mol×K	1226.77	Joback Method
cpg	1756.03	J/mol×K	976.88	Joback Method
cpg	1787.83	J/mol×K	1018.53	Joback Method
cpg	1817.45	J/mol×K	1060.18	Joback Method
cpg	1845.07	J/mol×K	1101.83	Joback Method
cpg	1870.84	J/mol×K	1143.48	Joback Method

cpg	1894.95	J/mol×K	1185.12	Joback Method
dvisc	0.0000119	Pa×s	976.88	Joback Method
dvisc	0.0007325	Pa×s	457.94	Joback Method
dvisc	0.0002138	Pa×s	544.43	Joback Method
dvisc	0.0000875	Pa×s	630.92	Joback Method
dvisc	0.0000444	Pa×s	717.41	Joback Method
dvisc	0.0000261	Pa×s	803.90	Joback Method
dvisc	0.0000170	Pa×s	890.39	Joback Method
hvapt	113.10	kJ/mol	555.50	NIST Webbook

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.59842e+01
Coeff. B	-6.79721e+03
Coeff. C	-1.51082e+02
Temperature range (K), min.	584.12
Temperature range (K), max.	787.96

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C55429840&Units=SI
The Yaws Handbook of Vapor Pressure:	https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions

hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/43-969-9/Tetracosane-11-decyl.pdf>

Generated by Cheméo on 2025-12-05 07:35:16.202883675 +0000 UTC m=+4668313.732924340.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.