

2,6-Dimethylthiophenol

| | |
|-----------------------------|---------------------------------------------------------|
| Other names: | 2,6-Dimethylbenzenethiol Benzenethiol, 2,6-dimethyl- |
| Inchi: | InChI=1S/C8H10S/c1-6-4-3-5-7(2)8(6)9/h3-5,9H,1-2H3 |
| InchiKey: | QCLJODDRBGKIRW-UHFFFAOYSA-N |
| Formula: | C8H10S |
| SMILES: | Cc1cccc(C)c1S |
| Mol. weight [g/mol]: | 138.23 |
| CAS: | 118-72-9 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|---------|----------------|
| gf | 139.02 | kJ/mol | Joback Method |
| hf | 43.62 | kJ/mol | Joback Method |
| hfus | 13.78 | kJ/mol | Joback Method |
| hvap | 43.74 | kJ/mol | Joback Method |
| log10ws | -2.94 | | Crippen Method |
| logp | 2.592 | | Crippen Method |
| mcvol | 116.170 | ml/mol | McGowan Method |
| pc | 3805.69 | kPa | Joback Method |
| rinpol | 1213.20 | | NIST Webbook |
| rinpol | 1226.00 | | NIST Webbook |
| rinpol | 1226.00 | | NIST Webbook |
| tb | 481.94 | K | Joback Method |
| tc | 719.76 | K | Joback Method |
| tf | 267.84 | K | Joback Method |
| vc | 0.429 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|--------|---------|-----------------|---------------|
| cpg | 221.55 | J/molxK | 481.94 | Joback Method |
| cpg | 233.86 | J/molxK | 521.58 | Joback Method |
| cpg | 245.45 | J/molxK | 561.21 | Joback Method |
| cpg | 256.34 | J/molxK | 600.85 | Joback Method |

| | | | | |
|-----|--------|---------|--------|---------------|
| cpg | 266.57 | J/mol×K | 640.49 | Joback Method |
| cpg | 276.15 | J/mol×K | 680.13 | Joback Method |
| cpg | 285.11 | J/mol×K | 719.76 | Joback Method |

Correlations

| Information | Value |
|-----------------------------|-------------------------------|
| Property code | pvap |
| Equation | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A | 1.47964e+01 |
| Coeff. B | -4.16901e+03 |
| Coeff. C | -7.72170e+01 |
| Temperature range (K), min. | 364.56 |
| Temperature range (K), max. | 516.76 |

Sources

| | |
|---------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci9903071 |
| Crippen Method: | https://www.chemeo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C118729&Units=SI |
| The Yaws Handbook of Vapor Pressure: | https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure |

Legend

| | |
|-----------------|-------------------------------------------------|
| cpg: | Ideal gas heat capacity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |

| | |
|----------------|----------------------------------|
| pvap: | Vapor pressure |
| rinpol: | Non-polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/43-979-8/2-6-Dimethylthiophenol.pdf>

Generated by Cheméo on 2025-12-05 19:15:49.836100346 +0000 UTC m=+4710347.366141010.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.