

9,10-Anthracenedione

Other names:	9,10(9H,10H)-anthracenedione 9,10-Anthrachinon 9,10-Anthraquinone 9,10-Dioxoanthracene 9,10-anthracenequinone Anthracene, 9,10-dihydro-9,10-dioxo- Anthracene-9,10-quinone Anthradione Anthraquinone Corbit Hoelite Morkit NSC 7957 anthracene-9,10-dione
Inchi:	InChI=1S/C14H8O2/c15-13-9-5-1-2-6-10(9)14(16)12-8-4-3-7-11(12)13/h1-8H
InchiKey:	RZVHIXYEVDQDX-UHFFFAOYSA-N
Formula:	C14H8O2
SMILES:	O=C1c2ccccc2C(=O)c2ccccc21
Mol. weight [g/mol]:	208.21
CAS:	84-65-1

Physical Properties

Property code	Value	Unit	Source
chs	-6468.90	kJ/mol	NIST Webbook
chs	-6462.20	kJ/mol	NIST Webbook
chs	-6464.00 ± 2.10	kJ/mol	NIST Webbook
chs	-6444.52	kJ/mol	NIST Webbook
ea	1.59 ± 0.06	eV	NIST Webbook
ea	1.15 ± 0.10	eV	NIST Webbook
gf	107.94	kJ/mol	Joback Method
hf	-75.70 ± 2.90	kJ/mol	NIST Webbook
hfs	-188.50 ± 2.80	kJ/mol	NIST Webbook
hfus	36.30	kJ/mol	Thermodynamic Study on the Sublimation of Anthracene-Like Compounds
hvap	61.18	kJ/mol	Joback Method
ie	9.00	eV	NIST Webbook

ie	9.25 ± 0.03	eV	NIST Webbook
ie	9.30	eV	NIST Webbook
ie	9.40 ± 0.08	eV	NIST Webbook
ie	9.25 ± 0.12	eV	NIST Webbook
ie	9.25	eV	NIST Webbook
log10ws	-5.19		Aqueous Solubility Prediction Method
log10ws	-5.19		Estimated Solubility Method
logp	2.462		Crippen Method
mcvol	152.880	ml/mol	McGowan Method
pc	3372.36	kPa	Joback Method
rinpol	1937.00		NIST Webbook
rinpol	331.22		NIST Webbook
rinpol	330.26		NIST Webbook
rinpol	330.50		NIST Webbook
rinpol	330.70		NIST Webbook
rinpol	331.38		NIST Webbook
rinpol	331.09		NIST Webbook
rinpol	1927.00		NIST Webbook
rinpol	330.00		NIST Webbook
rinpol	331.32		NIST Webbook
rinpol	331.91		NIST Webbook
rinpol	333.00		NIST Webbook
rinpol	329.00		NIST Webbook
rinpol	330.90		NIST Webbook
rinpol	337.40		NIST Webbook
rinpol	331.22		NIST Webbook
rinpol	1921.00		NIST Webbook
rinpol	1904.00		NIST Webbook
rinpol	1880.00		NIST Webbook
rinpol	1950.00		NIST Webbook
rinpol	1898.00		NIST Webbook
rinpol	331.09		NIST Webbook
rinpol	329.60		NIST Webbook
tb	650.00 ± 0.30	K	NIST Webbook
tb	653.20	K	NIST Webbook
tc	1001.05	K	Joback Method
tf	558.07 ± 0.20	K	NIST Webbook
tf	555.00 ± 1.00	K	NIST Webbook
tf	557.75 ± 0.50	K	NIST Webbook
tf	557.75 ± 0.30	K	NIST Webbook
tf	557.96 ± 0.20	K	NIST Webbook
tf	557.85 ± 0.20	K	NIST Webbook
tf	557.78 ± 0.30	K	NIST Webbook

tf	558.35 ± 0.40	K	NIST Webbook
tf	558.15 ± 1.00	K	NIST Webbook
tf	557.97 ± 0.35	K	NIST Webbook
vc	0.584	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	468.21	J/mol×K	1001.05	Joback Method
cpg	401.54	J/mol×K	725.82	Joback Method
cpg	415.60	J/mol×K	771.69	Joback Method
cpg	428.41	J/mol×K	817.56	Joback Method
cpg	440.03	J/mol×K	863.44	Joback Method
cpg	450.50	J/mol×K	909.31	Joback Method
cpg	459.88	J/mol×K	955.18	Joback Method
cps	240.20	J/mol×K	298.15	NIST Webbook
hfust	32.57	kJ/mol	555.00	NIST Webbook
hfust	32.57	kJ/mol	558.00	NIST Webbook
hfust	32.57	kJ/mol	555.00	NIST Webbook
hsubt	126.40	kJ/mol	373.00	NIST Webbook
hsubt	104.60	kJ/mol	367.00	NIST Webbook
hsubt	98.30	kJ/mol	413.00	NIST Webbook
hsubt	107.50 ± 0.80	kJ/mol	434.00	NIST Webbook
hsubt	107.90 ± 0.80	kJ/mol	434.00	NIST Webbook
hsubt	127.00 ± 3.00	kJ/mol	530.00	NIST Webbook
hvapt	64.30	kJ/mol	609.50	NIST Webbook
psub	0.08	kPa	451.00	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.02	kPa	427.70	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds

psub	0.02	kPa	429.20	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.02	kPa	432.20	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.03	kPa	437.40	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.04	kPa	439.10	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.04	kPa	441.60	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.05	kPa	447.20	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.07	kPa	448.90	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds

psub	0.01	kPa	422.80	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.10	kPa	457.00	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.15	kPa	458.80	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.17	kPa	460.40	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.20	kPa	466.70	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.27	kPa	468.70	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.25	kPa	469.80	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds

psub	0.32	kPa	476.50	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	0.49	kPa	478.50	Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds
psub	9.48e-04	kPa	399.90	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	8.72e-04	kPa	399.20	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	5.19e-04	kPa	393.40	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	4.94e-04	kPa	392.80	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique

psub	4.93e-04	kPa	392.70	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	3.05e-04	kPa	386.80	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	2.63e-04	kPa	385.80	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	2.67e-04	kPa	385.40	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	1.49e-04	kPa	380.10	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique

psub	1.44e-04	kPa	379.20	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	1.19e-04	kPa	377.60	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	4.10e-05	kPa	367.40	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	2.52e-05	kPa	362.70	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	2.20e-05	kPa	360.90	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique

psub	2.09e-05	kPa	359.90	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	4.49e-06	kPa	346.00	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
psub	5.42e-05	kPa	369.90	Vapor pressures and sublimation enthalpies of seven heteroatomic aromatic hydrocarbons measured using the Knudsen effusion technique
sfust	58.70	J/mol×K	555.00	NIST Webbook

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{\text{vp}}) = A + B/(T + C)$
Coeff. A	1.75139e+01
Coeff. B	-8.78545e+03
Coeff. C	2.80780e+01
Temperature range (K), min.	481.92
Temperature range (K), max.	691.90

Sources

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C84651&Units=SI>

Solubilities of Oxygenated Aromatic Solids in Pressurized Hot Water: The Yaws Handbook of Vapor Pressure: Thermodynamic Study on the Sublimation of Anthracene-Like Compounds: Estimated Solubility Method:	https://www.doi.org/10.1021/je800707x https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure https://doi.org/10.1021/je100850z http://pubs.acs.org/doi/suppl/10.1021/ci034243x/suppl_file/ci034243xsi20040112_053635.txt http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	
Aqueous Solubility Prediction Method:	http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDataset002.xlsx
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Vapor pressures and sublimation enthalpies of seven heteroatomic KDP aromatic hydrocarbons measured using the Knudsen effusion technique: Joback Method:	https://doi.org/10.1016/j.jct.2010.01.014 https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1216 https://en.wikipedia.org/wiki/Joback_method
Fast scanning calorimetry: Sublimation thermodynamics of low volatile and thermally unstable compounds:	https://doi.org/10.1016/j.tca.2019.05.008

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
cps:	Solid phase heat capacity
ea:	Electron affinity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mvol:	McGowan's characteristic volume
pc:	Critical Pressure
psub:	Sublimation pressure
pvap:	Vapor pressure
rinpol:	Non-polar retention indices
sfust:	Entropy of fusion at a given temperature
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/45-405-2/9-10-Anthracenedione.pdf>

Generated by Cheméo on 2024-04-09 02:32:10.864797523 +0000 UTC m=+14919179.785374838.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.