

Ethyl acetoacetate

Other names:	1-Ethoxybutane-1,3-dione
	3-Oxobutanoic acid ethyl ester
	3-oxobutanoic acid, ethyl ester
	Acetoacetic acid, ethyl ester
	Acetooctan ethylnaty
	Active acetylacetate
	Butanoic acid, 3-oxo-, ethyl ester
	Diacetic ether
	EAA
	Ethyl 3-oxobutanoate
	Ethyl 3-oxobutyrate
	Ethyl acetylacetate
	Ethylacetacetat
	Ethylester kyseliny acetoctove
	NSC 8657
	acetoacetic acid ethyl ester
	ethyl 3-ketobutyrate
	ethyl acetonecarboxylate
Inchi:	InChI=1S/C6H10O3/c1-3-9-6(8)4-5(2)7/h3-4H2,1-2H3
InchiKey:	XYIBRDXXRRQCHLP-UHFFFAOYSA-N
Formula:	C6H10O3
SMILES:	CCOC(=O)CC(C)=O
Mol. weight [g/mol]:	130.14
CAS:	141-97-9

Physical Properties

Property code	Value	Unit	Source
chl	-3153.00	kJ/mol	NIST Webbook
chl	-3149.76 ± 0.76	kJ/mol	NIST Webbook
chl	-3178.10 ± 7.70	kJ/mol	NIST Webbook
gf	-363.20	kJ/mol	Joback Method
hf	-586.20 ± 1.50	kJ/mol	NIST Webbook
hf	-558.00	kJ/mol	NIST Webbook
hf	-507.50	kJ/mol	NIST Webbook
hfl	-640.40 ± 1.10	kJ/mol	NIST Webbook
hfl	-561.70	kJ/mol	NIST Webbook
hfl	-612.20 ± 5.40	kJ/mol	NIST Webbook

hfus	15.68	kJ/mol	Joback Method
hvap	54.20 ± 1.00	kJ/mol	NIST Webbook
hvap	54.20	kJ/mol	NIST Webbook
hvap	54.18 ± 0.96	kJ/mol	NIST Webbook
hvap	50.54	kJ/mol	NIST Webbook
log10ws	-0.48		Crippen Method
logp	0.529		Crippen Method
mcvol	104.410	ml/mol	McGowan Method
pc	3522.09	kPa	Joback Method
rinpol	930.00		NIST Webbook
rinpol	943.00		NIST Webbook
rinpol	944.40		NIST Webbook
rinpol	910.00		NIST Webbook
rinpol	907.00		NIST Webbook
rinpol	944.00		NIST Webbook
rinpol	954.00		NIST Webbook
rinpol	910.00		NIST Webbook
rinpol	907.00		NIST Webbook
rinpol	903.00		NIST Webbook
ripol	1496.00		NIST Webbook
ripol	1466.00		NIST Webbook
ripol	1427.00		NIST Webbook
ripol	1496.00		NIST Webbook
tb	466.84	K	Joback Method
tc	655.65	K	Joback Method
tf	230.15	K	NIST Webbook
vc	0.402	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	215.00	J/molxK	466.84	Joback Method
cpg	224.34	J/molxK	498.31	Joback Method
cpg	233.35	J/molxK	529.78	Joback Method
cpg	242.00	J/molxK	561.25	Joback Method
cpg	250.31	J/molxK	592.71	Joback Method
cpg	258.27	J/molxK	624.18	Joback Method
cpg	265.88	J/molxK	655.65	Joback Method
cpl	250.20	J/molxK	297.50	NIST Webbook
cpl	246.90	J/molxK	297.50	NIST Webbook
cpl	241.80	J/molxK	298.00	NIST Webbook

dvisc	0.0019020	Paxs	288.15	Densities and Viscosities of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at T) (288.15, 298.15, 308.15, and 318.15) K
dvisc	0.0015810	Paxs	298.15	Densities and Viscosities of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at T) (288.15, 298.15, 308.15, and 318.15) K
dvisc	0.0013440	Paxs	308.15	Densities and Viscosities of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at T) (288.15, 298.15, 308.15, and 318.15) K
dvisc	0.0011440	Paxs	318.15	Densities and Viscosities of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at T) (288.15, 298.15, 308.15, and 318.15) K

hvapt	61.60	kJ/mol	298.15	Thermochemistry of Ethyl 3-Oxobutanoate Revisited: Observance of a Non-Zero Enthalpy of Mixing between Tautomers and Its Effects on Enthalpies of Formation
hvapt	52.50	kJ/mol	377.50	NIST Webbook
rfi	1.41660		298.15	Density, Viscosity, Refractive Index, and Speed of Sound in the Binary Mixtures of 1,4-Dioxane + Ethyl Acetoacetate, + Diethyl Oxalate, + Diethyl Phthalate, or + Dioctyl Phthalate at 298.15, 303.15, and 308.15 K
rfi	1.41200		308.15	Density, Viscosity, Refractive Index, and Speed of Sound in the Binary Mixtures of 1,4-Dioxane + Ethyl Acetoacetate, + Diethyl Oxalate, + Diethyl Phthalate, or + Dioctyl Phthalate at 298.15, 303.15, and 308.15 K
rfi	1.41450		303.15	Density, Viscosity, Refractive Index, and Speed of Sound in the Binary Mixtures of 1,4-Dioxane + Ethyl Acetoacetate, + Diethyl Oxalate, + Diethyl Phthalate, or + Dioctyl Phthalate at 298.15, 303.15, and 308.15 K

rhoI	1043.10	kg/m3	278.15	Excess molar enthalpies of ethyl acetoacetate + (methanol, +ethanol, +1-propanol, and +2-propanol) at T = (298.15, 313.15 and 328.15)K and p = (0.1 and 10.0)MPa
rhoI	1034.50	kg/m3	288.15	Excess molar enthalpies of ethyl acetoacetate + (methanol, +ethanol, +1-propanol, and +2-propanol) at T = (298.15, 313.15 and 328.15)K and p = (0.1 and 10.0)MPa
rhoI	1023.50	kg/m3	298.15	Excess molar enthalpies of ethyl acetoacetate + (methanol, +ethanol, +1-propanol, and +2-propanol) at T = (298.15, 313.15 and 328.15)K and p = (0.1 and 10.0)MPa
rhoI	1008.00	kg/m3	313.15	Excess molar enthalpies of ethyl acetoacetate + (methanol, +ethanol, +1-propanol, and +2-propanol) at T = (298.15, 313.15 and 328.15)K and p = (0.1 and 10.0)MPa
rhoI	992.10	kg/m3	328.15	Excess molar enthalpies of ethyl acetoacetate + (methanol, +ethanol, +1-propanol, and +2-propanol) at T = (298.15, 313.15 and 328.15)K and p = (0.1 and 10.0)MPa

rhoI	981.90	kg/m3	338.15	Excess molar enthalpies of ethyl acetoacetate + (methanol, +ethanol, +1-propanol, and +2-propanol) at T = (298.15, 313.15 and 328.15)K and p = (0.1 and 10.0)MPa
rhoI	971.40	kg/m3	348.15	Excess molar enthalpies of ethyl acetoacetate + (methanol, +ethanol, +1-propanol, and +2-propanol) at T = (298.15, 313.15 and 328.15)K and p = (0.1 and 10.0)MPa
rhoI	1023.45	kg/m3	298.15	Refractive Indices and Surface Tensions of Binary Mixtures of Ethyl Acetoacetate, Ethyl Isovalerate, Methyl Benzoate, Benzyl Acetate, Ethyl Salicylate, and Benzyl Propionate with Ethanol at (288.15, 298.15, 308.15, and 318.15) K
srf	0.03	N/m	288.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K
srf	0.03	N/m	298.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K

srf	0.03	N/m	308.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K
srf	0.03	N/m	318.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K
srf	0.03	N/m	328.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K
srf	0.03	N/m	338.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K
srf	0.03	N/m	348.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K
srf	0.03	N/m	358.15	Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
---------------	-------	------	----------------	--------

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	5.07456e+01
Coeff. B	-7.62332e+03
Coeff. C	-4.83240e+00
Coeff. D	1.05324e-06
Temperature range (K), min.	234.15
Temperature range (K), max.	643.00

Sources

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Excess Molar Enthalpies of Five Binary Systems Containing Ethyl Acetoacetate at Different Pressures
K. D. W. P. S. Date:

<https://www.doi.org/10.1021/je800889y>

<https://www.cheric.org/research/kdb/hcprop/showprop.php?cmpid=1072>

**Densities, Viscosities, Refractive Indices, and Surface Tensions for 12
NIST Webbook
New Testers from T) 288.15 K to T)
358.15 K:**

<https://www.doi.org/10.1021/je050170x>

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C141979&Units=SI>

358.15 K:
Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

[illegible]

<https://www.doi.org/10.1016/j.fluid.2008.03.012>

<https://www.doi.org/10.1016/j.tca.2013.12.015>

<http://link.springer.com/article/10.1007/BF02311772>

<https://www.doi.org/10.1021/je050402s>

<https://www.doi.org/10.1021/je050179z>

<https://www.doi.org/10.1021/je4009987>

<https://www.doi.org/10.1021/je060139a>

<https://www.chemic.org/files/research/kdb/mol/mol1072.mol>

<https://www.doi.org/10.1021/je0301489>

Legend

chl:	Standard liquid enthalpy of combustion
cpg:	Ideal gas heat capacity
cpl:	Liquid phase heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfl:	Liquid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rfi:	Refractive Index
rho:	Liquid Density
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
srf:	Surface Tension
tb:	Normal Boiling Point Temperature
tbrp:	Boiling point at reduced pressure
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/47-991-0/Ethyl-acetoacetate.pdf>

Generated by Cheméo on 2025-12-06 01:22:04.155040406 +0000 UTC m=+4732321.685081061.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.