

N-Benzoylglycine ethyl ester

Other names:	Benzoic amide, N-(ethoxycarbonyl)methyl-
Inchi:	InChI=1S/C11H13NO3/c1-2-15-10(13)8-12-11(14)9-6-4-3-5-7-9/h3-7H,2,8H2,1H3,(H,12,
InchiKey:	PTXRQIPIELXJFH-UHFFFAOYSA-N
Formula:	C11H13NO3
SMILES:	CCOC(=O)CNC(=O)c1ccccc1
Mol. weight [g/mol]:	207.23
CAS:	1499-53-2

Physical Properties

Property code	Value	Unit	Source
gf	-119.30	kJ/mol	Joback Method
hf	-337.75	kJ/mol	Joback Method
hfus	27.77	kJ/mol	Joback Method
hvap	64.69	kJ/mol	Joback Method
log10ws	-1.93		Crippen Method
logp	0.979		Crippen Method
mcvol	161.080	ml/mol	McGowan Method
pc	3015.64	kPa	Joback Method
rinpol	1726.00		NIST Webbook
rinpol	1726.00		NIST Webbook
tb	658.09	K	Joback Method
tc	874.19	K	Joback Method
tf	414.90	K	Joback Method
vc	0.609	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	412.45	J/molxK	658.09	Joback Method
cpg	425.29	J/molxK	694.11	Joback Method
cpg	437.25	J/molxK	730.12	Joback Method
cpg	448.38	J/molxK	766.14	Joback Method
cpg	458.69	J/molxK	802.16	Joback Method
cpg	468.20	J/molxK	838.18	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C1499532&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/49-292-4/N-Benzoylglycine-ethyl-ester.pdf>

Generated by Cheméo on 2024-04-23 12:49:06.498881996 +0000 UTC m=+16165795.419459307.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.