

# Terpineol

<b>Inchi:</b>	InChI=1S/C10H18O/c1-8-4-6-9(7-5-8)10(2,3)11/h4,9,11H,5-7H2,1-3H3
<b>InchiKey:</b>	WUOACPNHFRMFPN-UHFFFAOYSA-N
<b>Formula:</b>	C10H18O
<b>SMILES:</b>	CC1=CCC(C(C)(C)O)CC1
<b>Mol. weight [g/mol]:</b>	154.25
<b>CAS:</b>	8006-39-1

## Physical Properties

Property code	Value	Unit	Source
gf	-55.88	kJ/mol	Joback Method
hf	-310.08	kJ/mol	Joback Method
hfus	11.00	kJ/mol	Joback Method
hvap	54.62	kJ/mol	Joback Method
log10ws	-2.89		Crippen Method
logp	2.504		Crippen Method
mcvol	142.470	ml/mol	McGowan Method
pc	2950.48	kPa	Joback Method
tb	540.84	K	Joback Method
tc	740.92	K	Joback Method
tf	286.36	K	Joback Method
vc	0.522	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	353.52	J/molxK	540.84	Joback Method
cpg	369.52	J/molxK	574.19	Joback Method
cpg	384.60	J/molxK	607.53	Joback Method
cpg	398.78	J/molxK	640.88	Joback Method
cpg	412.12	J/molxK	674.23	Joback Method
cpg	424.66	J/molxK	707.57	Joback Method
cpg	436.42	J/molxK	740.92	Joback Method
dvisc	0.0209502	Paxs	286.36	Joback Method
dvisc	0.0049794	Paxs	328.77	Joback Method

dvisc	0.0016435	Paxs	371.19	Joback Method
dvisc	0.0006809	Paxs	413.60	Joback Method
dvisc	0.0003324	Paxs	456.01	Joback Method
dvisc	0.0001833	Paxs	498.43	Joback Method
dvisc	0.0001110	Paxs	540.84	Joback Method

## Sources

<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C8006391&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C8006391&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/50-250-8/Terpineol.pdf>

Generated by Cheméo on 2024-04-26 13:40:38.592183426 +0000 UTC m=+16428087.512760741.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.