

Methacrylic anhydride

Other names:	2-Propenoic acid, 2-methyl-, anhydride Methacrylic acid anhydride Methacryloyl anhydride 2-Methyl-2-propenoic acid anhydride
Inchi:	InChI=1S/C8H10O3/c1-5(2)7(9)11-8(10)6(3)4/h1,3H2,2,4H3
InchiKey:	DCUFMVPCXCSVNP-UHFFFAOYSA-N
Formula:	C8H10O3
SMILES:	C=C(C)C(=O)OC(=O)C(=C)C
Mol. weight [g/mol]:	154.16
CAS:	760-93-0

Physical Properties

Property code	Value	Unit	Source
gf	-187.78	kJ/mol	Joback Method
hf	-334.55	kJ/mol	Joback Method
hfus	15.68	kJ/mol	Joback Method
hvap	48.12	kJ/mol	Joback Method
log10ws	-1.52		Crippen Method
logp	1.208		Crippen Method
mcvol	123.990	ml/mol	McGowan Method
pc	3145.56	kPa	Joback Method
tb	505.72	K	Joback Method
tc	705.07	K	Joback Method
tf	270.57	K	Joback Method
vc	0.477	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	262.40	J/mol×K	505.72	Joback Method
cpg	272.95	J/mol×K	538.94	Joback Method
cpg	282.99	J/mol×K	572.17	Joback Method
cpg	292.52	J/mol×K	605.39	Joback Method
cpg	301.56	J/mol×K	638.62	Joback Method

cpg	310.12	J/mol×K	671.84	Joback Method
cpg	318.20	J/mol×K	705.07	Joback Method

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	360.20	K	1.70	NIST Webbook

Sources

Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C760930&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tbrp:	Boiling point at reduced pressure
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/50-445-2/Methacrylic-anhydride.pdf>

Generated by Cheméo on 2026-02-07 06:39:05.01850062 +0000 UTC m=+844036.711569856.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.