

1,2-EPOXYTETRADECANE

Other names:	1,2-Epoxytetradecane dodecyloxirane
Inchi:	InChI=1S/C14H28O/c1-2-3-4-5-6-7-8-9-10-11-12-14-13-15-14/h14H,2-13H2,1H3
InchiKey:	IOHJQSFEAYDZGF-UHFFFAOYSA-N
Formula:	C14H28O
SMILES:	CCCCCCCCCCCCC1CO1
Mol. weight [g/mol]:	212.38

Physical Properties

Property code	Value	Unit	Source
af	0.6816		Cheméo Relay (1.0)
gf	41.63	kJ/mol	Joback Method
hf	-353.61	kJ/mol	Cheméo Relay (1.0)
hfus	38.13	kJ/mol	Joback Method
hvap	80.54	kJ/mol	Cheméo Relay (1.0)
ie	9.83	eV	Cheméo Relay (1.0)
log10ws	-5.77		Cheméo Relay (1.0)
logp	4.696		Crippen Method
mcvol	203.130	ml/mol	McGowan Method
pc	1678.28	kPa	Joback Method
tb	545.57	K	Cheméo Relay (1.0)
tc	721.39	K	Cheméo Relay (1.0)
tf	287.53	K	Cheméo Relay (1.0)
vc	0.818	m3/kmol	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	529.79	J/mol×K	553.41	Joback Method
cpg	548.19	J/mol×K	581.81	Joback Method
cpg	565.75	J/mol×K	610.21	Joback Method
cpg	582.52	J/mol×K	638.60	Joback Method
cpg	598.53	J/mol×K	667.00	Joback Method
cpg	613.80	J/mol×K	695.40	Joback Method

cpg	628.39	J/mol×K	723.80	Joback Method
dvisc	0.0034673	Pa×s	292.05	Joback Method
dvisc	0.0019117	Pa×s	335.61	Joback Method
dvisc	0.0012085	Pa×s	379.17	Joback Method
dvisc	0.0008397	Pa×s	422.73	Joback Method
dvisc	0.0006245	Pa×s	466.29	Joback Method
dvisc	0.0004886	Pa×s	509.85	Joback Method
dvisc	0.0003973	Pa×s	553.41	Joback Method

Sources

McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Cheméo Relay (1.0):	
Cheméo Relay (1.0, beta):	
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C3234284&Units=SI
Joback Method:	https://en.wikipedia.org/wiki/Joback_method

Legend

af:	Acentric Factor
cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/51-352-4/1-2-EPOXYTETRADECANE.pdf>

Generated by Cheméo on 2026-07-22 00:29:00.296646683 +0000 UTC m=+191236.138532058.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.