

1,2-Benzenedicarboxylic acid, butyl octyl ester

Other names:

Phthalic acid, butyl octyl ester
Butyl octyl phthalate
Octyl butyl phthalate
Plasticizer BOP
Plasticizer OBP
PX 914
Staflex BOP
Truflex OBP
1,2-Benzenedicarboxylic acid, 1-butyl 2-octyl ester
BOP
NSC 69894

Inchi:

InChI=1S/C20H30O4/c1-3-5-7-8-9-12-16-24-20(22)18-14-11-10-13-17(18)19(21)23-15-6

InchiKey:

MURWRBWZIMXKGC-UHFFFAOYSA-N

Formula:

C20H30O4

SMILES:

CCCCCCCCOC(=O)c1cccc1C(=O)OCCCC

Mol. weight [g/mol]:

334.45

CAS:

84-78-6

Physical Properties

Property code	Value	Unit	Source
gf	-247.54	kJ/mol	Joback Method
hf	-720.67	kJ/mol	Joback Method
hfus	46.78	kJ/mol	Joback Method
hvap	81.36	kJ/mol	Joback Method
log10ws	-6.14		Crippen Method
logp	5.161		Crippen Method
mcvol	283.780	ml/mol	McGowan Method
pc	1341.76	kPa	Joback Method
rinpol	2317.00		NIST Webbook
rinpol	2317.00		NIST Webbook
rinpol	2317.00		NIST Webbook
tb	841.24	K	Joback Method
tc	1041.25	K	Joback Method
tf	498.42	K	Joback Method
vc	1.095	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	877.72	J/molxK	841.24	Joback Method
cpg	893.85	J/molxK	874.57	Joback Method
cpg	908.85	J/molxK	907.91	Joback Method
cpg	922.75	J/molxK	941.24	Joback Method
cpg	935.56	J/molxK	974.58	Joback Method
cpg	947.32	J/molxK	1007.91	Joback Method
cpg	958.03	J/molxK	1041.25	Joback Method
dvisc	0.0005930	Paxs	498.42	Joback Method
dvisc	0.0003251	Paxs	555.56	Joback Method
dvisc	0.0001994	Paxs	612.69	Joback Method
dvisc	0.0001329	Paxs	669.83	Joback Method
dvisc	0.0000945	Paxs	726.97	Joback Method
dvisc	0.0000705	Paxs	784.10	Joback Method
dvisc	0.0000548	Paxs	841.24	Joback Method

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C84786&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient

mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/52-190-3/1-2-Benzenedicarboxylic-acid-butyl-octyl-ester.pdf>

Generated by Cheméo on 2024-04-17 02:19:24.690039514 +0000 UTC m=+15609613.610616831.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.