

# 1H-Perfluorooctane

Other names:	1,1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8-heptadecafluorooctane octane, 1H-heptadecafluoro-
Inchi:	InChI=1S/C8HF17/c9-1(10)2(11,12)3(13,14)4(15,16)5(17,18)6(19,20)7(21,22)8(23,24)25
InchiKey:	KBHBUUBXEQUIMV-UHFFFAOYSA-N
Formula:	C8HF17
SMILES:	FC(F)C(F)(F)C(F)(F)C(F)(F)C(F)(F)C(F)(F)C(F)(F)C(F)(F)C(F)(F)F
Mol. weight [g/mol]:	420.07
CAS:	335-65-9

## Physical Properties

Property code	Value	Unit	Source
gf	-3277.85	kJ/mol	Joback Method
hf	-3608.85	kJ/mol	Joback Method
hfus	13.41	kJ/mol	Joback Method
hvap	43.40 ± 0.20	kJ/mol	NIST Webbook
log10ws	-6.03		Crippen Method
logp	5.626		Crippen Method
mcvol	153.670	ml/mol	McGowan Method
pc	1467.98	kPa	Joback Method
rinpol	395.00		NIST Webbook
tb	346.98	K	Joback Method
tc	454.35	K	Joback Method
tf	191.89	K	Joback Method
vc	0.707	m3/kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	439.70	J/molxK	454.35	Joback Method
cpg	429.53	J/molxK	436.46	Joback Method
cpg	418.73	J/molxK	418.56	Joback Method
cpg	407.26	J/molxK	400.67	Joback Method
cpg	395.10	J/molxK	382.77	Joback Method
cpg	382.23	J/molxK	364.88	Joback Method

cpg	368.62	J/molxK	346.98	Joback Method
pvap	10.25	kPa	328.00	Densities and Vapor Pressures of Highly Fluorinated Compounds
pvap	8.07	kPa	323.01	Densities and Vapor Pressures of Highly Fluorinated Compounds
pvap	12.83	kPa	332.89	Densities and Vapor Pressures of Highly Fluorinated Compounds
pvap	6.22	kPa	318.06	Densities and Vapor Pressures of Highly Fluorinated Compounds
pvap	4.87	kPa	313.13	Densities and Vapor Pressures of Highly Fluorinated Compounds
pvap	3.72	kPa	308.15	Densities and Vapor Pressures of Highly Fluorinated Compounds
pvap	2.84	kPa	303.19	Densities and Vapor Pressures of Highly Fluorinated Compounds
pvap	2.18	kPa	298.26	Densities and Vapor Pressures of Highly Fluorinated Compounds
pvap	1.60	kPa	293.26	Densities and Vapor Pressures of Highly Fluorinated Compounds
pvap	1.18	kPa	288.35	Densities and Vapor Pressures of Highly Fluorinated Compounds

## Sources

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307I>

<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Solubility of oxygen in substituted perfluorocarbons:</b>	<a href="https://www.doi.org/10.1016/j.fluid.2005.09.011">https://www.doi.org/10.1016/j.fluid.2005.09.011</a>
<b>liquid-liquid equilibrium of substituted perfluoro-n-octane + n-octane systems:</b>	<a href="https://www.doi.org/10.1016/j.fluid.2008.04.011">https://www.doi.org/10.1016/j.fluid.2008.04.011</a>
<b>Densities and Vapor Pressures of Highly Fluorinated Compounds:</b>	<a href="https://www.doi.org/10.1021/je050056e">https://www.doi.org/10.1021/je050056e</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C335659&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C335659&amp;Units=SI</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>pvap:</b>	Vapor pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/52-255-1/1H-Perfluorooctane.pdf>

Generated by Cheméo on 2025-12-05 14:45:59.470476478 +0000 UTC m=+4694157.000517132.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.