

N,N-DIETHYLCARBANILIDE

Other names:	1,3-Diethyl-1,3-difenylmocovina 1,3-diethyl-1,3-diphenylurea 1,3-diethyldiphenylurea Bis(N-ethyl-N-phenyl)urea Bis-(N-ethyl-N-fenyl)mocovina Carbamite Carbanilide, N,N'-diethyl- Centralite Centralite 1 Centralite I N,N'-diethylcarbanilide NSC 44038 USAF EK-1047 Urea, 1,3-diethyl-1,3-diphenyl- Urea, N,N'-diethyl-N,N'-diphenyl- ethyl centralite s-Diethyldiphenylurea sym-Diethyldiphenylurea
Inchi:	InChI=1S/C17H20N2O/c1-3-18(15-11-7-5-8-12-15)17(20)19(4-2)16-13-9-6-10-14-16/h5-
InchiKey:	PZIMIYVOZBTARW-UHFFFAOYSA-N
Formula:	C17H20N2O
SMILES:	CCN(C(=O)N(CC)c1ccccc1)c1ccccc1
Mol. weight [g/mol]:	268.36

Physical Properties

Property code	Value	Unit	Source
chs	-9427.00	kJ/mol	NIST Webbook
chs	-9514.80	kJ/mol	NIST Webbook
chs	-9506.13	kJ/mol	NIST Webbook
chs	-9442.03	kJ/mol	NIST Webbook
hf	-12.60	kJ/mol	Cheméo Relay (1.0)
hfus	33.54	kJ/mol	Measurement and prediction of (solid + liquid) equilibria of gun powder's and propellant's stabilizers mixtures
hvap	99.22	kJ/mol	Cheméo Relay (1.0)
ie	7.82	eV	Cheméo Relay (1.0)

log10ws	-3.63		Cheméo Relay (1.0)
logp	4.159		Crippen Method
mccvol	224.400	ml/mol	McGowan Method
rinpol	1882.00		NIST Webbook
rinpol	1882.00		NIST Webbook
tb	628.51	K	Cheméo Relay (1.0)
tf	345.70	K	Experimental and modeling studies of binary organic eutectic systems to be used as stabilizers for nitrate esters-based energetic materials
tf	345.02	K	DSC measurement and prediction of phase diagrams for binary mixtures of energetic materials' stabilizers

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	624.46	J/mol×K	720.47	Joback Method
cpg	641.56	J/mol×K	757.97	Joback Method
cpg	657.34	J/mol×K	795.48	Joback Method
cpg	671.90	J/mol×K	832.98	Joback Method
cpg	685.33	J/mol×K	870.49	Joback Method
cpg	697.73	J/mol×K	907.99	Joback Method
cpg	709.20	J/mol×K	945.49	Joback Method

Sources

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

Cheméo Relay (1.0, beta):

Measurement and prediction of (solid + liquid) equilibria of gun powder's and propellant's stabilizers mixtures:

<https://www.doi.org/10.1016/j.jct.2010.03.025>

Experimental and modeling studies of binary organic eutectic systems to be used as stabilizers for nitrate esters-based energetic materials: DSC measurement and prediction of phase diagrams for binary mixtures of energetic materials' stabilizers:

<https://www.doi.org/10.1016/j.fluid.2019.06.021>

https://www.chemeo.com/doc/models/crippen_log10ws

<https://www.doi.org/10.1016/j.tca.2013.04.021>

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C85983&Units=SI>

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tf:	Normal melting (fusion) point

Latest version available from:

<https://www.cheméo.com/cid/52-256-0/N-N-DIETHYLCARBANILIDE.pdf>

Generated by Cheméo on 2026-07-21 18:26:50.422516921 +0000 UTC m=+169506.264402316.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.