

# Tetracontane

Other names:	n-Tetracontane
Inchi:	InChI=1S/C40H82/c1-3-5-7-9-11-13-15-17-19-21-23-25-27-29-31-33-35-37-39-40-38-36
InchiKey:	KUPLEGDPSCCPJI-UHFFFAOYSA-N
Formula:	C40H82
SMILES:	CC
Mol. weight [g/mol]:	563.08
CAS:	4181-95-7

## Physical Properties

Property code	Value	Unit	Source
gf	285.92	kJ/mol	Joback Method
hf	-868.93	kJ/mol	Joback Method
hfus	143.94	kJ/mol	Observation of multiple phase transitions in some even n-alkanes using a high resolution and super-sensitive DSC
hvap	203.50 ± 0.20	kJ/mol	NIST Webbook
log10ws	-16.57		Crippen Method
logp	15.850		Crippen Method
mcvol	574.460	ml/mol	McGowan Method
pc	390.88	kPa	Joback Method
tb	1114.60	K	Joback Method
tc	904.00	K	Critical temperatures and pressures of C40, C44, and C60 normal alkanes measured by the pulse-heating technique
tf	353.70 ± 4.00	K	NIST Webbook
tf	354.50 ± 1.00	K	NIST Webbook
tf	354.50 ± 1.50	K	NIST Webbook
tf	353.90 ± 1.50	K	NIST Webbook
tf	353.50 ± 4.00	K	NIST Webbook
tf	354.55 ± 0.30	K	NIST Webbook
tf	354.00 ± 3.00	K	NIST Webbook
vc	2.276	m3/kmol	Joback Method

# Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	2176.15	J/molxK	1114.60	Joback Method
cpg	2363.61	J/molxK	1428.91	Joback Method
cpg	2331.42	J/molxK	1366.05	Joback Method
cpg	2394.55	J/molxK	1491.78	Joback Method
cpg	2297.26	J/molxK	1303.19	Joback Method
cpg	2260.46	J/molxK	1240.33	Joback Method
cpg	2220.32	J/molxK	1177.46	Joback Method
dvisc	0.0000177	Paxs	827.58	Joback Method
dvisc	0.0000106	Paxs	923.25	Joback Method
dvisc	0.0000070	Paxs	1018.93	Joback Method
dvisc	0.0000050	Paxs	1114.60	Joback Method
dvisc	0.0002420	Paxs	540.56	Joback Method
dvisc	0.0000778	Paxs	636.23	Joback Method
dvisc	0.0000337	Paxs	731.91	Joback Method
hfust	143.94	kJ/mol	354.60	NIST Webbook
hfust	133.44	kJ/mol	353.20	NIST Webbook
hfust	14.02	kJ/mol	345.40	NIST Webbook
hfust	133.44	kJ/mol	353.20	NIST Webbook
hvapt	203.50	kJ/mol	298.15	Hypothetical Thermodynamic Properties: Vapor Pressures and Vaporization Enthalpies of the Even n-Alkanes from C40 to C76 at T = 298.15 K by Correlation-Gas Chromatography. Are the Vaporization Enthalpies a Linear Function of Carbon Number?
hvapt	132.20	kJ/mol	677.50	NIST Webbook
sfust	377.82	J/molxK	353.20	NIST Webbook
sfust	40.58	J/molxK	345.40	NIST Webbook

tdiff	6.73e-08	m2/s	448.57	Thermal and Mutual Diffusivity of Binary Mixtures of n-Dodecane and n-Tetracontane with Carbon Monoxide, Hydrogen, and Water from Dynamic Light Scattering (DLS)
tdiff	6.57e-08	m2/s	448.09	Thermal and Mutual Diffusivity of Binary Mixtures of n-Dodecane and n-Tetracontane with Carbon Monoxide, Hydrogen, and Water from Dynamic Light Scattering (DLS)
tdiff	6.86e-08	m2/s	473.26	Thermal and Mutual Diffusivity of Binary Mixtures of n-Dodecane and n-Tetracontane with Carbon Monoxide, Hydrogen, and Water from Dynamic Light Scattering (DLS)

## Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.43328e+01
Coeff. B	-5.51646e+03
Coeff. C	-2.33050e+02
Temperature range (K), min.	625.81
Temperature range (K), max.	844.54

## Sources

Hypothetical Thermodynamic Properties: Vapor Pressures and Vaporization Enthalpies of the Even transitions in some even  $n$ -alkanes determined by the group contribution and the group-contribution DSC (Crippen) method. We the Vaporization Enthalpies a Linear Function of Carbon Number?

Phase behaviour in the vicinity of the three-phase solid liquid vapour line in binary and ternary systems of high boiling mixtures of  $n$ -Dodecane and  $n$ -Tetradecane with Carbon Monoxide, Hydrogen, and Water from Dynamic Critical temperatures and pressures of  $C_{40}$ ,  $C_{44}$ , and  $C_{60}$  normal alkanes measured by the pulse-heating technique.

Crippen Method:

<https://www.doi.org/10.1016/j.fluid.2004.10.021>

**High pressure solid solid and solid liquid transition data for long chain alkanes:  
Experimental solubility data of various n-alkane waxes: effects of alkane chain length, alkane odd versus even carbon number structures, and solvent chemistry on solubility:**

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hfust:</b>	Enthalpy of fusion at a given temperature
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>hvapt:</b>	Enthalpy of vaporization at a given temperature
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>pvap:</b>	Vapor pressure
<b>sfust:</b>	Entropy of fusion at a given temperature
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tdiff:</b>	Thermal diffusivity
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/52-399-2/Tetracontane.pdf>

Generated by Cheméo on 2024-04-23 21:19:32.765851789 +0000 UTC m=+16196421.686429110.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.