

1,4-Benzenedicarboxylic acid, dimethyl ester

Other names:	1,4-Benzenedicarboxylic acid dimethyl ester 1,4-Benzenedicarboxylic acid, 1,4-dimethyl ester DIMETHYL 1,4-BENZENEDICARBOXYLATE DIMETHYL P-PHTHALATE DMT Dimethyl ester of 1,4-benzenedicarboxylic acid Dimethyl p-benzenedicarboxylate Dimethyl terephthalate Dimethyl terphthalate Dimethylester kyseliny isoftalove Dimethylester kyseliny tereftalove METHYL 4-(CARBOMETHOXY)BENZOATE Methyl p-(methoxycarbonyl)benzoate NCI-C50055 NSC 3503 Terephthalate, dimethyl Terephthalic acid, dimethyl ester dimethyl benzene-1,4-dicarboxylate
Inchi:	InChI=1S/C10H10O4/c1-13-9(11)7-3-5-8(6-4-7)10(12)14-2/h3-6H,1-2H3
InchiKey:	WOZVHXUHUFLZGK-UHFFFAOYSA-N
Formula:	C10H10O4
SMILES:	<chem>COC(=O)c1ccc(C(=O)OC)cc1</chem>
Mol. weight [g/mol]:	194.18
CAS:	120-61-6

Physical Properties

Property code	Value	Unit	Source
affp	843.20	kJ/mol	NIST Webbook
basg	812.30	kJ/mol	NIST Webbook
chs	-4631.66 ± 0.88	kJ/mol	NIST Webbook
ea	0.82 ± 0.09	eV	NIST Webbook
ea	0.82 ± 0.09	eV	NIST Webbook
ea	0.64	eV	NIST Webbook
gf	-331.74	kJ/mol	Joback Method
hf	-514.27	kJ/mol	Joback Method
hfs	-732.60 ± 1.00	kJ/mol	NIST Webbook
hfs	-710.00	kJ/mol	NIST Webbook

h _{fus}	33.01	kJ/mol	Thermal analysis of phase change materials in the temperature range 120.150 .C
h _{sub}	104.60 ± 0.30	kJ/mol	NIST Webbook
h _{sub}	104.60 ± 0.30	kJ/mol	NIST Webbook
h _{vap}	59.10	kJ/mol	Joback Method
ie	9.78 ± 0.03	eV	NIST Webbook
log ₁₀ ws	-3.72		Aqueous Solubility Prediction Method
log _p	1.260		Crippen Method
m _{cvol}	142.880	ml/mol	McGowan Method
pc	3191.93	kPa	Joback Method
r _{inpol}	1468.00		NIST Webbook
r _{inpol}	1492.00		NIST Webbook
r _{inpol}	1468.00		NIST Webbook
r _{inpol}	1480.00		NIST Webbook
r _{inpol}	1469.00		NIST Webbook
r _{inpol}	1512.00		NIST Webbook
r _{inpol}	1470.00		NIST Webbook
r _{inpol}	1473.00		NIST Webbook
r _{inpol}	1475.00		NIST Webbook
r _{inpol}	1475.00		NIST Webbook
r _{inpol}	1475.00		NIST Webbook
r _{inpol}	1469.00		NIST Webbook
r _{inpol}	1512.00		NIST Webbook
r _{inpol}	1461.00		NIST Webbook
r _{inpol}	1475.00		NIST Webbook
t _b	612.44	K	Joback Method
t _c	831.50	K	Joback Method
t _f	414.40	K	Aqueous Solubility Prediction Method
t _f	415.20 ± 0.20	K	NIST Webbook
t _f	413.80 ± 0.01	K	NIST Webbook
t _f	413.00 ± 1.50	K	NIST Webbook
t _f	413.00 ± 4.00	K	NIST Webbook
t _f	413.80 ± 0.20	K	NIST Webbook
t _t	413.88	K	Solubility and Thermodynamic Modeling of Dimethyl Terephthalate in Pure Solvents and the Evaluation of the Mixing Properties of the Solutions
vc	0.535	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	391.31	J/molxK	794.99	Joback Method
cpg	372.43	J/molxK	721.97	Joback Method
cpg	382.23	J/molxK	758.48	Joback Method
cpg	399.66	J/molxK	831.50	Joback Method
cpg	338.80	J/molxK	612.44	Joback Method
cpg	350.71	J/molxK	648.95	Joback Method
cpg	361.93	J/molxK	685.46	Joback Method
cps	276.10	J/molxK	353.00	NIST Webbook
cps	261.10	J/molxK	298.15	NIST Webbook
dvisc	0.0001824	Paxs	612.44	Joback Method
dvisc	0.0003788	Paxs	499.08	Joback Method
dvisc	0.0002869	Paxs	536.87	Joback Method
dvisc	0.0002254	Paxs	574.65	Joback Method
dvisc	0.0012091	Paxs	385.72	Joback Method
dvisc	0.0007664	Paxs	423.51	Joback Method
dvisc	0.0005235	Paxs	461.29	Joback Method
hfust	32.09	kJ/mol	413.80	NIST Webbook
hfust	31.63	kJ/mol	413.79	NIST Webbook
hfust	32.10	kJ/mol	413.80	NIST Webbook
hfust	32.00	kJ/mol	415.40	NIST Webbook
hsubt	88.30	kJ/mol	393.00	NIST Webbook
hsubt	103.80 ± 0.30	kJ/mol	320.50	NIST Webbook
hsubt	94.40	kJ/mol	393.00	NIST Webbook
hvapt	62.00	kJ/mol	468.00	NIST Webbook
sfust	77.60	J/molxK	413.80	NIST Webbook
sfust	76.44	J/molxK	413.79	NIST Webbook
sfust	77.00	J/molxK	415.40	NIST Webbook

Correlations

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/(T + C)$
Coeff. A	1.50856e+01
Coeff. B	-4.51226e+03
Coeff. C	-1.26067e+02

Temperature range (K), min.	430.99
Temperature range (K), max.	587.72

Information	Value
Property code	pvap
Equation	$\ln(P_{vp}) = A + B/T + C \cdot \ln(T) + D \cdot T^2$
Coeff. A	5.91810e+01
Coeff. B	-9.27175e+03
Coeff. C	-6.14065e+00
Coeff. D	2.66169e-06
Temperature range (K), min.	403.80
Temperature range (K), max.	772.00

Sources

KDB Vapor Pressure Data: <https://www.thermo.com/research/kdb/hcprop/showprop.php?cmpid=1148>

Solubility and Thermodynamic Modeling of Dimethyl Terephthalate in <https://www.doi.org/10.1021/acs.jced.9b00658>

KDB: Solvents and the Evaluation of the <https://www.thermo.com/files/research/kdb/mol/mol1148.mol>

Mixing Properties of the Solutions: McGowan Method: <http://link.springer.com/article/10.1007/BF02311772>

The Yaws Handbook of Vapor Pressure: <https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>

Aqueous Solubility Prediction Method: <http://onschallenge.wikispaces.com/file/view/AqueousDataset002.xlsx/351826032/AqueousDataset002.xlsx>

Crippen Method: <http://pubs.acs.org/doi/abs/10.1021/ci990307i>

Thermal analysis of phase change materials in the temperature range <https://www.doi.org/10.1016/j.tca.2010.11.011>

NIST Webbook: <http://webbook.nist.gov/cgi/cbook.cgi?ID=C120616&Units=SI>

Joback Method: https://en.wikipedia.org/wiki/Joback_method

Legend

affp:	Proton affinity
basg:	Gas basicity
chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
cps:	Solid phase heat capacity
dvisc:	Dynamic viscosity
ea:	Electron affinity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions

hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsub:	Enthalpy of sublimation at standard conditions
hsubt:	Enthalpy of sublimation at a given temperature
hvac:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rinpola:	Non-polar retention indices
sfust:	Entropy of fusion at a given temperature
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
tt:	Triple Point Temperature
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/52-987-9/1-4-Benzenedicarboxylic-acid-dimethyl-ester.pdf>

Generated by Cheméo on 2024-04-24 05:48:25.222840501 +0000 UTC m=+16226954.143417813.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.