

# 1,2-Ethanediamine, N-methyl-

Other names:	2-(Methylamino)ethylamine 2-Aminoethylmethylamine Ethylenediamine, N-methyl- N-Methyldiaminoethane N-Methylethanediamine N-Methylethylenediamine
Inchi:	InChI=1S/C3H10N2/c1-5-3-2-4/h5H,2-4H2,1H3
InchiKey:	KFIGICHILYTCJF-UHFFFAOYSA-N
Formula:	C3H10N2
SMILES:	CNCCN
Mol. weight [g/mol]:	74.12
CAS:	109-81-9

## Physical Properties

Property code	Value	Unit	Source
gf	130.22	kJ/mol	Joback Method
hf	-17.99	kJ/mol	Joback Method
hfus	13.82	kJ/mol	Joback Method
hvap	39.35	kJ/mol	Joback Method
log10ws	0.30		Crippen Method
logp	-0.835		Crippen Method
mcvol	73.090	ml/mol	McGowan Method
pc	4849.43	kPa	Joback Method
tb	388.20	K	NIST Webbook
tc	579.02	K	Joback Method
tf	259.49	K	Joback Method
vc	0.268	m3/kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	139.67	J/molxK	390.74	Joback Method
cpg	147.88	J/molxK	422.12	Joback Method
cpg	155.75	J/molxK	453.50	Joback Method

cpg	163.29	J/molxK	484.88	Joback Method
cpg	170.50	J/molxK	516.26	Joback Method
cpg	177.40	J/molxK	547.64	Joback Method
cpg	183.99	J/molxK	579.02	Joback Method
pvap	0.54	kPa	281.30	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.32	kPa	274.30	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.34	kPa	275.40	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.41	kPa	278.00	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.45	kPa	278.60	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.47	kPa	279.40	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.49	kPa	280.20	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.27	kPa	272.20	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study

pvap	0.59	kPa	282.30	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.61	kPa	283.10	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.66	kPa	284.10	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.70	kPa	284.90	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.77	kPa	286.30	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.86	kPa	287.80	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	0.94	kPa	289.30	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	1.03	kPa	290.60	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	1.18	kPa	292.20	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study

pvap	1.39	kPa	294.60	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	1.54	kPa	296.20	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	1.76	kPa	298.10	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	2.02	kPa	300.20	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study
pvap	2.28	kPa	302.20	Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study

## Sources

NIST Webbook:	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C109819&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C109819&amp;Units=SI</a>
Crippen Method:	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
Crippen Method:	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
Thermodynamic Properties of N-Methyl-Substituted Ethane-1,2-diamines: Experimental and Computational Study:	<a href="https://www.doi.org/10.1021/acs.jced.5b01003">https://www.doi.org/10.1021/acs.jced.5b01003</a>
Joback Method:	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
McGowan Method:	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>

## Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation

<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvac:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>pvap:</b>	Vapor pressure
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/53-953-5/1-2-Ethanediamine-N-methyl.pdf>

Generated by Cheméo on 2024-04-09 13:24:16.115522114 +0000 UTC m=+14958305.036099427.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.