

2,3-Dimethyl-2,3-bis(4-tert-butylphenyl)butane

Inchi:	InChI=1S/C26H38/c1-23(2,3)19-11-15-21(16-12-19)25(7,8)26(9,10)22-17-13-20(14-18-2
InchiKey:	VKUOFKIWVLOZFE-UHFFFAOYSA-N
Formula:	C26H38
SMILES:	CC(C)(C)c1ccc(C(C)(C)C(C)(C)c2ccc(C(C)(C)C)cc2)cc1
Mol. weight [g/mol]:	350.58
CAS:	5171-91-5

Physical Properties

Property code	Value	Unit	Source
chs	-15360.70 ± 2.70	kJ/mol	NIST Webbook
gf	384.96	kJ/mol	Joback Method
hf	-139.00 ± 3.00	kJ/mol	NIST Webbook
hfs	-301.30 ± 2.70	kJ/mol	NIST Webbook
hfus	20.74	kJ/mol	Joback Method
hsub	162.30	kJ/mol	NIST Webbook
hvap	74.16	kJ/mol	Joback Method
log10ws	-7.54		Crippen Method
logp	7.537		Crippen Method
mcvol	329.680	ml/mol	McGowan Method
pc	1106.68	kPa	Joback Method
tb	844.68	K	Joback Method
tc	1082.95	K	Joback Method
tf	470.34	K	Joback Method
vc	1.232	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	1159.34	J/molxK	1082.95	Joback Method
cpg	1142.44	J/molxK	1043.24	Joback Method
cpg	1125.01	J/molxK	1003.53	Joback Method
cpg	1106.83	J/molxK	963.81	Joback Method
cpg	1087.67	J/molxK	924.10	Joback Method
cpg	1067.32	J/molxK	884.39	Joback Method

cpg	1045.55	J/mol×K	844.68	Joback Method
cps	529.50	J/mol×K	298.00	NIST Webbook
dvisc	0.0000183	Paxs	844.68	Joback Method
dvisc	0.0000259	Paxs	782.29	Joback Method
dvisc	0.0000389	Paxs	719.90	Joback Method
dvisc	0.0000633	Paxs	657.51	Joback Method
dvisc	0.0001139	Paxs	595.12	Joback Method
dvisc	0.0002352	Paxs	532.73	Joback Method
dvisc	0.0005888	Paxs	470.34	Joback Method
hfust	43.93	kJ/mol	493.00	NIST Webbook

Sources

Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C5171915&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
cps:	Solid phase heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsub:	Enthalpy of sublimation at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature

tf: Normal melting (fusion) point

vc: Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/54-281-0/2-3-Dimethyl-2-3-bis-4-tert-butylphenyl-butane.pdf>

Generated by Cheméo on 2024-04-24 22:13:39.938783722 +0000 UTC m=+16286068.859361037.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.