

Methacrylic acid, 2,4,5-trichlorophenyl ester

Inchi:	InChI=1S/C10H7Cl3O2/c1-5(2)10(14)15-9-4-7(12)6(11)3-8(9)13/h3-4H,1H2,2H3
InchiKey:	LADVVLNKOIYKBB-UHFFFAOYSA-N
Formula:	C10H7Cl3O2
SMILES:	C=C(C)C(=O)Oc1cc(Cl)c(Cl)cc1Cl
Mol. weight [g/mol]:	265.52

Physical Properties

Property code	Value	Unit	Source
gf	-73.58	kJ/mol	Joback Method
hf	-223.99	kJ/mol	Joback Method
hfus	27.32	kJ/mol	Joback Method
hvap	63.84	kJ/mol	Joback Method
log10ws	-4.53		Crippen Method
logp	4.128		Crippen Method
mcvol	167.860	ml/mol	McGowan Method
pc	2741.15	kPa	Joback Method
rinsol	1702.00		NIST Webbook
tb	654.96	K	Joback Method
tc	890.74	K	Joback Method
tf	412.64	K	Joback Method
vc	0.640	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	348.05	J/mol×K	654.96	Joback Method
cpg	357.77	J/mol×K	694.26	Joback Method
cpg	366.80	J/mol×K	733.55	Joback Method
cpg	375.17	J/mol×K	772.85	Joback Method
cpg	382.87	J/mol×K	812.15	Joback Method
cpg	389.94	J/mol×K	851.45	Joback Method
cpg	396.39	J/mol×K	890.74	Joback Method

Sources

NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=U360693&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci9903071
Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772

Legend

cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mccvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/54-866-1/Methacrylic-acid-2-4-5-trichlorophenyl-ester.pdf>

Generated by Cheméo on 2024-04-29 06:13:40.634640787 +0000 UTC m=+16660469.555218108.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.