

Naphthalene, 1,2,4a,5,6,8a-hexahydro-4,7-dimethyl-1-(1-methylethyl)-

Other names:

1,2,4a,5,6,8a-hexahydro-4,7-dimethyl-1-(1-methylethyl)-naphthalene

1,2,4a,5,6,8a-hexahydro-1-isopropyl-4,7-dimethylnaphthalene

Inchi: InChI=1S/C15H24/c1-10(2)13-8-6-12(4)14-7-5-11(3)9-15(13)14/h6,9-10,13-15H,5,7-8H2

InchiKey: QMAYBMKBYCGXDH-UHFFFAOYSA-N

Formula: C15H24

SMILES: CC1=CC2C(CC1)C(C)=CCC2C(C)C

Mol. weight [g/mol]: 204.35

CAS: 483-75-0

Physical Properties

| Property code | Value | Unit | Source |
|---------------|---------|--------|----------------|
| gf | 179.03 | kJ/mol | Joback Method |
| hf | -164.97 | kJ/mol | Joback Method |
| hfus | 21.69 | kJ/mol | Joback Method |
| hvap | 50.71 | kJ/mol | Joback Method |
| log10ws | -4.63 | | Crippen Method |
| logp | 4.581 | | Crippen Method |
| mvol | 191.890 | ml/mol | McGowan Method |
| pc | 1921.98 | kPa | Joback Method |
| rinpol | 1488.00 | | NIST Webbook |
| rinpol | 1465.00 | | NIST Webbook |
| rinpol | 1466.00 | | NIST Webbook |
| rinpol | 1474.00 | | NIST Webbook |
| rinpol | 1469.00 | | NIST Webbook |
| rinpol | 1505.00 | | NIST Webbook |
| rinpol | 1508.00 | | NIST Webbook |
| rinpol | 1518.00 | | NIST Webbook |
| rinpol | 1478.00 | | NIST Webbook |
| rinpol | 1499.00 | | NIST Webbook |
| rinpol | 1482.00 | | NIST Webbook |
| rinpol | 1440.00 | | NIST Webbook |
| rinpol | 1485.00 | | NIST Webbook |
| rinpol | 1482.00 | | NIST Webbook |
| rinpol | 1495.00 | | NIST Webbook |
| rinpol | 1477.00 | | NIST Webbook |
| rinpol | 1519.00 | | NIST Webbook |
| rinpol | 1507.00 | | NIST Webbook |

| | | | |
|--------|---------|----------------------|---------------|
| rinpol | 1484.00 | | NIST Webbook |
| rinpol | 1511.00 | | NIST Webbook |
| rinpol | 1508.00 | | NIST Webbook |
| rinpol | 1485.00 | | NIST Webbook |
| rinpol | 1485.00 | | NIST Webbook |
| rinpol | 1485.00 | | NIST Webbook |
| rinpol | 1469.00 | | NIST Webbook |
| rinpol | 1499.00 | | NIST Webbook |
| rinpol | 1495.00 | | NIST Webbook |
| rinpol | 1511.00 | | NIST Webbook |
| rinpol | 1490.00 | | NIST Webbook |
| rinpol | 1452.00 | | NIST Webbook |
| rinpol | 1485.00 | | NIST Webbook |
| rinpol | 1475.00 | | NIST Webbook |
| rinpol | 1484.00 | | NIST Webbook |
| ripol | 1719.00 | | NIST Webbook |
| ripol | 1751.00 | | NIST Webbook |
| ripol | 1719.00 | | NIST Webbook |
| ripol | 1679.00 | | NIST Webbook |
| tb | 576.33 | K | Joback Method |
| tc | 791.72 | K | Joback Method |
| tf | 287.93 | K | Joback Method |
| vc | 0.723 | m ³ /kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|---------------|
| cpg | 503.29 | J/molxK | 576.33 | Joback Method |
| cpg | 526.08 | J/molxK | 612.23 | Joback Method |
| cpg | 547.54 | J/molxK | 648.13 | Joback Method |
| cpg | 567.74 | J/molxK | 684.03 | Joback Method |
| cpg | 586.71 | J/molxK | 719.93 | Joback Method |
| cpg | 604.51 | J/molxK | 755.83 | Joback Method |
| cpg | 621.19 | J/molxK | 791.72 | Joback Method |
| dvisc | 0.0020754 | Paxs | 287.93 | Joback Method |
| dvisc | 0.0012375 | Paxs | 336.00 | Joback Method |
| dvisc | 0.0008398 | Paxs | 384.06 | Joback Method |
| dvisc | 0.0006213 | Paxs | 432.13 | Joback Method |
| dvisc | 0.0004882 | Paxs | 480.20 | Joback Method |
| dvisc | 0.0004008 | Paxs | 528.26 | Joback Method |
| dvisc | 0.0003401 | Paxs | 576.33 | Joback Method |

Sources

| | |
|------------------------|---|
| McGowan Method: | http://link.springer.com/article/10.1007/BF02311772 |
| NIST Webbook: | http://webbook.nist.gov/cgi/cbook.cgi?ID=C483750&Units=SI |
| Crippen Method: | http://pubs.acs.org/doi/abs/10.1021/ci990307l |
| Crippen Method: | https://www.cheméo.com/doc/models/crippen_log10ws |
| Joback Method: | https://en.wikipedia.org/wiki/Joback_method |

Legend

| | |
|-----------------|---|
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.cheméo.com/cid/54-973-2/Naphthalene-1-2-4a-5-6-8a-hexahydro-4-7-dimethyl-1-1-methylethyl.pdf>

Generated by Cheméo on 2024-04-17 02:29:09.765589899 +0000 UTC m=+15610198.686167214.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.