

# Nonanoic acid, 2-phenylethyl ester

|                      |                                                                                   |
|----------------------|-----------------------------------------------------------------------------------|
| Other names:         | Phenylethyl n-nonanoate<br>phenethyl nonanoate                                    |
| Inchi:               | InChI=1S/C17H26O2/c1-2-3-4-5-6-10-13-17(18)19-15-14-16-11-8-7-9-12-16/h7-9,11-12H |
| InchiKey:            | AFBMLGHBGGLHOF-UHFFFAOYSA-N                                                       |
| Formula:             | C17H26O2                                                                          |
| SMILES:              | CCCCCCCCC(=O)OCCc1ccccc1                                                          |
| Mol. weight [g/mol]: | 262.39                                                                            |
| CAS:                 | 57943-67-6                                                                        |

## Physical Properties

| Property code | Value   | Unit    | Source         |
|---------------|---------|---------|----------------|
| gf            | -29.25  | kJ/mol  | Joback Method  |
| hf            | -402.48 | kJ/mol  | Joback Method  |
| hfus          | 36.61   | kJ/mol  | Joback Method  |
| hvap          | 64.87   | kJ/mol  | Joback Method  |
| log10ws       | -4.90   |         | Crippen Method |
| logp          | 4.523   |         | Crippen Method |
| mcvol         | 234.070 | ml/mol  | McGowan Method |
| pc            | 1635.13 | kPa     | Joback Method  |
| rinpol        | 1956.80 |         | NIST Webbook   |
| rinpol        | 1921.00 |         | NIST Webbook   |
| rinpol        | 1954.40 |         | NIST Webbook   |
| ripol         | 2439.00 |         | NIST Webbook   |
| tb            | 691.33  | K       | Joback Method  |
| tc            | 884.75  | K       | Joback Method  |
| tf            | 379.93  | K       | Joback Method  |
| vc            | 0.903   | m3/kmol | Joback Method  |

## Temperature Dependent Properties

| Property code | Value  | Unit    | Temperature [K] | Source        |
|---------------|--------|---------|-----------------|---------------|
| cpg           | 654.86 | J/mol×K | 691.33          | Joback Method |
| cpg           | 732.85 | J/mol×K | 852.51          | Joback Method |
| cpg           | 719.09 | J/mol×K | 820.27          | Joback Method |

|       |           |         |        |               |
|-------|-----------|---------|--------|---------------|
| cpg   | 704.44    | J/mol×K | 788.04 | Joback Method |
| cpg   | 688.87    | J/mol×K | 755.80 | Joback Method |
| cpg   | 672.36    | J/mol×K | 723.57 | Joback Method |
| cpg   | 745.76    | J/mol×K | 884.75 | Joback Method |
| dvisc | 0.0001083 | Pa×s    | 691.33 | Joback Method |
| dvisc | 0.0001421 | Pa×s    | 639.43 | Joback Method |
| dvisc | 0.0001956 | Pa×s    | 587.53 | Joback Method |
| dvisc | 0.0002864 | Pa×s    | 535.63 | Joback Method |
| dvisc | 0.0004552 | Pa×s    | 483.73 | Joback Method |
| dvisc | 0.0008086 | Pa×s    | 431.83 | Joback Method |
| dvisc | 0.0016807 | Pa×s    | 379.93 | Joback Method |

## Sources

|                        |                                                                                                                                               |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <b>NIST Webbook:</b>   | <a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C57943676&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C57943676&amp;Units=SI</a> |
| <b>Crippen Method:</b> | <a href="http://pubs.acs.org/doi/abs/10.1021/ci990307l">http://pubs.acs.org/doi/abs/10.1021/ci990307l</a>                                     |
| <b>Crippen Method:</b> | <a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>                             |
| <b>Joback Method:</b>  | <a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>                                         |
| <b>McGowan Method:</b> | <a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>                         |

## Legend

|                 |                                                 |
|-----------------|-------------------------------------------------|
| <b>cpg:</b>     | Ideal gas heat capacity                         |
| <b>dvisc:</b>   | Dynamic viscosity                               |
| <b>gf:</b>      | Standard Gibbs free energy of formation         |
| <b>hf:</b>      | Enthalpy of formation at standard conditions    |
| <b>hfus:</b>    | Enthalpy of fusion at standard conditions       |
| <b>hvap:</b>    | Enthalpy of vaporization at standard conditions |
| <b>log10ws:</b> | Log10 of Water solubility in mol/l              |
| <b>logp:</b>    | Octanol/Water partition coefficient             |
| <b>mcvol:</b>   | McGowan's characteristic volume                 |
| <b>pc:</b>      | Critical Pressure                               |
| <b>rinpol:</b>  | Non-polar retention indices                     |
| <b>ripol:</b>   | Polar retention indices                         |
| <b>tb:</b>      | Normal Boiling Point Temperature                |
| <b>tc:</b>      | Critical Temperature                            |
| <b>tf:</b>      | Normal melting (fusion) point                   |
| <b>vc:</b>      | Critical Volume                                 |

Latest version available from:

<https://www.chemeo.com/cid/55-698-7/Nonanoic-acid-2-phenylethyl-ester.pdf>

Generated by Cheméo on 2025-12-05 20:48:32.670475321 +0000 UTC m=+4715910.200515986.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.