

Butanoic acid, 3-methylbutyl ester

| | |
|----------------------|--|
| Other names: | 3-Methyl-1-butyl butanoate 3-Methylbutyl butanoate 3-Methylbutyl butyrate 3-Methylbutyl n-butyrate Butyric acid, isopentyl ester Isoamyl butanoate Isoamyl butylate Isoamyl butyrate Isoamyl-n-butyrate Isopentyl alcohol, butyrate Isopentyl butanoate Isopentyl butyrate Isopentyl-n-butyrate UN 2620 |
| Inchi: | InChI=1S/C9H18O2/c1-4-5-9(10)11-7-6-8(2)3/h8H,4-7H2,1-3H3 |
| InchiKey: | PQLMXFQTAMDXIZ-UHFFFAOYSA-N |
| Formula: | C9H18O2 |
| SMILES: | CCCC(=O)OCCC(C)C |
| Mol. weight [g/mol]: | 158.24 |
| CAS: | 106-27-4 |

Physical Properties

| Property code | Value | Unit | Source |
|---------------|----------|--------|----------------|
| chl | -5491.10 | kJ/mol | NIST Webbook |
| gf | -211.46 | kJ/mol | Joback Method |
| hf | -479.17 | kJ/mol | Joback Method |
| hfus | 18.33 | kJ/mol | Joback Method |
| hvap | 44.40 | kJ/mol | Joback Method |
| log10ws | -2.21 | | Crippen Method |
| logp | 2.376 | | Crippen Method |
| mcvol | 145.110 | ml/mol | McGowan Method |
| pc | 2431.44 | kPa | Joback Method |
| rinpol | 1002.00 | | NIST Webbook |
| rinpol | 1007.00 | | NIST Webbook |
| rinpol | 1039.00 | | NIST Webbook |
| rinpol | 1002.00 | | NIST Webbook |
| rinpol | 1041.00 | | NIST Webbook |

| | | |
|--------|---------|--------------|
| rinpol | 1039.00 | NIST Webbook |
| rinpol | 1045.00 | NIST Webbook |
| rinpol | 1020.00 | NIST Webbook |
| rinpol | 1029.00 | NIST Webbook |
| rinpol | 1054.00 | NIST Webbook |
| rinpol | 1064.00 | NIST Webbook |
| rinpol | 1060.00 | NIST Webbook |
| rinpol | 1068.00 | NIST Webbook |
| rinpol | 1086.00 | NIST Webbook |
| rinpol | 1041.00 | NIST Webbook |
| rinpol | 1041.00 | NIST Webbook |
| rinpol | 1056.00 | NIST Webbook |
| rinpol | 1061.00 | NIST Webbook |
| rinpol | 1061.00 | NIST Webbook |
| rinpol | 1056.00 | NIST Webbook |
| rinpol | 1060.00 | NIST Webbook |
| rinpol | 1068.00 | NIST Webbook |
| rinpol | 1058.00 | NIST Webbook |
| rinpol | 1058.00 | NIST Webbook |
| rinpol | 1042.00 | NIST Webbook |
| rinpol | 1056.00 | NIST Webbook |
| rinpol | 1056.00 | NIST Webbook |
| rinpol | 1060.00 | NIST Webbook |
| rinpol | 1068.00 | NIST Webbook |
| rinpol | 1056.00 | NIST Webbook |
| rinpol | 1039.00 | NIST Webbook |
| rinpol | 1062.00 | NIST Webbook |
| rinpol | 1060.00 | NIST Webbook |
| rinpol | 1008.00 | NIST Webbook |
| rinpol | 1060.00 | NIST Webbook |
| rinpol | 1013.00 | NIST Webbook |
| rinpol | 1042.00 | NIST Webbook |
| rinpol | 1038.00 | NIST Webbook |
| rinpol | 1039.00 | NIST Webbook |
| rinpol | 1042.00 | NIST Webbook |
| rinpol | 1040.00 | NIST Webbook |
| rinpol | 1054.00 | NIST Webbook |
| rinpol | 1060.00 | NIST Webbook |
| rinpol | 1056.00 | NIST Webbook |
| rinpol | 1056.00 | NIST Webbook |
| rinpol | 1029.00 | NIST Webbook |
| rinpol | 1058.00 | NIST Webbook |
| rinpol | 1060.00 | NIST Webbook |
| rinpol | 1046.00 | NIST Webbook |

| | | |
|--------|---------|--------------|
| rinpol | 1042.00 | NIST Webbook |
| rinpol | 1055.50 | NIST Webbook |
| rinpol | 1060.00 | NIST Webbook |
| rinpol | 1068.00 | NIST Webbook |
| rinpol | 1056.00 | NIST Webbook |
| rinpol | 1062.00 | NIST Webbook |
| rinpol | 1042.00 | NIST Webbook |
| rinpol | 1039.40 | NIST Webbook |
| rinpol | 1039.00 | NIST Webbook |
| rinpol | 1054.00 | NIST Webbook |
| rinpol | 1039.00 | NIST Webbook |
| rinpol | 1045.00 | NIST Webbook |
| rinpol | 1058.00 | NIST Webbook |
| rinpol | 1060.00 | NIST Webbook |
| rinpol | 1029.00 | NIST Webbook |
| rinpol | 1016.00 | NIST Webbook |
| rinpol | 1006.00 | NIST Webbook |
| rinpol | 1039.00 | NIST Webbook |
| rinpol | 1039.40 | NIST Webbook |
| rinpol | 1041.00 | NIST Webbook |
| rinpol | 1059.00 | NIST Webbook |
| rinpol | 1044.00 | NIST Webbook |
| ripol | 1255.00 | NIST Webbook |
| ripol | 1250.00 | NIST Webbook |
| ripol | 1259.00 | NIST Webbook |
| ripol | 1259.00 | NIST Webbook |
| ripol | 1258.00 | NIST Webbook |
| ripol | 1257.00 | NIST Webbook |
| ripol | 1287.00 | NIST Webbook |
| ripol | 1263.00 | NIST Webbook |
| ripol | 1262.00 | NIST Webbook |
| ripol | 1236.00 | NIST Webbook |
| ripol | 1289.00 | NIST Webbook |
| ripol | 1259.00 | NIST Webbook |
| ripol | 1254.00 | NIST Webbook |
| ripol | 1255.00 | NIST Webbook |
| ripol | 1255.00 | NIST Webbook |
| ripol | 1270.00 | NIST Webbook |
| ripol | 1259.00 | NIST Webbook |
| ripol | 1266.00 | NIST Webbook |
| ripol | 1256.00 | NIST Webbook |
| ripol | 1266.00 | NIST Webbook |
| ripol | 1266.00 | NIST Webbook |
| ripol | 1283.00 | NIST Webbook |

| | | | |
|-------|---------------|---------|---------------|
| ripol | 1255.00 | | NIST Webbook |
| ripol | 1267.00 | | NIST Webbook |
| tb | 451.70 ± 0.50 | K | NIST Webbook |
| tb | 452.20 | K | NIST Webbook |
| tb | 454.20 ± 0.30 | K | NIST Webbook |
| tb | 451.80 ± 0.50 | K | NIST Webbook |
| tb | 454.20 ± 0.25 | K | NIST Webbook |
| tb | 451.70 ± 0.50 | K | NIST Webbook |
| tb | 442.55 ± 1.00 | K | NIST Webbook |
| tc | 618.83 ± 6.00 | K | NIST Webbook |
| tf | 248.35 | K | Joback Method |
| vc | 0.557 | m3/kmol | Joback Method |

Temperature Dependent Properties

| Property code | Value | Unit | Temperature [K] | Source |
|---------------|-----------|---------|-----------------|--|
| cpg | 323.06 | J/molxK | 481.17 | Joback Method |
| cpg | 397.15 | J/molxK | 658.49 | Joback Method |
| cpg | 386.04 | J/molxK | 628.93 | Joback Method |
| cpg | 374.44 | J/molxK | 599.38 | Joback Method |
| cpg | 362.35 | J/molxK | 569.83 | Joback Method |
| cpg | 349.76 | J/molxK | 540.28 | Joback Method |
| cpg | 336.66 | J/molxK | 510.72 | Joback Method |
| dvisc | 0.0006860 | Paxs | 323.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| dvisc | 0.0006460 | Paxs | 328.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| dvisc | 0.0006090 | Paxs | 333.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| dvisc | 0.0005750 | Paxs | 338.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |

| | | | | |
|-------|-----------|------|--------|--|
| dvisc | 0.0005450 | Paxs | 343.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| dvisc | 0.0013170 | Paxs | 288.15 | Densities and Viscosities of Binary Mixtures of Isoamyl Acetate, Ethyl Caproate, Ethyl Benzoate, Isoamyl Butyrate, Ethyl Phenylacetate, and Ethyl Caprylate with Ethanol at T = (288.15, 298.15, 308.15, and 318.15) K |
| dvisc | 0.0011110 | Paxs | 298.15 | Densities and Viscosities of Binary Mixtures of Isoamyl Acetate, Ethyl Caproate, Ethyl Benzoate, Isoamyl Butyrate, Ethyl Phenylacetate, and Ethyl Caprylate with Ethanol at T = (288.15, 298.15, 308.15, and 318.15) K |
| dvisc | 0.0009520 | Paxs | 308.15 | Densities and Viscosities of Binary Mixtures of Isoamyl Acetate, Ethyl Caproate, Ethyl Benzoate, Isoamyl Butyrate, Ethyl Phenylacetate, and Ethyl Caprylate with Ethanol at T = (288.15, 298.15, 308.15, and 318.15) K |

| | | | | |
|-------|-----------|--------|--------|--|
| dvisc | 0.0008270 | Paxs | 318.15 | Densities and Viscosities of Binary Mixtures of Isoamyl Acetate, Ethyl Caproate, Ethyl Benzoate, Isoamyl Butyrate, Ethyl Phenylacetate, and Ethyl Caprylate with Ethanol at T = (288.15, 298.15, 308.15, and 318.15) K |
| dvisc | 0.0010440 | Paxs | 293.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| dvisc | 0.0009670 | Paxs | 298.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| dvisc | 0.0008970 | Paxs | 303.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| dvisc | 0.0008360 | Paxs | 308.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| dvisc | 0.0007810 | Paxs | 313.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| dvisc | 0.0007310 | Paxs | 318.15 | Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters |
| hvapt | 47.40 | kJ/mol | 373.00 | NIST Webbook |

| | | | | |
|------|--------|-------|--------|--|
| rhoI | 858.69 | kg/m3 | 298.15 | Refractive Indices and Surface Tensions of Binary Mixtures of Isoamyl Acetate, Ethyl Caproate, Ethyl Benzoate, Isoamyl Butyrate, Ethyl Phenylacetate, and Ethyl Caprylate with Ethanol at (288.15, 298.15, 308.15, and 318.15) K |
| srf | 0.02 | N/m | 358.15 | Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K |
| srf | 0.02 | N/m | 348.15 | Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K |
| srf | 0.02 | N/m | 328.15 | Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K |
| srf | 0.02 | N/m | 318.15 | Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K |
| srf | 0.02 | N/m | 308.15 | Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K |

| | | | | |
|-----|------|-----|--------|---|
| srf | 0.02 | N/m | 298.15 | Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K |
| srf | 0.03 | N/m | 288.15 | Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K |
| srf | 0.02 | N/m | 338.15 | Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from T) 288.15 K to T) 358.15 K |

Correlations

| Information | Value |
|-----------------------------|-------------------------------|
| Property code | pvap |
| Equation | $\ln(P_{vp}) = A + B/(T + C)$ |
| Coeff. A | 1.51047e+01 |
| Coeff. B | -4.02835e+03 |
| Coeff. C | -6.68480e+01 |
| Temperature range (K), min. | 338.72 |
| Temperature range (K), max. | 478.19 |

Sources

Densities, Viscosities, Refractive Indices, and Surface Tensions for 12 Flavor Esters from 288.15 K to 358.15 K
 The Yaws Handbook of Vapor Pressure
 Density and Viscosity Correlation for Several Common Fragrance and Flavor Esters
 NIST Webbook:

<https://www.doi.org/10.1021/je050170x>
<https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure>
<https://www.doi.org/10.1021/je050001c>
<http://webbook.nist.gov/cgi/cbook.cgi?ID=C106274&Units=SI>
<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

Refractive Indices and Surface Tensions of Binary Mixtures of Isoamyl Acetate, Ethyl Caproate, Ethyl Benzoate, Isoamyl Butyrate, Ethyl Phenylacetate, and Ethyl Caprylate with Ethanol at (288.15, 298.15, 308.15, and 318.15) K: Crippen Method
McGowan Method

<https://www.doi.org/10.1021/je0601208>

https://en.wikipedia.org/wiki/Joback_method

<http://link.springer.com/article/10.1007/BF02311772>

<https://www.doi.org/10.1021/je050389b>

https://www.chemeo.com/doc/models/crippen_log10ws

Legend

| | |
|-----------------|---|
| chl: | Standard liquid enthalpy of combustion |
| cpg: | Ideal gas heat capacity |
| dvisc: | Dynamic viscosity |
| gf: | Standard Gibbs free energy of formation |
| hf: | Enthalpy of formation at standard conditions |
| hfus: | Enthalpy of fusion at standard conditions |
| hvap: | Enthalpy of vaporization at standard conditions |
| hvapt: | Enthalpy of vaporization at a given temperature |
| log10ws: | Log10 of Water solubility in mol/l |
| logp: | Octanol/Water partition coefficient |
| mcvol: | McGowan's characteristic volume |
| pc: | Critical Pressure |
| pvap: | Vapor pressure |
| rho: | Liquid Density |
| rinpol: | Non-polar retention indices |
| ripol: | Polar retention indices |
| srf: | Surface Tension |
| tb: | Normal Boiling Point Temperature |
| tc: | Critical Temperature |
| tf: | Normal melting (fusion) point |
| vc: | Critical Volume |

Latest version available from:

<https://www.chemeo.com/cid/58-868-5/Butanoic-acid-3-methylbutyl-ester.pdf>

Generated by Cheméo on 2024-05-07 15:36:48.148740177 +0000 UTC m=+17385457.069317489.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.