

2-(DIETHYLAMINO)ETHANOL

Other names:	(2-Hydroxyethyl)diethylamine (diethylamino)ethanol 2-(Diethylamino)ethyl alcohol 2-(N,N-Diethylamino)ethanol 2-Hydroxytriethylamine 2-diethylaminoethanol A 22 DEAE Diaethylaminoethanol Diethyl(2-hydroxyethyl)amine Diethylethanolamine Diethylmonoethanolamine Ethanol, 2-(diethylamino)- N,N-Diethyl-2-hydroxyethylamine N,N-Diethyl-N-(«beta»-Hydroxyethyl)amine N,N-Diethylaminoethanol N,N-Diethylmonoethanolamine N,N-diethylethanolamine N-(Diethylamino)ethanol NSC 8759 Pennad 150 UN 2686 ethanolamine, N,N-diethyl- «beta»-(Diethylamino)ethanol «beta»-(Diethylamino)ethyl alcohol «beta»-Hydroxytriethylamine
Inchi:	InChI=1S/C6H15NO/c1-3-7(4-2)5-6-8/h8H,3-6H2,1-2H3
InchiKey:	BFSVOASYOCHEOV-UHFFFAOYSA-N
Formula:	C6H15NO
SMILES:	CCN(CC)CCO
Mol. weight [g/mol]:	117.19

Physical Properties

Property code	Value	Unit	Source
af	0.6038		Cheméo Relay (1.0)
chs	-4195.30 ± 0.54	kJ/mol	NIST Webbook

gf	-26.40	kJ/mol	Joback Method
hf	-279.69	kJ/mol	Cheméo Relay (1.0)
hfs	-310.00 ± 0.54	kJ/mol	NIST Webbook
hfus	18.41	kJ/mol	Joback Method
hvap	58.50 ± 1.30	kJ/mol	NIST Webbook
hvap	52.50 ± 0.20	kJ/mol	NIST Webbook
ie	8.58 ± 0.03	eV	NIST Webbook
log10ws	0.92		Cheméo Relay (1.0)
logp	0.321		Crippen Method
mcvol	111.250	ml/mol	McGowan Method
pc	3443.98	kPa	Joback Method
rinpol	873.00		NIST Webbook
rinpol	894.00		NIST Webbook
rinpol	873.00		NIST Webbook
tb	162.10	K	NIST Webbook
tb	436.00	K	NIST Webbook
tb	436.20	K	NIST Webbook
tb	434.20	K	NIST Webbook
tb	435.85	K	Isobaric Vapor Liquid Equilibrium for the Binary Systems (Diethylamine + Ethanol), (Ethanol + N,N-Diethylethanolamine), and (Diethylamine + N,N-Diethylethanolamine) at p = (80.0 and 40.0) kPa
tb	435.94	K	Isobaric Vapor Liquid Equilibrium for the Binary Systems of Methanol, Diethylamine, and N,N-Diethylethanolamine at p = (60.0 and 101.3) kPa
tc	625.90	K	DIPPR Project 851 - Thirty Years of Vapor-Liquid Critical Point Measurements and Experimental Technique Development
tf	212.69	K	Cheméo Relay (1.0)
vc	0.387	m ³ /kmol	Cheméo Relay (1.0)

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	294.23	J/mol×K	601.20	Joback Method
cpg	285.73	J/mol×K	574.55	Joback Method

cpg	276.85	J/mol×K	547.90	Joback Method
cpg	267.59	J/mol×K	521.25	Joback Method
cpg	257.94	J/mol×K	494.60	Joback Method
cpg	247.88	J/mol×K	467.95	Joback Method
cpg	237.40	J/mol×K	441.30	Joback Method
hvapt	48.50 ± 0.20	kJ/mol	403.50	NIST Webbook
hvapt	48.50	kJ/mol	380.50	NIST Webbook
hvapt	37.80 ± 0.70	kJ/mol	403.50	NIST Webbook
hvapt	41.60 ± 0.40	kJ/mol	403.50	NIST Webbook
hvapt	45.00 ± 0.20	kJ/mol	403.50	NIST Webbook
pvap	7.44	kPa	359.80	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	0.08	kPa	283.15	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.17	kPa	293.14	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.24	kPa	298.15	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.24	kPa	298.15	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.24	kPa	298.15	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.34	kPa	303.15	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.34	kPa	303.14	Vapor pressures and thermophysical properties of selected ethanolamines

pvap	0.34	kPa	303.14	Vapor pressures and thermophysical properties of selected ethanolamines	
pvap	0.47	kPa	308.15	Vapor pressures and thermophysical properties of selected ethanolamines	
pvap	0.47	kPa	308.15	Vapor pressures and thermophysical properties of selected ethanolamines	
pvap	0.47	kPa	308.15	Vapor pressures and thermophysical properties of selected ethanolamines	
pvap	0.05	kPa	278.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines	
pvap	0.05	kPa	278.60	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines	
pvap	0.06	kPa	279.80	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines	
pvap	0.06	kPa	281.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines	
pvap	0.07	kPa	282.70	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines	
pvap	0.08	kPa	284.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines	
pvap	0.09	kPa	285.10	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines	

pvap	0.09	kPa	285.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.10	kPa	287.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.11	kPa	288.00	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.11	kPa	288.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.13	kPa	290.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.14	kPa	291.00	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.15	kPa	292.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.16	kPa	293.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.19	kPa	295.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.20	kPa	296.00	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.20	kPa	296.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.20	kPa	296.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines

pvap	0.22	kPa	297.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.23	kPa	298.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.25	kPa	299.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.29	kPa	301.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.30	kPa	302.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.31	kPa	302.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.35	kPa	304.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.43	kPa	307.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.52	kPa	310.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.63	kPa	313.20	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.77	kPa	316.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines
pvap	0.88	kPa	318.30	Vapor Pressures and Vaporization Enthalpies of a Series of Ethanolamines

pvap	1.94	kPa	333.20	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	2.94	kPa	340.70	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	4.94	kPa	351.00	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	0.03	kPa	273.64	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	9.94	kPa	366.50	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	19.90	kPa	383.90	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	29.90	kPa	395.10	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	49.90	kPa	410.50	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	75.00	kPa	423.90	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	0.17	kPa	293.14	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	100.00	kPa	434.00	Vapor Pressures of Several Commercially Used Alkanolamines

pvap	0.03	kPa	273.64	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	150.00	kPa	449.50	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	60.00	kPa	418.34	Isobaric Vapor Liquid Equilibrium for the Binary Systems of Methanol, Diethylamine, and N,N-Diethylethanolamine at p = (60.0 and 101.3) kPa
pvap	101.30	kPa	435.94	Isobaric Vapor Liquid Equilibrium for the Binary Systems of Methanol, Diethylamine, and N,N-Diethylethanolamine at p = (60.0 and 101.3) kPa
pvap	0.03	kPa	273.64	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	130.00	kPa	443.90	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	0.05	kPa	278.14	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.05	kPa	278.15	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.05	kPa	278.14	Vapor pressures and thermophysical properties of selected ethanolamines

pvap	120.00	kPa	440.90	Vapor Pressures of Several Commercially Used Alkanolamines
pvap	0.08	kPa	283.14	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.08	kPa	283.14	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.11	kPa	288.15	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.11	kPa	288.15	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.11	kPa	288.15	Vapor pressures and thermophysical properties of selected ethanolamines
pvap	0.17	kPa	293.14	Vapor pressures and thermophysical properties of selected ethanolamines
rho1	884.14	kg/m3	293.15	Changes in Aggregation Patterns Detected by Diffusion, Viscosity, and Surface Tension in Water + 2-(Diethylamino)Ethanol Mixtures at Different Temperatures
rho1	880.00	kg/m3	298.15	Study of CO2 Absorption into Phase Change Solvents MAPA and DEEA

rhoI	875.75	kg/m3	303.15	Density and Viscosity of Partially Carbonated Aqueous Tertiary Alkanolamine Solutions at Temperatures between (298.15 and 353.15) K
rhoI	866.41	kg/m3	313.15	Density and Viscosity of Partially Carbonated Aqueous Tertiary Alkanolamine Solutions at Temperatures between (298.15 and 353.15) K
rhoI	856.95	kg/m3	323.15	Density and Viscosity of Partially Carbonated Aqueous Tertiary Alkanolamine Solutions at Temperatures between (298.15 and 353.15) K
rhoI	857.50	kg/m3	323.15	Density and viscosity of monoethylethanolamine + H2O and monoethylethanolamine + diethylethanolamine solutions for CO2 capture
rhoI	837.74	kg/m3	343.15	Density and Viscosity of Partially Carbonated Aqueous Tertiary Alkanolamine Solutions at Temperatures between (298.15 and 353.15) K
rhoI	828.02	kg/m3	353.15	Density and Viscosity of Partially Carbonated Aqueous Tertiary Alkanolamine Solutions at Temperatures between (298.15 and 353.15) K

rhoI	879.50	kg/m3	298.15	Changes in Aggregation Patterns Detected by Diffusion, Viscosity, and Surface Tension in Water + 2-(Diethylamino)Ethanol Mixtures at Different Temperatures
rhoI	894.42	kg/m3	283.15	Volumetric Properties of Binary Mixtures of 3-(Methylamino)propylamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and N,N-Diethylethanolamine from (283.15 to 363.15) K
rhoI	885.36	kg/m3	293.15	Volumetric Properties of Binary Mixtures of 3-(Methylamino)propylamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and N,N-Diethylethanolamine from (283.15 to 363.15) K
rhoI	876.15	kg/m3	303.15	Volumetric Properties of Binary Mixtures of 3-(Methylamino)propylamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and N,N-Diethylethanolamine from (283.15 to 363.15) K
rhoI	866.83	kg/m3	313.15	Volumetric Properties of Binary Mixtures of 3-(Methylamino)propylamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and N,N-Diethylethanolamine from (283.15 to 363.15) K

rhoI	857.39	kg/m3	323.15	Volumetric Properties of Binary Mixtures of 3-(Methylamino)propylamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and N,N-Diethylethanolamine from (283.15 to 363.15) K
rhoI	847.84	kg/m3	333.15	Volumetric Properties of Binary Mixtures of 3-(Methylamino)propylamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and N,N-Diethylethanolamine from (283.15 to 363.15) K
rhoI	838.16	kg/m3	343.15	Volumetric Properties of Binary Mixtures of 3-(Methylamino)propylamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and N,N-Diethylethanolamine from (283.15 to 363.15) K
rhoI	828.49	kg/m3	353.15	Volumetric Properties of Binary Mixtures of 3-(Methylamino)propylamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and N,N-Diethylethanolamine from (283.15 to 363.15) K
rhoI	849.20	kg/m3	333.15	Density and viscosity of monoethylethanolamine + H2O and monoethylethanolamine + diethylethanolamine solutions for CO2 capture

rhoI	880.37	kg/m3	298.15	Density and Viscosity of Partially Carbonated Aqueous Tertiary Alkanolamine Solutions at Temperatures between (298.15 and 353.15) K
rhoI	818.60	kg/m3	363.15	Volumetric Properties of Binary Mixtures of 3-(Methylamino)propylamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and N,N-Diethylethanolamine from (283.15 to 363.15) K
rhoI	847.38	kg/m3	333.15	Density and Viscosity of Partially Carbonated Aqueous Tertiary Alkanolamine Solutions at Temperatures between (298.15 and 353.15) K
rhoI	866.20	kg/m3	313.15	Density and viscosity of monoethylethanolamine + H2O and monoethylethanolamine + diethylethanolamine solutions for CO2 capture
rhoI	875.10	kg/m3	303.15	Density and viscosity of monoethylethanolamine + H2O and monoethylethanolamine + diethylethanolamine solutions for CO2 capture
rhoI	883.50	kg/m3	293.15	Density and viscosity of monoethylethanolamine + H2O and monoethylethanolamine + diethylethanolamine solutions for CO2 capture

rhoI	845.60	kg/m3	333.15	Volumetric and viscometric properties of binary and ternary mixtures of monoethanolamine, 2-(diethylamino) ethanol and water from (293.15 to 333.15) K
rhoI	856.40	kg/m3	323.15	Volumetric and viscometric properties of binary and ternary mixtures of monoethanolamine, 2-(diethylamino) ethanol and water from (293.15 to 333.15) K
rhoI	865.40	kg/m3	313.15	Volumetric and viscometric properties of binary and ternary mixtures of monoethanolamine, 2-(diethylamino) ethanol and water from (293.15 to 333.15) K
rhoI	874.40	kg/m3	303.15	Volumetric and viscometric properties of binary and ternary mixtures of monoethanolamine, 2-(diethylamino) ethanol and water from (293.15 to 333.15) K
rhoI	891.20	kg/m3	293.15	Volumetric and viscometric properties of binary and ternary mixtures of monoethanolamine, 2-(diethylamino) ethanol and water from (293.15 to 333.15) K

rhoI	865.62	kg/m3	313.15	Intermolecular interactions in binary mixtures of 2-diethylethanolamine with 1-propanol and 1-butanol at different temperatures	
rhoI	884.37	kg/m3	293.15	Intermolecular interactions in binary mixtures of 2-diethylethanolamine with 1-propanol and 1-butanol at different temperatures	
rhoI	874.93	kg/m3	303.15	Intermolecular interactions in binary mixtures of 2-diethylethanolamine with 1-propanol and 1-butanol at different temperatures	
srf	0.03	N/m	303.20	Experiments and model for the surface tension of DEAE-PZ and DEAE-MEA aqueous solutions	
srf	0.03	N/m	313.20	Experiments and model for the surface tension of DEAE-PZ and DEAE-MEA aqueous solutions	
srf	0.03	N/m	323.20	Experiments and model for the surface tension of DEAE-PZ and DEAE-MEA aqueous solutions	
srf	0.03	N/m	283.20	Experiments and model for the surface tension of DEAE-PZ and DEAE-MEA aqueous solutions	
srf	0.03	N/m	293.20	Experiments and model for the surface tension of DEAE-PZ and DEAE-MEA aqueous solutions	

Sources

Freezing Point Depressions of Phase Change CO2 Solvents:
 DIPPR Project 851 - Thirty Years of Vapor-Liquid Critical Point
 Equilibrium, Density, and Viscosity of Aqueous Solutions of Isoethanolamine, the Binary Systems (Diethylamine + Ethanol), and Their Mixtures (from 298.15 to 333.15) K: N,N-Diethylethanolamine), and (Diethylamine +
 N,N-Diethylethanolamine) at p = (80.0 and 40.0) kPa
 Density and Viscosity of Partially Carbonated Aqueous Ternary Systems: Ethanolamine Solutions at Temperatures between (298.15 and 333.15) K and viscosity of monoethylethanolamine + H2O and Vapor Pressure and Vaporization Enthalpies of a Series of Nonaqueous Ethylethanolamine Solutions with Several Solids: Commercially Used Alkanolamines: Excess molar enthalpies for binary mixtures of different amines with water: Equilibrium Total Pressure and CO2 Solubility in Binary and Ternary Aqueous Systems of
 2-(Diethylamino)ethanol (DEEA) and N-Methyldiethanolamine (DMAE): Change Solvents MAPA and DEEA: Intermolecular interactions in binary mixtures of 2-diethylethanolamine with
 Density and Viscosity of Partially Carbonated Aqueous Solutions: Experiments and Models for the surface tension of DEEA, DMAE and DEEA/MEA aqueous solutions and thermophysical properties of selected ethanolamines: Solubility and viscosity for CO2 capture process using MEA promoted aqueous solution and viscosity for CO2 capture process using high concentration of DEEA
 Isotherm Vapor-Liquid Equilibrium for the Binary Systems of Methanol, Diethylamine, and Equilibrium and Phase Equilibrium Properties of Novel Mixtures of
 (2-Diethylaminoethanol + Piperazine) for CO2 Absorption: Binary Mixtures of
 3-Methylamino)propanamine with Water, N-Methyldiethanolamine, N,N-Dimethylethanolamine, and Diethylamine: Equilibrium Solubility and Dynamic Modeling:
 Changes in Aggregation Patterns Detected by Diffusion, Viscosity, and Surface Tension in Water + 2-(Diethylamino)Ethanol Mixtures at Different Temperatures:

<https://www.doi.org/10.1021/je3013167>
<https://www.doi.org/10.1021/acs.jced.8b00298>
<https://www.doi.org/10.1021/je301371p>
<https://www.doi.org/10.1021/je4008712>
<http://webbook.nist.gov/cgi/cbook.cgi?ID=C100378&Units=SI>
https://en.wikipedia.org/wiki/Joback_method
<https://www.doi.org/10.1016/j.jct.2019.06.032>
<https://www.doi.org/10.1021/acs.jced.5b00282>
https://www.chemeo.com/doc/models/crippen_log10ws
<https://www.doi.org/10.1016/j.tca.2016.08.021>
<https://www.doi.org/10.1021/je049761y>
<https://www.doi.org/10.1021/acs.jced.7b00761>
<https://www.doi.org/10.1021/je101259r>
<https://www.doi.org/10.1016/j.jct.2015.04.030>
<https://www.doi.org/10.1021/je400886w>
<https://www.doi.org/10.1021/acs.jced.6b01038>
<https://www.doi.org/10.1016/j.jct.2018.06.007>
<https://www.doi.org/10.1021/acs.jced.7b00144>
<https://www.doi.org/10.1016/j.jct.2016.10.007>
<https://www.doi.org/10.1016/j.fluid.2018.05.032>
<https://www.doi.org/10.1016/j.jct.2015.12.001>
<https://www.doi.org/10.1016/j.jct.2016.05.022>
<https://www.doi.org/10.1021/je301219c>
<https://www.doi.org/10.1021/acs.jced.6b00856>
<http://link.springer.com/article/10.1007/BF02311772>
<https://www.doi.org/10.1021/je400679k>
<https://www.doi.org/10.1016/j.jct.2018.03.020>
<http://pubs.acs.org/doi/abs/10.1021/ci9903071>
<https://www.doi.org/10.1021/je700350b>

Legend

af: Acentric Factor

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
ie:	Ionization energy
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
pvap:	Vapor pressure
rho:	Liquid Density
rinpol:	Non-polar retention indices
srf:	Surface Tension
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/60-132-8/2-DIETHYLAMINO-ETHANOL.pdf>

Generated by Cheméo on 2026-07-21 10:14:12.208626572 +0000 UTC m=+139948.050511958.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.