Eicosanoic acid, ethyl ester

Other names: Arachidic acid, ethyl ester

Ethyl arachidate
Ethyl eicosanoate
Ethyl icosanoate
ethyl arachate

InChl=1S/C22H44O2/c1-3-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19-20-21-22(23)24-4-2

InchiKey: YBKSMWBLSBAFBQ-UHFFFAOYSA-N

Formula: C22H44O2

SMILES: CCCCCCCCCCCCCCCC(=O)OCC

Mol. weight [g/mol]: 340.58 CAS: 18281-05-5

Physical Properties

Property code	Value	Unit	Source
chs	-13895.00 ± 1.00	kJ/mol	NIST Webbook
gf	-99.56	-99.56 kJ/mol Joback Me	
hf	-742.21	kJ/mol	Joback Method
hfus	55.52	kJ/mol	Joback Method
hvap	73.72	kJ/mol	Joback Method
log10ws	-7.89		Crippen Method
logp	7.591		Crippen Method
mcvol	328.280	ml/mol	McGowan Method
рс	927.24	kPa	Joback Method
rinpol	2379.00		NIST Webbook
rinpol	2379.00		NIST Webbook
rinpol	2373.00		NIST Webbook
rinpol	2400.00		NIST Webbook
rinpol	2394.20		NIST Webbook
rinpol	2394.20		NIST Webbook
rinpol	2378.00		NIST Webbook
rinpol	2383.00		NIST Webbook
ripol	2649.00		NIST Webbook
ripol	2670.00		NIST Webbook
ripol	2657.00		NIST Webbook
ripol	2664.00		NIST Webbook
ripol	2660.00		NIST Webbook
ripol	2662.00		NIST Webbook

ripol	2649.00		NIST Webbook
ripol	2649.00		NIST Webbook
tb	779.05	K	Joback Method
tc	955.69	K	Joback Method
tf	314.52 ± 1.00	K	NIST Webbook
VC	1.292	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source	
cpg	1124.02	J/mol×K	926.25	Joback Method	
cpg	1139.78	J/mol×K	955.69	Joback Method	
cpg	1031.01	J/mol×K	779.05	Joback Method	
cpg	1051.60	J/mol×K	808.49	Joback Method	
cpg	1071.17	J/mol×K	837.93	Joback Method	
cpg	1089.74	J/mol×K	867.37	Joback Method	
cpg	1107.35	J/mol×K	896.81	Joback Method	
dvisc	0.0021961	Paxs	368.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0020395	Paxs	373.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0056573	Paxs	318.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0049733	Paxs	323.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	

dvisc	0.0045070	Pa×s	328.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0040577	Paxs	333.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0036714	Paxs	338.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0033373	Pa×s	343.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0030462	Paxs	348.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0027799	Paxs	353.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0025690	Pa×s	358.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
dvisc	0.0023716	Paxs	363.15	Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters Present in Biodiesel	
hfust	68.62	kJ/mol	315.00	NIST Webbook	
hsubt	171.50	kJ/mol	310.00	NIST Webbook	
hvapt	113.70	kJ/mol	389.00	NIST Webbook	

Pressure Dependent Properties

Property code	Value	Unit	Pressure [kPa]	Source
tbrp	569.20	K	13.30	NIST Webbook
tbrp	459.70	K	0.30	NIST Webbook

Correlations

Information Value

Property code	pvap
Equation	ln(Pvp) = A + B/(T + C)
Coeff. A	2.24916e+01
Coeff. B	-9.10717e+03
Coeff. C	-1.39962e+02
Temperature range (K), min.	550.12
Temperature range (K), max.	670.06

Sources

Joback Method: https://en.wikipedia.org/wiki/Joback_method

McGowan Method: http://link.springer.com/article/10.1007/BF02311772

NIST Webbook: http://webbook.nist.gov/cgi/cbook.cgi?ID=C18281055&Units=SI

The Yaws Handbook of Vapor https://www.sciencedirect.com/book/9780128029992/the-yaws-handbook-of-vapor-pressure

Pressure:
Crippen Method: http://pubs.acs.org/doi/abs/10.1021/ci990307l

Crippen Method: https://www.chemeo.com/doc/models/crippen_log10ws

Densities and Viscosities of Minority Fatty Acid Methyl and Ethyl Esters

Present in Biodiesel:

https://www.doi.org/10.1021/je1012235

Legend

chs: Standard solid enthalpy of combustion

cpg: Ideal gas heat capacitydvisc: Dynamic viscosity

gf: Standard Gibbs free energy of formation

hf: Enthalpy of formation at standard conditionshfus: Enthalpy of fusion at standard conditionshfust: Enthalpy of fusion at a given temperature

hsubt: Enthalpy of sublimation at a given temperaturehvap: Enthalpy of vaporization at standard conditionshvapt: Enthalpy of vaporization at a given temperature

log10ws:Log10 of Water solubility in mol/llogp:Octanol/Water partition coefficientmcvol:McGowan's characteristic volume

pc: Critical Pressurepvap: Vapor pressure

rinpol: Non-polar retention indices

ripol: Polar retention indices

tb: Normal Boiling Point Temperaturetbrp: Boiling point at reduced pressure

tc: Critical Temperature

tf: Normal melting (fusion) point

vc: Critical Volume

Latest version available from:

https://www.chemeo.com/cid/62-242-4/Eicosanoic-acid-ethyl-ester.pdf

Generated by Cheméo on 2024-05-05 17:19:10.686250127 +0000 UTC m=+17218799.606827437.

Cheméo (https://www.chemeo.com) is the biggest free database of chemical and physical data for the process industry.