

1,1':3',1''-Terphenyl, 5'-phenyl-

Other names:

1,1'-Biphenyl, 3,5-diphenyl-
1,3,5-triphenylbenzene
5'-Phenyl-1,1':3',1''-terphenyl
5'-Phenyl-m-terphenyl
NSC 17358
Symmetrical triphenylbenzene
Triphenylbenzene
benzene, 1,3,5-triphenyl-
m-Terphenyl, 5'-phenyl-
s-Triphenylbenzene

Inchi:

InChI=1S/C24H18/c1-4-10-19(11-5-1)22-16-23(20-12-6-2-7-13-20)18-24(17-22)21-14-8-

InchiKey:

SXWIAEOZZQADEY-UHFFFAOYSA-N

Formula:

C24H18

SMILES:

c1ccc(-c2cc(-c3ccccc3)cc(-c3ccccc3)c2)cc1

Mol. weight [g/mol]:

306.40

CAS:

612-71-5

Physical Properties

Property code	Value	Unit	Source
chs	-12241.30 ± 5.30	kJ/mol	NIST Webbook
gf	581.58	kJ/mol	Joback Method
hf	371.80 ± 3.80	kJ/mol	NIST Webbook
hfs	224.60 ± 5.40	kJ/mol	NIST Webbook
hfs	222.00 ± 3.40	kJ/mol	NIST Webbook
hfus	31.10	kJ/mol	Vapor Pressures and Vaporization Enthalpies of the n-Alkanes from C31 to C38 at T = 298.15 K by Correlation Gas Chromatography
hfus	149.50	kJ/mol	New Knudsen effusion apparatus with simultaneous gravimetric and quartz crystal microbalance mass loss detection
hfus	148.40	kJ/mol	New Knudsen effusion apparatus with simultaneous gravimetric and quartz crystal microbalance mass loss detection

hfus	147.90		kJ/mol	New Knudsen effusion apparatus with simultaneous gravimetric and quartz crystal microbalance mass loss detection
hfus	147.70		kJ/mol	New Knudsen effusion apparatus with simultaneous gravimetric and quartz crystal microbalance mass loss detection
hvap	133.40 ± 2.00		kJ/mol	NIST Webbook
hvap	140.00		kJ/mol	NIST Webbook
log10ws	-9.28			Crippen Method
logp	6.688			Crippen Method
mcvol	253.980		ml/mol	McGowan Method
pc	2014.51		kPa	Joback Method
rinpole	469.48			NIST Webbook
rinpole	2891.00			NIST Webbook
ss	375.50		J/mol×K	NIST Webbook
ss	367.40		J/mol×K	NIST Webbook
tb	733.20		K	NIST Webbook
tc	1146.33		K	Joback Method
tf	446.00 ± 3.00		K	NIST Webbook
tf	444.00 ± 1.50		K	NIST Webbook
tf	448.00 ± 0.30		K	NIST Webbook
tf	450.10 ± 4.00		K	NIST Webbook
tt	446.00 ± 1.00		K	NIST Webbook
vc	0.948		m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	749.87	J/mol×K	912.06	Joback Method
cpg	778.96	J/mol×K	1005.77	Joback Method
cpg	765.15	J/mol×K	958.91	Joback Method
cpg	813.64	J/mol×K	1146.33	Joback Method
cpg	732.93	J/mol×K	865.20	Joback Method
cpg	803.00	J/mol×K	1099.48	Joback Method
cpg	791.51	J/mol×K	1052.62	Joback Method

cps	357.96	J/molxK	298.15	Reassembling and testing of a high-precision heat capacity drop calorimeter. Heat capacity of some polyphenyls at T = 298.15 K
cps	361.00	J/molxK	298.15	NIST Webbook
cps	358.32	J/molxK	298.10	NIST Webbook
dvisc	0.0001500	Paxs	678.08	Joback Method
dvisc	0.0006475	Paxs	490.96	Joback Method
dvisc	0.0003563	Paxs	553.33	Joback Method
dvisc	0.0000654	Paxs	865.20	Joback Method
dvisc	0.0002213	Paxs	615.71	Joback Method
dvisc	0.0001086	Paxs	740.45	Joback Method
dvisc	0.0000827	Paxs	802.83	Joback Method
hfust	33.40	kJ/mol	446.00	NIST Webbook
hfust	32.60	kJ/mol	445.20	NIST Webbook
hfust	33.40	kJ/mol	446.00	NIST Webbook
hfust	33.40	kJ/mol	446.00	NIST Webbook
hsubt	142.00	kJ/mol	427.00	NIST Webbook
hsubt	142.20	kJ/mol	392.00	NIST Webbook
hsubt	141.20 ± 0.70	kJ/mol	418.00	NIST Webbook
hsubt	145.60 ± 0.90	kJ/mol	376.00	NIST Webbook
hsubt	164.40 ± 4.20	kJ/mol	363.00	NIST Webbook
hvapt	118.00	kJ/mol	477.00	NIST Webbook
hvapt	77.50	kJ/mol	617.50	NIST Webbook
psub	6.22e-04	kPa	423.03	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	6.34e-04	kPa	423.03	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance

psub	1.40e-04	kPa	407.36	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.41e-04	kPa	407.36	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.39e-04	kPa	407.36	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.73e-04	kPa	409.30	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.66e-04	kPa	409.30	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.64e-04	kPa	409.30	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.15e-04	kPa	411.30	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.10e-04	kPa	411.30	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.06e-04	kPa	411.30	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.56e-04	kPa	413.23	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.51e-04	kPa	413.23	The design, construction, and testing of a new Knudsen effusion apparatus
psub	2.51e-04	kPa	413.23	The design, construction, and testing of a new Knudsen effusion apparatus

psub	3.17e-04	kPa	415.35	The design, construction, and testing of a new Knudsen effusion apparatus
psub	3.16e-04	kPa	415.35	The design, construction, and testing of a new Knudsen effusion apparatus
psub	3.16e-04	kPa	415.35	The design, construction, and testing of a new Knudsen effusion apparatus
psub	3.61e-04	kPa	416.86	The design, construction, and testing of a new Knudsen effusion apparatus
psub	3.48e-04	kPa	416.86	The design, construction, and testing of a new Knudsen effusion apparatus
psub	3.70e-04	kPa	417.22	The design, construction, and testing of a new Knudsen effusion apparatus
psub	3.71e-04	kPa	417.22	The design, construction, and testing of a new Knudsen effusion apparatus
psub	4.54e-04	kPa	419.24	The design, construction, and testing of a new Knudsen effusion apparatus
psub	4.70e-04	kPa	419.24	The design, construction, and testing of a new Knudsen effusion apparatus
psub	3.88e-04	kPa	418.03	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	5.63e-04	kPa	421.36	The design, construction, and testing of a new Knudsen effusion apparatus

psub	5.68e-04	kPa	421.36	The design, construction, and testing of a new Knudsen effusion apparatus
psub	6.72e-04	kPa	423.29	The design, construction, and testing of a new Knudsen effusion apparatus
psub	6.68e-04	kPa	423.29	The design, construction, and testing of a new Knudsen effusion apparatus
psub	6.49e-04	kPa	423.29	The design, construction, and testing of a new Knudsen effusion apparatus
psub	7.96e-04	kPa	425.26	The design, construction, and testing of a new Knudsen effusion apparatus
psub	7.84e-04	kPa	425.26	The design, construction, and testing of a new Knudsen effusion apparatus
psub	9.66e-04	kPa	427.36	The design, construction, and testing of a new Knudsen effusion apparatus
psub	9.84e-04	kPa	427.36	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.00e-03	kPa	427.36	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.17e-03	kPa	429.29	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.20e-03	kPa	429.29	The design, construction, and testing of a new Knudsen effusion apparatus
psub	1.20e-03	kPa	429.29	The design, construction, and testing of a new Knudsen effusion apparatus

psub	1.54e-04	kPa	408.16	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	2.53e-04	kPa	413.16	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	4.16e-04	kPa	418.15	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	6.72e-04	kPa	423.16	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	1.08e-03	kPa	428.16	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance

psub	1.49e-04	kPa	408.05	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	2.47e-04	kPa	413.05	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	4.03e-04	kPa	418.05	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	6.48e-04	kPa	423.04	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	1.03e-03	kPa	428.04	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance

psub	1.44e-04	kPa	408.04	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	2.38e-04	kPa	413.04	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
psub	5.42e-04	kPa	421.36	The design, construction, and testing of a new Knudsen effusion apparatus
psub	9.83e-04	kPa	428.03	Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance
pvap	4.94e-04	kPa	410.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	5.47e-10	kPa	298.15	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons

pvap	0.19	kPa	510.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	0.12	kPa	500.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	0.08	kPa	490.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	0.05	kPa	480.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	0.03	kPa	470.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	0.02	kPa	460.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	8.31e-03	kPa	450.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons

pvap	4.39e-03	kPa	440.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	2.22e-03	kPa	430.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	1.07e-03	kPa	420.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	2.16e-04	kPa	400.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	8.89e-05	kPa	390.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	3.44e-05	kPa	380.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	1.24e-05	kPa	370.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons

pvap	4.16e-06	kPa	360.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	1.28e-06	kPa	350.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	3.62e-07	kPa	340.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	9.25e-08	kPa	330.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	2.12e-08	kPa	320.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	4.30e-09	kPa	310.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons
pvap	7.65e-10	kPa	300.00	Hypothetical Thermodynamic Properties. Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons

Sources

- New Knudsen effusion apparatus with simultaneous gravimetric and quartz microbalance mass loss detection; Crippen Method:** <https://www.doi.org/10.1016/j.jct.2010.12.022>
<http://link.springer.com/article/10.1007/BF02311772>
<http://pubs.acs.org/doi/abs/10.1021/ci990307l>
- Development of the Knudsen effusion methodology for vapour pressure measurements of low volatile liquids and solids based on a quartz crystal microbalance; Crippen Method:** <https://www.doi.org/10.1016/j.jct.2018.07.004>
https://en.wikipedia.org/wiki/Joback_method
<http://webbook.nist.gov/cgi/cbook.cgi?ID=C612715&Units=SI>
https://www.chemeo.com/doc/models/crippen_log10ws
- The design, construction, and testing of a new Knudsen effusion apparatus: Vapor Pressures and Vaporization Enthalpies of the n-Alkanes from C31 to C39. The thermodynamic Properties, Subcooled Vaporization Enthalpies and Vapor Pressures of Polyaromatic Hydrocarbons; drop calorimeter. Heat capacity of some polyphenyls at T = 298.15 K:** <https://www.doi.org/10.1016/j.jct.2005.08.013>
<https://www.doi.org/10.1021/je030236t>
<https://www.doi.org/10.1021/je800300x>
<https://www.doi.org/10.1016/j.jct.2011.06.010>

Legend

chs:	Standard solid enthalpy of combustion
cpg:	Ideal gas heat capacity
cps:	Solid phase heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfs:	Solid phase enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hfust:	Enthalpy of fusion at a given temperature
hsubt:	Enthalpy of sublimation at a given temperature
hvap:	Enthalpy of vaporization at standard conditions
hvapt:	Enthalpy of vaporization at a given temperature
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
psub:	Sublimation pressure
pvap:	Vapor pressure
rinpol:	Non-polar retention indices
sfust:	Entropy of fusion at a given temperature

ss:	Solid phase molar entropy at standard conditions
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
tt:	Triple Point Temperature
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/63-763-5/1-1-3-1-Terphenyl-5-phenyl.pdf>

Generated by Cheméo on 2024-09-07 14:25:30.479188034 +0000 UTC m=+299993.116157282.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.