

Cyclohexane, 1,2,4-trimethyl-, (1«alpha»,2«alpha»,4«alpha»)-

Other names:	Cyclohexane, 1,2,4-trimethyl-, cis cis-1,2,4-Trimethylcyclohexane cis-1,2,cis-1,4-1,2,4-trimethylcyclohexane
Inchi:	InChI=1S/C9H18/c1-7-4-5-8(2)9(3)6-7/h7-9H,4-6H2,1-3H3/t7-,8+,9-/m1/s1
InchiKey:	VCJPCEVERINRSG-HRDYMLBCSA-N
Formula:	C9H18
SMILES:	CC1CCC(C)C(C)C1
Mol. weight [g/mol]:	126.24
CAS:	1678-80-4

Physical Properties

Property code	Value	Unit	Source
gf	33.93	kJ/mol	Joback Method
hf	-215.45	kJ/mol	Joback Method
hfus	13.04	kJ/mol	Joback Method
hvap	35.44	kJ/mol	Joback Method
log10ws	-2.76		Crippen Method
logp	3.079		Crippen Method
mcvol	126.810	ml/mol	McGowan Method
pc	2648.83	kPa	Joback Method
rinpol	877.10		NIST Webbook
rinpol	888.00		NIST Webbook
rinpol	891.00		NIST Webbook
rinpol	891.00		NIST Webbook
rinpol	880.00		NIST Webbook
rinpol	884.00		NIST Webbook
rinpol	886.00		NIST Webbook
rinpol	889.00		NIST Webbook
rinpol	893.00		NIST Webbook
rinpol	881.70		NIST Webbook
rinpol	895.00		NIST Webbook
rinpol	895.00		NIST Webbook
rinpol	877.10		NIST Webbook
rinpol	877.70		NIST Webbook
rinpol	887.00		NIST Webbook
rinpol	881.70		NIST Webbook
rinpol	884.00		NIST Webbook

rinpol	895.00		NIST Webbook
rinpol	880.00		NIST Webbook
tb	420.90 ± 1.50	K	NIST Webbook
tb	418.45 ± 1.50	K	NIST Webbook
tb	419.00 ± 3.00	K	NIST Webbook
tb	409.90 ± 5.00	K	NIST Webbook
tb	416.15 ± 2.00	K	NIST Webbook
tc	613.57	K	Joback Method
tf	190.09	K	Joback Method
vc	0.470	m ³ /kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	254.82	J/mol×K	415.53	Joback Method
cpg	342.37	J/mol×K	580.57	Joback Method
cpg	326.43	J/mol×K	547.56	Joback Method
cpg	309.72	J/mol×K	514.55	Joback Method
cpg	292.21	J/mol×K	481.54	Joback Method
cpg	273.92	J/mol×K	448.54	Joback Method
cpg	357.55	J/mol×K	613.57	Joback Method
dvisc	0.0002565	Pa×s	415.53	Joback Method
dvisc	0.0003096	Pa×s	377.96	Joback Method
dvisc	0.0003896	Pa×s	340.38	Joback Method
dvisc	0.0005190	Pa×s	302.81	Joback Method
dvisc	0.0007500	Pa×s	265.24	Joback Method
dvisc	0.0012236	Pa×s	227.66	Joback Method
dvisc	0.0024227	Pa×s	190.09	Joback Method

Sources

McGowan Method:

<http://link.springer.com/article/10.1007/BF02311772>

NIST Webbook:

<http://webbook.nist.gov/cgi/cbook.cgi?ID=C1678804&Units=SI>

Crippen Method:

<http://pubs.acs.org/doi/abs/10.1021/ci990307l>

Crippen Method:

https://www.chemeo.com/doc/models/crippen_log10ws

Joback Method:

https://en.wikipedia.org/wiki/Joback_method

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions
log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/64-503-2/Cyclohexane-1-2-4-trimethyl-1-alpha-2-alpha-4-alpha.pdf>

Generated by Cheméo on 2025-12-05 07:22:06.658488769 +0000 UTC m=+4667524.188529424.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.