

(E,E)-1,3,5-Undecatriene

Other names:	1,3,5-Undecatriene, (E,E)- (3E,5E)-1,3,5-Undecatriene 1-(E,E)-3,5-Undecatriene trans-Galbanolene (E,E)-undeca-1,3,5-triene
Inchi:	InChI=1S/C11H18/c1-3-5-7-9-11-10-8-6-4-2/h3,5,7,9,11H,1,4,6,8,10H2,2H3/b7-5+,11-9+
InchiKey:	JQQDKNVOSLONRS-JEGFTUTRSA-N
Formula:	C11H18
SMILES:	C=CC=CC=CCCCC
Mol. weight [g/mol]:	150.26
CAS:	19883-29-5

Physical Properties

Property code	Value	Unit	Source
gf	290.02	kJ/mol	Joback Method
hf	89.50	kJ/mol	Joback Method
hfus	23.37	kJ/mol	Joback Method
hvap	39.33	kJ/mol	Joback Method
log10ws	-3.99		Crippen Method
logp	3.865		Crippen Method
mcvol	152.950	ml/mol	McGowan Method
pc	2208.29	kPa	Joback Method
rinpol	1181.00		NIST Webbook
rinpol	1185.00		NIST Webbook
rinpol	1181.00		NIST Webbook
rinpol	1181.00		NIST Webbook
rinpol	1183.00		NIST Webbook
rinpol	1177.00		NIST Webbook
ripol	1388.00		NIST Webbook
ripol	1388.00		NIST Webbook
ripol	1393.00		NIST Webbook
ripol	1391.00		NIST Webbook
ripol	1405.00		NIST Webbook
tb	456.08	K	Joback Method
tc	636.70	K	Joback Method
tf	201.81	K	Joback Method
vc	0.593	m3/kmol	Joback Method

Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	311.85	J/mol×K	456.08	Joback Method
cpg	326.98	J/mol×K	486.18	Joback Method
cpg	341.33	J/mol×K	516.29	Joback Method
cpg	354.94	J/mol×K	546.39	Joback Method
cpg	367.86	J/mol×K	576.49	Joback Method
cpg	380.11	J/mol×K	606.60	Joback Method
cpg	391.75	J/mol×K	636.70	Joback Method
dvisc	0.0047896	Pa×s	201.81	Joback Method
dvisc	0.0016581	Pa×s	244.19	Joback Method
dvisc	0.0007856	Pa×s	286.57	Joback Method
dvisc	0.0004512	Pa×s	328.95	Joback Method
dvisc	0.0002941	Pa×s	371.32	Joback Method
dvisc	0.0002093	Pa×s	413.70	Joback Method
dvisc	0.0001586	Pa×s	456.08	Joback Method

Sources

Crippen Method:	https://www.chemeo.com/doc/models/crippen_log10ws
Joback Method:	https://en.wikipedia.org/wiki/Joback_method
McGowan Method:	http://link.springer.com/article/10.1007/BF02311772
NIST Webbook:	http://webbook.nist.gov/cgi/cbook.cgi?ID=C19883295&Units=SI
Crippen Method:	http://pubs.acs.org/doi/abs/10.1021/ci990307l

Legend

cpg:	Ideal gas heat capacity
dvisc:	Dynamic viscosity
gf:	Standard Gibbs free energy of formation
hf:	Enthalpy of formation at standard conditions
hfus:	Enthalpy of fusion at standard conditions
hvap:	Enthalpy of vaporization at standard conditions

log10ws:	Log10 of Water solubility in mol/l
logp:	Octanol/Water partition coefficient
mcvol:	McGowan's characteristic volume
pc:	Critical Pressure
rinpol:	Non-polar retention indices
ripol:	Polar retention indices
tb:	Normal Boiling Point Temperature
tc:	Critical Temperature
tf:	Normal melting (fusion) point
vc:	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/69-089-8/E-E-1-3-5-Undecatriene.pdf>

Generated by Cheméo on 2025-12-05 11:54:38.174058532 +0000 UTC m=+4683875.704099187.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.