

# 1,5-Cyclododecadiene, (Z,Z)-

<b>Other names:</b>	cis,cis-1,5-Cyclododecadiene c,c-Cyclododeca-1,5-diene
<b>Inchi:</b>	InChI=1S/C12H20/c1-2-4-6-8-10-12-11-9-7-5-3-1/h1-2,7,9H,3-6,8,10-12H2/b2-1-,9-7-
<b>InchiKey:</b>	KEMUGHMYINTXKW-NQOXHWNZSA-N
<b>Formula:</b>	C12H20
<b>SMILES:</b>	C1=CCCCCCCC=CCC1
<b>Mol. weight [g/mol]:</b>	164.29
<b>CAS:</b>	31821-17-7

## Physical Properties

Property code	Value	Unit	Source
gf	69.64	kJ/mol	Joback Method
hf	-137.75	kJ/mol	Joback Method
hfus	7.44	kJ/mol	Joback Method
hvap	44.66	kJ/mol	Joback Method
log10ws	-4.45		Crippen Method
logp	4.233		Crippen Method
mvol	160.480	ml/mol	McGowan Method
pc	2741.15	kPa	Joback Method
rinpol	1354.00		NIST Webbook
rinpol	1364.00		NIST Webbook
rinpol	1372.00		NIST Webbook
tb	522.12	K	Joback Method
tc	767.68	K	Joback Method
tf	217.02	K	Joback Method
vc	0.566	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	365.45	J/molxK	522.12	Joback Method
cpg	476.87	J/molxK	726.75	Joback Method
cpg	457.70	J/molxK	685.83	Joback Method
cpg	436.97	J/molxK	644.90	Joback Method

cpg	414.69	J/molxK	603.97	Joback Method
cpg	390.85	J/molxK	563.05	Joback Method
cpg	494.48	J/molxK	767.68	Joback Method
dvisc	0.0000591	Paxs	522.12	Joback Method
dvisc	0.0001077	Paxs	471.27	Joback Method
dvisc	0.0002267	Paxs	420.42	Joback Method
dvisc	0.0005857	Paxs	369.57	Joback Method
dvisc	0.0020493	Paxs	318.72	Joback Method
dvisc	0.0115346	Paxs	267.87	Joback Method
dvisc	0.1459004	Paxs	217.02	Joback Method

## Sources

<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C31821177&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C31821177&amp;Units=SI</a>
<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.cheméo.com/cid/69-848-5/1-5-Cyclododecadiene-Z-Z.pdf>

Generated by Cheméo on 2024-04-29 21:51:59.771599875 +0000 UTC m=+16716768.692177190.

Cheméo (<https://www.cheméo.com>) is the biggest free database of chemical and physical data for the process industry.