

# 9,12-Octadecadien-1-ol, (Z,Z)-

<b>Other names:</b>	(Z,Z)-9,12-Octadecadien-1-ol (9Z,12Z)-octadeca-9,12-dien-1-ol
<b>Inchi:</b>	InChI=1S/C18H34O/c1-2-3-4-5-6-7-8-9-10-11-12-13-14-15-16-17-18-19/h6-7,9-10,19H,2
<b>InchiKey:</b>	JXNPEDYJTDQORS-HZJYTTRNSA-N
<b>Formula:</b>	C18H34O
<b>SMILES:</b>	CCCCC=CCC=CCCCCCCCO
<b>Mol. weight [g/mol]:</b>	266.46
<b>CAS:</b>	506-43-4

## Physical Properties

Property code	Value	Unit	Source
gf	124.30	kJ/mol	Joback Method
hf	-332.64	kJ/mol	Joback Method
hfus	46.87	kJ/mol	Joback Method
hvap	72.26	kJ/mol	Joback Method
log10ws	-6.33		Crippen Method
logp	5.792		Crippen Method
mvol	261.750	ml/mol	McGowan Method
pc	1322.31	kPa	Joback Method
rinpol	2052.00		NIST Webbook
rinpol	2052.00		NIST Webbook
tb	711.74	K	Joback Method
tc	881.52	K	Joback Method
tf	343.28	K	Joback Method
vc	1.022	m <sup>3</sup> /kmol	Joback Method

## Temperature Dependent Properties

Property code	Value	Unit	Temperature [K]	Source
cpg	762.54	J/molxK	711.74	Joback Method
cpg	840.26	J/molxK	853.23	Joback Method
cpg	826.06	J/molxK	824.93	Joback Method
cpg	811.22	J/molxK	796.63	Joback Method
cpg	795.72	J/molxK	768.33	Joback Method

cpg	779.51	J/molxK	740.04	Joback Method
cpg	853.88	J/molxK	881.52	Joback Method
dvisc	0.0000208	Paxs	711.74	Joback Method
dvisc	0.0000339	Paxs	650.33	Joback Method
dvisc	0.0000611	Paxs	588.92	Joback Method
dvisc	0.0001263	Paxs	527.51	Joback Method
dvisc	0.0003165	Paxs	466.10	Joback Method
dvisc	0.0010481	Paxs	404.69	Joback Method
dvisc	0.0053256	Paxs	343.28	Joback Method

## Sources

<b>Crippen Method:</b>	<a href="http://pubs.acs.org/doi/abs/10.1021/ci9903071">http://pubs.acs.org/doi/abs/10.1021/ci9903071</a>
<b>Crippen Method:</b>	<a href="https://www.chemeo.com/doc/models/crippen_log10ws">https://www.chemeo.com/doc/models/crippen_log10ws</a>
<b>Joback Method:</b>	<a href="https://en.wikipedia.org/wiki/Joback_method">https://en.wikipedia.org/wiki/Joback_method</a>
<b>McGowan Method:</b>	<a href="http://link.springer.com/article/10.1007/BF02311772">http://link.springer.com/article/10.1007/BF02311772</a>
<b>NIST Webbook:</b>	<a href="http://webbook.nist.gov/cgi/cbook.cgi?ID=C506434&amp;Units=SI">http://webbook.nist.gov/cgi/cbook.cgi?ID=C506434&amp;Units=SI</a>

## Legend

<b>cpg:</b>	Ideal gas heat capacity
<b>dvisc:</b>	Dynamic viscosity
<b>gf:</b>	Standard Gibbs free energy of formation
<b>hf:</b>	Enthalpy of formation at standard conditions
<b>hfus:</b>	Enthalpy of fusion at standard conditions
<b>hvap:</b>	Enthalpy of vaporization at standard conditions
<b>log10ws:</b>	Log10 of Water solubility in mol/l
<b>logp:</b>	Octanol/Water partition coefficient
<b>mcvol:</b>	McGowan's characteristic volume
<b>pc:</b>	Critical Pressure
<b>rinpol:</b>	Non-polar retention indices
<b>tb:</b>	Normal Boiling Point Temperature
<b>tc:</b>	Critical Temperature
<b>tf:</b>	Normal melting (fusion) point
<b>vc:</b>	Critical Volume

Latest version available from:

<https://www.chemeo.com/cid/70-276-8/9-12-Octadecadien-1-ol-Z-Z.pdf>

Generated by Cheméo on 2024-04-20 10:25:03.811445315 +0000 UTC m=+15897952.732022629.

Cheméo (<https://www.chemeo.com>) is the biggest free database of chemical and physical data for the process industry.